

neox  
BY BRODWARE

## Affordable Luxury





Welcome to the Neox Catalogue.

DISCOVER INNOVATIVE  
CONTEMPORARY FORMS  
AND DESIGN IDEAS FOR  
THAT SPECIAL SPACE IN  
YOUR HOME.



# Contents

---

## Tapware

Page **06**

Crafted to last, this popular range of neox tapware has been expanded to help you take your bathroom in a new direction



## Basins & Consoles

Page **10**

Simple. Elegant. The neox range of contemporary easy to install basins will help you create a striking visual effect in your bathroom



## Bathroom Accessories

Page **14**

Neox presents a range of bathroom accessories in sharp modern forms that contemporary environments demand



## Showers

Page **18**

Neox makes it easy for you to choose the water experience that's right for you to create a unique environment for that special place in your home



## Heated Towel Rails

Page **24**


Nothing beats the luxurious experience of a warm dry towel that's there for the taking... every time you need it



## Underfloor Heating

Page **36**

Here's a simple way to move your bathroom away from the ordinary and make a bold statement about the way you live



## Wastes & Traps

Page **39**

Quality fittings make all the difference. The neox range has been designed and crafted to ensure your bathroom is a master piece.





Who is neox?

Neox is a leading international producer and supplier of an extensive range of affordable, contemporary, quality bathroom essentials to inspire designers, the trade, and discerning customers like YOU.





## Commitment

At Neox we are committed to holding comprehensive stocks of our products. We offer 48 hour delivery to most major cities in Australia.

We have a constant program developing styles and new ideas to stay at the forefront of the bathroom industry.

We have friendly and knowledgeable staff available to help with the design, installation and maintenance of your bathroom.

We are sure you will be delighted with your choice.

## Sustainability

The environment is in safe hands with us – our factory plants are dedicated to recycled materials, reducing costs to you and to the environment. The systems we have in place ensure that recycling packaging and re-using water, cutting freshwater consumption and so on means we are doing our part to save the environment.

## Quality

Quality is our number one priority. We only use quality materials, mindful that longevity is a not-so-silent salesman.

Our tapware is manufactured under an audited quality control system compliant to Australian Standard AS3718. Our Licence Number is 1615.

Our tapware is WELS rated to the maximum 6 star rating and all showers to the maximum 3 star rating to enable greater water and energy savings.

## Design Solutions

Neox collections of ceramics, furniture and tapware are inspired by the natural coalition of stone and water. Mmmm say more.

With our stylish, refined and contemporary ranges, we are delighted to unveil our latest products which will captivate and inspire you.



TAPWARE  
FUNCTION,  
STYLE, QUALITY,  
AND VALUE.






Inspired forms to confidently  
take you in a new direction  
in bathroom design.

# Tapware


Engineered to last, this popular range of neox tapware has been expanded to help you take your bathroom in a new direction.

**Code**

R50.02.00

**Description**


Panoramic basin mixer WELS 6 star rated, 4.5L/min

**Code**

R51.02.00

**Description**


Corso basin mixer WELS 6 star rated, 4.5L/min

**Code**

R52.02.00

**Description**


Smooth basin mixer WELS 6 star rated, 4.5L/min

**Code**

R50.48.00

**Description**


Panoramic wall mixer

**Code**

R51.48.00

**Description**

Corso wall mixer


**Code**

R52.48.00

**Description**

Smooth wall mixer





#### Code


R57.05.10

R57.05.10.FC

#### Description

Bath spout 100mm with flange

Bath spout 100mm with flange WELS 6 star rated, 4.5L/min



#### Code


R57.05.16

R57.05.16.FC

#### Description

Bath spout 160mm with flange

Bath spout 160mm with flange WELS 6 star rated, 4.5L/min



#### Code

R57.05.21

R57.05.21.FC

#### Description

Bath spout 210mm with flange

Bath spout 210mm with flange WELS 6 star rated, 4.5L/min








Designs that float effortlessly in space to create a striking visual effect in any bathroom space.

# Basins & Consoles

Simple. Elegant. The neox range of contemporary easy to install basins will help you create a striking visual effect in your bathroom.




## Code

R40.91.05

## Description

Tempus washbasin 500mm x 370mm with one tap hole  
Must use 32mm overflow waste




## Code

R40.91.07

## Description

Tempus washbasin 750mm x 450mm with one tap hole  
Must use 32mm overflow waste




## Code

R40.91.09

## Description

Tempus washbasin 900mm x 480mm with one tap hole  
Must use 32mm overflow waste




## Code

R40.91.19.B

## Description

Tempus washbasin 900mm x 480mm with black leg set and one tap hole.  
Must use 32mm overflow waste




## Code

R40.91.19.W

## Description

Tempus washbasin 900mm x 480mm with white leg set and one tap hole.  
Must use 32mm overflow waste




## Code

R40.91.25

## Description

Tempus washbasin 500mm x 370mm with stainless steel leg set and one tap hole.  
Must use 32mm overflow waste






#### Code

R40.91.27

#### Description

Tempus washbasin 750mm x 450mm with stainless steel leg set and one tap hole. Must use 32mm overflow waste




#### Code

R40.91.29

#### Description

Tempus washbasin 900mm x 480mm with stainless steel leg set and one tap hole. Must use 32mm overflow waste



#### Code

R40.91.39

#### Description

Tempus washbasin 900mm x 480mm with stainless steel towel holder and one tap hole. Must use 32mm overflow waste





# BATHROOM ACCESSORIES


## DESIGNS THAT REFLECT YOUR STYLE AND INDIVIDUALITY.




Designs that embrace the  
essence of simplicity to free  
you from the expected and  
say a lot about you and the  
way you like to live.

# Bathroom Accessories


Neox presents a range of bathroom accessories in sharp modern forms that contemporary environments demand.




Code	Description
R50.51.00	Panoramic towel ring



Code	Description
R50.52.00	Panoramic soap basket




Code	Description
R50.55.60	Panoramic towel rail 600mm



Code	Description
R50.59.00	Panoramic glass shelf






**Code**

R50.61.00

**Description**


Panoramic toilet roll holder

**Code**

R50.63.00

**Description**

Panoramic robe hook

**Code**

R50.64.00

**Description**

Panoramic toilet brush holder






*Choose your very own water experience with adjustable water flow heads for an invigorating body massage or a soothing shower that's also eco friendly.*




# Showers


Neox makes it easy for you to choose the water experience that's right for you to create a unique environment for that special place in your home.




Code	Description
R50.34.00	RainBliss single function handshower with hose (R50.42.00), slider bar (R50.34.00.B) and wall elbow (R50.42.00.E). WELS 3 star rated, 9L/min




Code	Description
R50.34.00.B	Slider bar




Code	Description
R50.34.02	RainBliss X single function handshower with hose (R50.42.02), slider bar (R50.34.00.B) and wall elbow (R50.42.00.E). WELS 3 star rated, 9L/min



Code	Description
R50.34.03	RainBliss three function handshower with hose (R50.42.03), slider bar (R50.34.00.B) and wall elbow (R50.42.00.E). WELS 3 star rated, 9L/min




Code	Description
R50.34.04	RainBliss Rectangle single function handshower with hose (R50.42.04), slider bar (R50.34.04.B) and wall elbow (R50.42.04.E). WELS 3 star rated, 9L/min




Code	Description
R50.34.04.B	Rectangle slider bar



**Code**


R50.42.00

**Description**RainBliss single function handshower with hose  
WELS 3 star rated, 9L/min**Code**

R50.42.00.E

**Description**


Wall elbow only

**Code**


R50.42.00.H

**Description**


Handshower holder with water connection

**Code**


R50.42.02

**Description**RainBliss X single function handshower with hose  
WELS 3 star rated, 9L/min**Code**

R50.42.03

**Description**RainBliss three function handshower with hose  
WELS 3 star rated, 9L/min**Code**

R50.42.04


**Description**RainBliss Rectangle single function handshower  
with hose. WELS 3 star rated, 9L/min**Code**

R50.42.04.E

**Description**

Square Wall elbow only

## Showers Continued




### Code

R50.42.10

### Description

RainBliss single function handshower with hose (R50.42.00), holder and water connection (R50.42.00.H). WELS 3 star rated, 9L/min




### Code

R50.42.12

### Description

RainBliss X single function handshower with hose (R50.42.02), holder and water connection (R50.42.00.H), WELS 3 star rated, 9L/min




### Code

R50.42.13

### Description

RainBliss three function handshower with hose (R50.42.03), holder and water connection (R50.42.00.H). WELS 3 star rated, 9L/min




### Code

R55.21.02

### Description

RainBliss shower rose 210mm (R55.21.00) and shower arm 400mm with flange (R56.15.40) WELS 3 star rated, 9L/min




### Code

R55.21.03

### Description

RainBliss shower rose 210mm (R55.21.00) and shower arm 400mm with flange (R56.19.40) WELS 3 star rated, 9L/min




### Code

R55.21.15

### Description

RainBliss shower rose 210mm (R55.21.00) and ceiling dropper 150mm with flange (R56.17.15) WELS 3 star rated, 9L/min




### Code

R55.21.30

### Description


RainBliss shower rose 210mm (R55.21.00) and ceiling dropper 300mm with flange (R56.17.30) WELS 3 star rated, 9L/min

**Code**

R55.21.45

**Description**


RainBliss shower rose 210mm (R55.21.00) and ceiling dropper 450mm with flange (R56.17.45)  
WELS 3 star rated, 9L/min

**Code**

R55.26.02

**Description**


RainBliss shower rose 260mm (R55.26.00) and shower arm 400mm with flange (R56.15.40)  
WELS 3 star rated, 9L/min

**Code**

R55.26.03

**Description**


RainBliss shower rose 260mm (R55.26.00) and shower arm 400mm with flange (R56.19.40)  
WELS 3 star rated, 9L/min

**Code**

R55.26.15

**Description**


RainBliss shower rose 260mm (R55.26.00) and ceiling dropper 150mm with flange (R56.17.15)  
WELS 3 star rated, 9L/min

**Code**

R55.26.30

**Description**


RainBliss shower rose 260mm (R55.26.00) and ceiling dropper 300mm with flange (R56.17.30)  
WELS 3 star rated, 9L/min

**Code**

R55.26.45

**Description**

RainBliss shower rose 260mm (R55.26.00) and ceiling dropper 450mm with flange (R56.17.45)  
WELS 3 star rated, 9L/min

**Code**

R56.13.16

**Description**

Shower arm 160mm with flange and 45° bend







A product range defined by its absence of complexity to deliver the perfect blend of personal comfort, style and performance striking to look at, easy to install, built to last.






"The result of a  
unique vision  
and only the finest  
quality materials  
is a perfectly  
symmetrical and  
balanced design."




# Heated Towel Rails


Nothing beats the luxurious experience of a warm dry towel that's there for the taking... every time you need it.




Code	Description
R10.06.07.L	Coco heated towel rail, bottom left cable entry
R10.06.07.R	Coco heated towel rail, bottom right cable entry
R10.00.10	Concealed cable kit to suit stud/cavity wall
R12.00.10	Concealed cable kit to suit masonry wall





Code	Description
R10.06.10.L	Coco heated towel rail, bottom left cable entry
R10.06.10.R	Coco heated towel rail, bottom right cable entry
R10.00.10	Concealed cable kit to suit stud/cavity wall
R12.00.10	Concealed cable kit to suit masonry wall




Code	Description
R10.06.15.L	Coco heated towel rail, bottom left cable entry
R10.06.15.R	Coco heated towel rail, bottom right cable entry
R10.00.10	Concealed cable kit to suit stud/cavity wall
R12.00.10	Concealed cable kit to suit masonry wall



Code	Description
R10.09.07.L	Coco heated towel rail, bottom left cable entry
R10.09.07.R	Coco heated towel rail, bottom right cable entry
R10.00.10	Concealed cable kit to suit stud/cavity wall
R12.00.10	Concealed cable kit to suit masonry wall




Code	Description
R10.12.07.L	Coco heated towel rail, bottom left cable entry
R10.12.07.R	Coco heated towel rail, bottom right cable entry
R10.00.10	Concealed cable kit to suit stud/cavity wall
R12.00.10	Concealed cable kit to suit masonry wall



Code	Description
R11.04.10.L	Coco heated towel rail, bottom left cable entry
R11.04.10.R	Coco heated towel rail, bottom right cable entry
R10.00.10	Concealed cable kit to suit stud/cavity wall
R12.00.10	Concealed cable kit to suit masonry wall






#### Code

R12.06.10.L  
R12.06.10.R  
R10.00.10  
R12.00.10

#### Description

Coco Curves heated towel rail, bottom left cable entry  
Coco Curves heated towel rail, bottom right cable entry  
Concealed cable kit to suit stud/cavity wall  
Concealed cable kit to suit masonry wall




#### Code

R13.04.10.L  
R13.04.10.R  
R10.00.13  
R12.00.13

#### Description

Linear heated towel rail, bottom left cable entry  
Linear heated towel rail, bottom right cable entry  
Concealed cable kit to suit stud/cavity wall  
Concealed cable kit to suit masonry wall




#### Code

R13.06.10.L  
R13.06.10.R  
R10.00.13  
R12.00.13

#### Description

Linear heated towel rail, bottom left cable entry  
Linear heated towel rail, bottom right cable entry  
Concealed cable kit to suit stud/cavity wall  
Concealed cable kit to suit masonry wall



#### Code

R14.06.10.L  
R14.06.10.R

#### Description

R2 heated towel rail, left cable entry  
R2 heated towel rail, right cable entry  
No concealed cable kit required




#### Code

R16.06.00.L  
R16.06.00.R  
R10.00.10  
R12.00.10

#### Description

Uni V heated towel rail, left hand cable entry  
Uni V heated towel rail, right hand cable entry  
Concealed cable kit to suit stud/cavity wall  
Concealed cable kit to suit masonry wall



#### Code

R16.06.10

#### Description

Uni Mobil portable heated towel rail  
Supplied with buffers on legs






















The environment is in safe hands  
with us. The systems we have in  
place means we are doing our part  
to save the environment.

## Heated Towel Rails Continued

		<table><tr><th>Code</th><th>Description</th></tr><tr><td>R17.06.00.L</td><td>Linear Solo heated towel rail, left hand cable entry</td></tr><tr><td>R17.00.10</td><td>Transformer</td></tr></table>	Code	Description	R17.06.00.L	Linear Solo heated towel rail, left hand cable entry	R17.00.10	Transformer				
Code	Description											
R17.06.00.L	Linear Solo heated towel rail, left hand cable entry											
R17.00.10	Transformer											
		<table><tr><th>Code</th><th>Description</th></tr><tr><td>R18.06.00.L</td><td>R2 Solo heated towel rail, left cable entry</td></tr><tr><td>R17.00.10</td><td>Transformer</td></tr></table>	Code	Description	R18.06.00.L	R2 Solo heated towel rail, left cable entry	R17.00.10	Transformer				
Code	Description											
R18.06.00.L	R2 Solo heated towel rail, left cable entry											
R17.00.10	Transformer											
		<table><tr><th>Code</th><th>Description</th></tr><tr><td>R19.06.10.L</td><td>Ambience heated towel rail, left hand cable entry</td></tr><tr><td>R19.06.10.R</td><td>Ambience heated towel rail, right hand cable entry</td></tr><tr><td>R10.00.19</td><td>Concealed cable kit to suit stud/cavity wall</td></tr><tr><td>R12.00.19</td><td>Concealed cable kit to suit masonry wall</td></tr></table>	Code	Description	R19.06.10.L	Ambience heated towel rail, left hand cable entry	R19.06.10.R	Ambience heated towel rail, right hand cable entry	R10.00.19	Concealed cable kit to suit stud/cavity wall	R12.00.19	Concealed cable kit to suit masonry wall
Code	Description											
R19.06.10.L	Ambience heated towel rail, left hand cable entry											
R19.06.10.R	Ambience heated towel rail, right hand cable entry											
R10.00.19	Concealed cable kit to suit stud/cavity wall											
R12.00.19	Concealed cable kit to suit masonry wall											
		<table><tr><th>Code</th><th>Description</th></tr><tr><td>R20.03.15</td><td>Kolum heated towel rail, right hand cable entry</td></tr><tr><td>R10.00.10</td><td>Concealed cable kit to suit stud / cavity wall</td></tr><tr><td>R12.00.10</td><td>Concealed cable kit to suit masonry wall</td></tr></table>	Code	Description	R20.03.15	Kolum heated towel rail, right hand cable entry	R10.00.10	Concealed cable kit to suit stud / cavity wall	R12.00.10	Concealed cable kit to suit masonry wall		
Code	Description											
R20.03.15	Kolum heated towel rail, right hand cable entry											
R10.00.10	Concealed cable kit to suit stud / cavity wall											
R12.00.10	Concealed cable kit to suit masonry wall											
		<table><tr><th>Code</th><th>Description</th></tr><tr><td>R21.06.13</td><td>Stockholm heated towel rail, bottom cable entry</td></tr><tr><td></td><td>No concealed cable kit required</td></tr></table>	Code	Description	R21.06.13	Stockholm heated towel rail, bottom cable entry		No concealed cable kit required				
Code	Description											
R21.06.13	Stockholm heated towel rail, bottom cable entry											
	No concealed cable kit required											
		<table><tr><th>Code</th><th>Description</th></tr><tr><td>R22.06.08</td><td>Coco Cool unheated towel rail</td></tr></table>	Code	Description	R22.06.08	Coco Cool unheated towel rail						
Code	Description											
R22.06.08	Coco Cool unheated towel rail											
		<table><tr><th>Code</th><th>Description</th></tr><tr><td>R22.06.13</td><td>Coco Cool Tall unheated towel rail</td></tr></table>	Code	Description	R22.06.13	Coco Cool Tall unheated towel rail						
Code	Description											
R22.06.13	Coco Cool Tall unheated towel rail											





#### Code


R23.06.07.L

#### Description

Nexus heated towel rail, left hand cable entry  
Concealed cable kit included

R23.06.07.R

Nexus heated towel rail, right hand cable entry  
Concealed cable kit included



#### Code


R23.06.10.L

#### Description

Nexus heated towel rail, left hand cable entry  
Concealed cable kit included

R23.06.10.R

Nexus heated towel rail, right hand cable entry  
Concealed cable kit included



#### Code

R24.06.10.L

#### Description

Kube heated towel rail, left hand cable entry  
Concealed cable kit included

R24.06.10.R

Kube heated towel rail, right hand cable entry  
Concealed cable kit included



Enjoy the feeling of  
a soft, warm, and dry  
towel each and every  
time you shower.










# UNDERFLOOR HEATING THE PERFECT CHOICE FOR A BATHROOM WITH A DIFFERENCE.





Everything a modern family  
needs and desires to start  
the day...the reassuring  
feeling that comes from  
walking on a warm floor.



# Underfloor Heating

Here's a simple way to move your bathroom away from the ordinary and make a bold statement about the way you live




EcoWarm underfloor heating kit with adjustable temperature control

Code	Description
R29.017.01	1.0m2-1.5m2 coverage
R29.029.01	1.5m2-2.0m2 coverage
R29.035.01	2.0m2-2.5m2 coverage
R29.040.01	2.5m2-3.0m2 coverage
R29.056.01	3.0m2-4.0m2 coverage
R29.064.01	4.0m2-5.0m2 coverage
R29.070.01	5.0m2-6.0m2 coverage
R29.104.01	6.0m2-8.0m2 coverage
R29.125.01	8.0m2-10.0m2 coverage
R29.160.01	10.0m2-13.0m2 coverage
R29.200.01	13.0m2-18.0m2 coverage




EcoWarm underfloor heating kit with Honeywell advanced digital controller

Code	Description
R29.017.02	1.0m2-1.5m2 coverage
R29.029.02	1.5m2-2.0m2 coverage
R29.035.02	2.0m2-2.5m2 coverage
R29.040.02	2.5m2-3.0m2 coverage
R29.056.02	3.0m2-4.0m2 coverage
R29.064.02	4.0m2-5.0m2 coverage
R29.070.02	5.0m2-6.0m2 coverage
R29.104.02	6.0m2-8.0m2 coverage
R29.125.02	8.0m2-10.0m2 coverage
R29.160.02	10.0m2-13.0m2 coverage
R29.200.02	13.0m2-18.0m2 coverage




# Wastes & Bottle Traps

Quality fittings make all the difference. The neox range has been designed and crafted to ensure your bathroom is a master piece.




**Code**  
R49.03.00

**Description**  
Click-Clack waste 32mm



**Code**  
R49.34.00

**Description**  
Bottle trap to suit 40mm PVC and 32mm waste  
Australian Standards approved



**Code**  
R49.34.01

**Description**  
Waste adapter 40mm-32mm  
to suit R49.34.00 bottle trap

