

Dear Customer,

In 2017 we are incredibly proud to join a prestigious group of Australian companies that have been in business for over 50 years. This year also marks the year we celebrate our 50th Bright Ideas promotional campaign – a hallmark throughout the lighting industry.

Mercator remains a family business and operates with shared core family values. Our ability to design differentiated high quality technologies and products reflecting the latest fashion and styling trends has positioned us as a market leader. Our meaningful relationships and partnerships with our suppliers, retailers, wholesalers and fashion houses enable us to continue inspiring passion and creativity.

Mercator's unique workplace culture places the customer at the centre of everything we do and remains at the heart of our success. We have always, and will continue to stand proudly by our people and the products we sell. Our relentless determination to ensure we set the benchmark with the highest quality industry-leading products sees our R&D and Quality departments at the forefront of the industry.

As CEO, I am honoured to lead Mercator during this leg of its journey and I am pleased with the enhancements we have made to the commercial operations throughout this year.

Our attention remains to continue systematically improving our products and to delight our customers, offering them an experience and service which exceeds expectations.

The immediate future is an exciting period whereby significant investment into our operations at Mercator will see us continue to strengthen our market leading position.

This 2017 catalogue is full of exciting products and an opportunity for us to showcase the latest trends and technology from across the globe.

We thank you for your loyal support over the years and the role you have played in making Mercator the success it is. We stand ready to partner with you as our loyal distributor and trust this catalogue will become an even more valuable tool within your business.


Yours Sincerely,




Mark Bejatovic
Chief Executive Officer







MERCATOR



At Mercator, we take the responsibilities that come with being a market leader seriously.

From the time we commenced operations back in 1962 as a small importer, we have challenged ourselves to remain at the forefront of the Lighting Industry not only in Australia, but across the globe. Nearly 55 years later we are proud to be recognised by our suppliers, customers and competitors as one of Australia's leading providers of Lighting and Air Movement products to the Home, Business and Commercial environments.

Mercator is a family owned business built on caring for our customers and communities. We have always held a strong personal connection with our partners, and our rich history through the legacy of the Levy family sees us continue to place honesty and integrity at the core of everything we do. Our passion to continue to provide high quality, best in class products and consumer experiences remains steadfast.

Curiosity and consumer insight is part of our DNA - it's one of the founding principles on which the company was built. Mercator in 2017 continues to collaborate closely with industry partners and our end consumers, enabling us to bring the latest designs, innovations and fashions to market. To us, it's more than just "Lights and Fans" – it's about empowering people, businesses and communities to improve their lives through creating exquisite designs and continuously releasing new products to market.

In 2017, we embrace the challenges that an ever-changing world brings with continuous improvement, creative thinking and innovation thriving throughout every area of our business. Our focus to progress sustainable business practices, and to conduct our operations in a manner that enables the ability of future generations to meet their needs is unrelenting.





Mercator's commitment to safeguarding the well-being of our people, customers, partners and the communities in which we operate is a longstanding part of our business.

Our sustained investment into our Quality and Compliance programs has resulted in our business being recognised and respected within the industry, ensuring everything we bring to market meets the highest possible electrical safety standards.

When deciding on the minimum performance standards of our products, we work closely with our supply partners to push the boundaries across lumen output, light efficacy, energy efficiency, airflow and ease of installation. This is just one of the ways we differentiate ourselves from the competition.

Our industry-leading Warranty program is backed by our own Mercator Electrical Solutions (MES) operation which has been initiated to give stores, electricians and consumers even greater peace of mind and allow instantaneous feedback to drive continuous improvements across our product portfolio.

As a longstanding member of the Lighting Council of Australia, Mercator tests and assesses all of its products to applicable AS/NZS electrical safety and EMC standards and all prescribed products are SAA approved. Every product undergoes an independent third party inspection process in accordance with MIL-STD-105E Level S4 criteria before release.










We believe that a diverse team of well-trained individuals working together in an environment that fosters respect and drives high levels of engagement is essential to our continued success.



Mercator has always been about people. From when Russell Levy took over the business in 1975 and was joined by brother Barry in 1986, the Levy family recognised the importance of treating employees and customers alike with respect.

Leading with confidence and vision, the Levy brothers set about creating a culture that inspires excellence, with a clear focus on service and dedication to making life easier for our customers which still exists today.

Whilst Russell and Barry retired from their active management roles in 2016, they continue to focus their efforts in their respective roles as Chairman and Non-Executive directors on our board. The legacy they leave looms large in the way we separate ourselves from the crowd by going the "extra mile" in our dealings with customers and delivering industry-leading service backed by a committed team of professionals who strive to enhance "The Mercator Experience".



Our goal is to offer you a complete "end to end" consumer focused solution and to support you to achieve sustainable and profitable growth within your business.

We will strive to achieve this by working closely with you to provide compelling marketing programs which target the "right" consumers with relevant, competitive and profitable products to help increase store traffic and drive your sales.

The Mercator range you choose is designed to match your individual requirements and our guarantee is to continue to provide flexible and efficient ranges, supported by industry best logistics which help reduce inventory holdings and improve your cash flow and profitability.



SALES ORDER HOTLINES

QLD, VIC, SA, WA TAS & NT

T: 1300 552 255

F: 1300 552 256

NSW & ACT

T: 1300 303 335

F: 1300 133 828

General & Accounts Enquiries

Showroom Warehouse Head Office

Mercator Pty. Ltd. 88-100 Kyabram Street, Coolaroo, Victoria 3048

T: 03 9302 6200 F: 03 9302 6262

mercator@mercator.com.au

NSW & ACT

Office Mercator Pty Ltd Unit 24, 56 O'Riordan St Alexandria, NSW 2015

> **T:** 1300 303 335 **F:** 1300 133 828











visit us now! www.mercator.com.au

CONTENTS

PENDANTS	PAGE 16
DECORATIVE TABLE & FLOOR LAMPS	PAGE 54
TASK LAMPS	PAGE 82
SPOT & TRACK LIGHTS	PAGE 96
DOWNLIGHTS	PAGE 106
CEILING & WALL	PAGE 120
DIY	PAGE 154
OUTD00R	PAGE 172
GLOBES & DIMMERS	PAGE 212
COMMERCIAL GRADE	PAGE 222
CEILING & WALL FANS	PAGE 232
EXHAUST FANS & BATHROOM HEATERS	PAGE 270
WARRANTY & TECHNICAL	PAGE 293
INDEX	PAGE 304





ECO-LITE

Eco-Lite® provides an environmentally friendly and cost effective lighting solution. Eco-Lite® products are stylish, practical and most importantly safer for our environment.



I FD

This product features energy efficient LED lamps or integrated LED.



LOW VOLTAGE

This product incorporates low voltage technology, giving a brighter light output.



COLOUR CHANGING TOUCH CONTROL

This product features a colour changing touch control, allowing you to change between colour temperatures with the touch of your hand



ON/OFF **TOUCH LAMP**

This product features an On/Off touch switch. Suitable for use with incandescent and halogen energy saver lamps, and most brands of Compact Fluorescent Lamps.



3 STAGE TOUCH LAMP

This product features a 3 Stage touch switch, allowing you to control the level of light with the touch of your hand. Not suitable for use with Compact Fluorescent Lamps or LED Lamps.



IP RATING*

This product has an IP rating providing a degree of protection against the intrusion of solid objects, dust & water.



IK RATING*

This product has an IK rating providing a degree of protection against impact.



RATING*

Products featuring a CA or IC rating are recessed fittings which may be suitable for installation in contact with building insulation, under certain conditions.



This product features a 5 year warranty and is suitable for use in commercial applications.

*For more information on these Ratings, please refer to the Technical section at the back of this catalogue.



This product can be installed without a qualified electrician, reducing the cost and time of installation.



DOUBLE INSULATED

This product is Double Insulated.



MOTION SENSOR

This product contains a motion sensor, allowing the light to automatically be switched on when the sensor detects movement. A sensor light is an ideal efficient security light as it is only in use when needed. PLEASE NOTE: Compact Fluorescent Lamps (CFL) cannot be used in conjunction with some motion sensor products.



DIMMABLE

This product contains a leading and trailing edge compatible* driver offering the ability to adjust the intensity of light to suit the desired mood of any room. *This product is compatible with selected models of dimmers, please visit our website.



DIMMER SWITCH (FLOOR LAMPS ONLY)

This product contains a dimmer switch, offering the ability to adjust the intensity of light to suit the desired mood of any room.



CONTINUOUS TOUCH DIMMER

This product features a continuous touch dimmer, allowing you to control the level of light with the touch of your hand.



UV RESISTANT

This product contains UV stabilising properties to protect from the long-term UV degradation effects from ultraviolet radiation



SUPERIOR AIRFLOW

This product features an airflow higher than 10,000m³/hour.



RUST RESISTANT

This product is rust resistant and is designed to minimise the corrosive effects of the natural environment.

EXT indicates the extension from the wall or ceiling to the outer edge of the product.

General Information

electrician.

guide only.

Measurements

All hard wired electrical products

must be installed by a qualified

All measurements within this

manual are in millimetres and are designed to be used as a

Measurements may vary slightly to those within this manual and

may be modified for design

or enhancement purposes.

without any prior notice.

Mercator reserves the right to cancel or change all products

Globe recommendation and selection guide


There are a large variety of globes on the market, which can make it hard to know what you're looking for. For your convenience, we have included a table of recommended globes and wattages for each product to help make your selection easy.

Energy saving lamps, such as CFL, LED or energy saving Halogen are sold in wattages much like regular incandescent globes, although they will use less power, whilst producing the same or greater light output.

The Mercator manual details the globe type, base and maximum wattage recommended for each fixture.

Remember: DO NOT exceed the recommended wattage for each product outlined in this manual, as our warranty may not apply if overheating occurs. The maximum wattage specified are as per Australian Electrical Safety Standard.

The use of globes other than those specifically listed for each product is not recommended.




A summary of the globe types and wattages is below:

LED	Energy Saving Globes (CFLs)	Halogen	Ordinary Globes (incandescent)
4w	6w	18w	25w
6w	9w	28w	40w
10w	12w	42w	60w
13w	15w	53w	75w
18w	20w	70w	100w
LED	CFL	HALOGEN	INCDST.

ICONS GLOBE INCLUDED

BASE TYPES

There are also a number of Base Types available. Below is a summary of the most commonly used base types in this manual.



HEAT LAMP LINEAR

Bulb Base	Туре	Description	Туре
CEI .	E27	Edison Screw	Incandescent/Compact Fluorescent Lamp/ Energy Saving Lamp
G	E14	Small Edison Screw	Incandescent/Compact Fluorescent Lamp/LED
	B22	Bayonet Cap	Incandescent/Compact Fluorescent Lamp/LED
	B15	Small Bayonet Cap	Incandescent/Compact Fluorescent Lamp/LED
E	GU10	Twistline Dichroic	Halogen/LED
8	MR16	Twistline Dichroic	Halogen
=000	G4	Bi Pin	Halogen/LED
2000	G9	Halopin	Halogen/LED
100	GY6.3	Bi Pin	Halogen
*	R7s	Double Ended	Halogen
W	R7s (short)	Double Ended	Halogen
	Linear Fluorescent	Linear	Fluorescent
	Circular Fluorescent	Circular	Fluorescent
	2D Fluorescent	2D Fluorescent tube	Fluorescent
LED	LED	Light Emmiting Diode	Light Emmiting Diode
	PL Lamp	PL Lamp	Fluorescent






ZANZA

MP4821/MP4823

- aged brass metal
- black fabric cord
- 120cm aged brass chain

aged brass







SAFIA

MG2731S/MG2731L

- aged brass metal
- black fabric cord
- 150cm aged brass chain

aged brass







DIAZ

MG1136BRS

- aged brass metal
- swivel joint on canopy
- 30cm + 30cm rod suspension
- additional rods available

aged brass






HEPBURN

MC8033BRS/MC8035BRS

- aged brass metal
- white frosted glass shade
- gold fabric cord
- 120cm aged brass chain

aged brass








VANESSA

MP8021/MP8023

- aged brass metalware
- cream linen shade
- 120cm white fabric cord
- 3Lt model with wire suspension

aged brass







FIGARO

A38831

- aged brass metal
- swivel joint on canopy
- 55 + 33cm rod suspension

brass







Also in this collection: See Decorative Lamps A38811/A38821

20



CLAUDIA

MG1931/MG1923/MG1933


- gold metalware
- marble print
- swivel joint on canopy for single rod models
- 30cm + 30cm + 30cm white rods
- 45cm + 46cm white rods (MG1933)
- additional 30cm rods available

gold/marble print

			4
1L E27 6W	E27 9W	E27 28W	E27 40W
3L E27 6W	E27 9W	E27 28W	E27 40W







Also in this collection: See Decorative Lamps MG1961



22

GINA

MG9321

- matt black or brass metalware
- natural or dark timber accent
- matt black canopy
- 120cm black fabric cord
- matt black/natural timber
- brass/dark timber





TOMMY

MG9221

- matt black or brass metalware
- natural or dark timber accent
- matt black canopy
- 120cm black fabric cord
- matt black/natural timber
- brass/dark timber





TOBY

MG5131

- grey concrete
- black metal frame
- 120cm black cord and wire suspension

grey





WENDY

MG5231

- grey concrete
- black metal frame
- 120cm black cord and wire suspension


grey





AVRIL

MG8021S/MG8021L



DAVINCI

MP4721

- matt black metalware
- 120cm black cord & chain
- black







ZOE

MG2431S/MG2431L

- matt black metal
- brushed copper lampholder cover
- 120cm black cord
- black/copper









Also in this collection: See DIY MG2471

ZAPPA

MG7136

- matt black metal
- copper lampholder covers
- adjustable black cords
- black/copper

E27 10W	E27 12W
	P
E27 42W	E27 60W






NIKO

MG8331/MG8333/MG8335


- matt black metal
- copper lampholder covers
- 150cm black cord (1Lt)
- 120cm black cord (3Lt/5Lt)

■ black/copper









Also in this collection: See DIY MG8371



BRIDGET

MG8831L

- black metal shade
- 150cm black cord and chain suspension
- black







PETRA

MG4531

- matt black metal
- oak timber
- 120cm black fabric cord
- black








CHIA

MG2531/MG2533

- matt black metal
- 120cm black fabric cord
- black







CASCADE

MG9331

- metal wire shade
- 120cm black fabric cord
- black
- brass
- copper








30







ROYCE

MG9731


- matt black or matt white metal cage shade
- chrome chain with black



TONIC

MG9031S/MG9031L

- matt black metal with antique copper rim
- antique copper chain and canopy
- 120cm black cord
- black/copper



MG9031L



GLADIATOR

MP9131

MG9031S

- painted charcoal
- 100cm black cord
- 85cm chain
- charcoal










JASPER

A41931S/A41931L

- matt black metal shade
- satin copper accents
- 150cm black fabric cord
- black/satin copper







Also in this collection: See Decorative Lamps A41911

SAIGON

MP3131S/MP3131M/MP3131L

- painted copper patina
- copper inside shade
- 110cm black cord
- 100cm chain suspension









Dimmable

no

PHOENIX ML7031 • brushed copper with concrete style metal • acrylic diffuser • brushed copper canopy • 150cm black fabric cord and wire suspension • brushed copper

Lamp Type

15w LED

Replaceable

no

Lumens

920lm

1200 X 80

Wattage

15w

Colour Temp

4000K

Model

ML7031



MOBY

MG4031S/MG4031L

- concrete and timber shade
- chrome canopy
- 120cm black fabric cord
- concrete & timber





Also in this collection: See Decorative Lamps MG4061

DANSKA

MG6331

- concrete shade with timber
- 120cm black fabric cord
- concrete & timber























PEETA

MG4231S/MG4231L

- natural timber shade
- brushed chrome metalware
- 120cm black fabric cord
- natural





TREASURE

MP3631S/MP3631L

- natural plywood shade
- chrome metalware
- 150cm black fabric cord
- natural






COPENHAGEN

MG4921S

- white washed timber shade
- 120cm white cord
- 100cm chain suspension
- \square white





BONNIE

MP4021S/MP4021L

• white paper yam shade

E27 6W

E27 9W

E27 18W

E27 28W E27 40W

E27 25W

- white metalware
- 120cm white cord
- ☐ white

SM E27 4W

LG E27 6W





Also in this collection: See DIY MP4071

LAYA - TIMBER

MG6531S/MG6531L

- natural timber lampholder
- clear glass shade
- brushed chrome canopy
- 100cm clear PVC cord

natural





LAYA - CONCRETE

MG6531S/MG6531L

- concrete lampholder
- clear glass shade
- brushed chrome canopy

E14 6W

• 100cm clear PVC cord

concrete

SM E14 4W



E14 18W

E14 25W



HAYLEY

MA5431

- clear and smoke glass shade
- black chrome metalware
- 120cm black fabric cord
- smoke/gun metal







Also in this collection: See DIY MA5471


JADE

MG5331

- blue glass with brushed copper lampholder
- champagne glass with brushed brass lampholder
- clear glass with brushed chrome lampholder
- 120cm black fabric cord
- matt black canopy and accent









190



KRISTOV

MG4131S/MG4131L

- electroplated smoke glass
- chrome metalware
- concrete lampholder cover
- 120cm black fabric cord
- smoke





SIENNA

MG8431S/MG8431M/ MG8431L

- clear and copper glass shade
- black canopy
- 200cm black fabric cord (Sm)
- 150cm black fabric cord (Md, Lg)

copper

		(1)	4
SM E27 4W	E27 6W	E27 18W	E27 25W
MD E27 6W	E27 9W	E27 28W	E27 40W
LG E27 6W	E27 9W	E27 28W	E27 40W





25cm - 90mm 30cm - 104mm

40cm - 135mm

MADRID MG1631S/MG1631M/MG1631L • brushed brass metalware clear glass sphere • 150cm black fabric cord brushed brass **SM/MD** E27 4W E27 9W E27 18W E27 25W **LG** E276W E27 9W E27 28W E27 40W 100 100 100 1500 Special Note Opening hole in clear glass:

SHERIDAN

MG2131S/MG2131L

250

• polished brass metalware

300

Ī

400

1

- marble print accent
- clear glass shade
- 120cm white fabric cord
- black





HAMPTON

MG8731S/MG8733L

- clear glass shade
- matt black metalware
- 150cm black cord and chain suspension
- matt black







TOLEDO

MP1631/25 MP1631/30 MP1631/40

- chrome metalware
- clear glass shade
- 150cm clear cord
- chrome







Special Note Opening hole in clear glass: 25cm - 90mm 30cm - 104mm



SICILY


MP832 series

- aged brass lampholder
- cut clear glass shades
- matt black metal canopy
- 120cm black fabric twist cord (3/5 light)
- 150cm black fabric twist cord (1 light)

aged brass









Model	Wattage	Colour Temp	Lamp Type	Replaceable	Lumens	Dimmable
MP8321	2.5w	3000K	2.5w G9 LED (globe included)	yes	225lm/head	yes
MP8323	7.5w	3000K	3 x 2.5w G9 LED (globe included)	yes	225lm/head	yes
MP8325	12.5w	3000K	5 x 2.5w G9 LED (globe included)	yes	225lm/head	yes







ROSEANNE

MP1731

- clear glasschrome metalware
- inner chrome mesh
- 120cm clear cord
- globes included
- transformer not included
- chrome









ARIES

MC7521/ MC7531

- brushed chrome metalware
- clear outer glass shade
- frost inner glass shade
- 100cm clear cord
- brushed chrome





GYPSY

MA97

- fabric covered cord
- black lampholder and plug
- a black canopy is supplied in the box, it must be attached to the cord by a qualified electrician.







Black

White



Total Length 3m







ANGELA

A56412

switch: cordline/pushbar

- alabaster glass base
- white silk shade
- clear cord
- 2 lights with dual switching
- \square white/alabaster glass

			P
SHADE B22 6W	B22 9W	B22 28W	B22 40W
BASE E14 4W	E14 6W	E14 18W	E14 25W




Globe in base provides ambient glow





ZOYA A56511 switch: pushbar clear cut glass base • white faux silk shade • polished brass highlight • clear cord ☐ white/glass B22 28W B22 40W B22 6W B22 9W 350 235 540



VANESSA

MP8061

switch: pushbar

- aged brass base
- cream linen shade
- black fabric cord
- aged brass
















Also in this collection: See Pendants MP8021/MP8023

CLAUDIA

MG1961

switch: cordline

- gold metalware
- marble print
- · white fabric cord
- gold







Also in this collection: See Pendants MG196 Series

SAPPHIRE

A56311

switch: pushbar

- white marble and brass base
- white TC shade
- white fabric cord
- ✓ white marble/brass







GEMMA

A56711

switch: pushbar

- metal base
- fabric shade
- black or white cord
- whiter/brass
- black/copper









B22 28W B22 40W





HARRIET

A39311

switch: cordline

- marble or timber base
- metal cage shade
- black or white cord
- ✓ white marble/copper
- black marble/brass
- timber/brass

















ADELE

A56611

switch: pushbar

- white marble base
- aged brass acccents
- white cotton weave shade
- white fabric cord
- marble/brass













FLORENCE

A29811

switch: pushbar

- concrete base with painted bronze
- white linen shade
- black cord
- concrete















PICASSO

A3911Z/A39711V/A39711S

switch: toggle on base

- gold painted concrete
- zig zag (z), chevron (v) or stripe (s) pattern
- black cord
- concrete/gold





















Ø100

BARRO

A35711

switch: toggle on base

- concrete base
- chrome toggle switch
- grey fabric cord
- concrete







SIA

MG1461

switch: cordline

- white marble base
- white fabric cord
- white marble

E27 10W	E27 12W	
	®	
E27 42W	E27 60W	





Also in this collection: See Pendants MG1421

MAGDA

A39511

switch: pushbar

- natural timber and white concrete base
- white linen shade
- white fabric cord
- concrete













MOBY

MG4061

switch: cordline

- concrete base with natural timber
- linen shade
- black fabric cord
- concrete











250 200

Also in this collection: See Pendants MG4031



ORLANDO

A38411

switch: cordline

- matt grey metal shade
- antique copper metal pole
- concrete base
- grey fabric cord
- concrete/copper













KENDALL

A31711/A31721

switch: pushbar

- concrete base
- brushed metal pole
- fabric shade with metallic lining
- black or white fabric cord
- ✓ brass/white/white concrete



LENI

A29911/A29921

switch: pushbar


- marble and brushed brass base
- white cotton shade
- white fabric cord
- marble/brass






550
















TARIFA CUBA A38611/A38622 A34921 switch: pushbar table switch: cordline floor switch: dual cordline • natural timber base • metal base and shade, timber pole shade cotton shade · white fabric cord • copper trimmings • adjustable shades natural • black/white zigzag fabric cord duck egg ☐ white B22 10W | B22 12W | B22 42W | B22 60W **1L** E14 4W E14 6W E14 18W E14 25W **2L** E14 4W E14 6W E14 18W E14 25W 1600 240 450 320 1201 _ | 150 |

DARCY

A34311

switch: pushbar

- natural timber base
- cotton shade
- clear cord
- ☐ white









B22 10W | B22 12W | B22 42W | B22 60W





PIPER

A33911

switch: cordline switch

- natural timber arm
- metal base and shade
- black/white zigzag fabric cord
- copper
- ☐ white















PEETA

MG4261

switch: pushbar

- natural timber base
- linen shade
- brushed chrome accent
- black fabric cord
- natural









B22 10W | B22 12W | B22 42W | B22 60W





Also in this collection: See Pendants MG4231

MARIO

A34611

switch: toggle switch

- natural timber
- brushed chrome toggle switch
- black cord
- natural











BRADY

A35211

switch: on/off touch

- natural timber base
- chrome metalware
- cotton shade
- clear cord
- mint



















MADELINE

A62911

switch: pushbar

- metal and natural timber base
- linen shade
- black or white cord
- duck egg
- \square white





Also in this collection: See Pendants A62931











MELISSA

A47111


switch: 3 stage touch

- painted metal base
- matching TC shade
- black (charcoal/mint) or white cord
- not recommended for use with CFL or LED globes
- charcoal
- mint
- ☐ white












CAMPBELL


A28711S/A28711

switch: on/off touch

- chrome metal base
- cotton shade
- clear cord
- black
- ☐ white









BUTTERFLY

A45010

switch: on/off touch

- chrome metal lamp
- glitter PVC diffuser
- clear cord
- purple

E14 6W	E14 9W
	P
E14 28W	E14 40W





Also in this collection: See DIY A45070



OWEN

A48211

switch: 3 stage touch

- pleated faux silk shade
- metal base with K9 crystal
- clear cord
- not recommended for use with CFL or LED globes
- antique brass
- brushed chrome











MOLLY

A48611

switch: 3 stage touch

- metal base
- cream softback shade
- black cord
- not recommended for use with CFL or LED globes
- antique brass
- brushed chrome
- polished brass











CORONA

A42011

switch: 3 stage touch

- metal base
- opal glass shade
- black cord
- not recommended for use with CFL or LED globes
- antique brass
- brushed chrome











PARO

A38011

switch: 3 stage touch

- metal base
- opal glass shade
- black cord
- not recommended for use with CFL or LED globes



brushed chrome











CUBE

A44011T

switch: on/off touch

- metal base
- opal glass shade
- black cord
- brushed chrome









LOGAN

A46321

switch: foot switch

- metal lamp
- alabaster glass shade
- black cord
- antique brass
- brushed chrome

E27 18W	E27 20W
	®
E27 70W	E27 100W





BUCKLEY

A42722

switch: dual dimmer switches on pole

- brushed chrome metal lamp
- black cord
- brushed chrome











Model	Wattage	Colour Temp	Lamp Type	Replaceable	Lumens	Dimmable
A42722	18w + 5w	3200K	18w + 5w LED	no	1620lm + 450lm	yes









APEX



Model	Wattage	Colour Temp	Lamp Type	Replaceable	Lumens	Dimmable
A19311	6w	4000k	6w GU10 LED	yes	410lm	no
A19321	9w	4000k	9w GU10 LED	yes	520lm	no



DYLAN

A194 series

table switch: on/off switch floor switch: continuous

- touch dimmer
- metal table and floor lamps
- acrylic diffuser
- adjustable gooseneck
- black cord
- antique brass
- brushed chrome
- copper















Model	Wattage	Colour Temp	Lamp Type	Replaceable	Lumens	Dimmable
A19411	4.5w	4000K	4.5w LED	no	360lm	yes
A19421	6w	4000K	6w LED	no	530lm	yes






AXEL

A21511/A21521

switch: on/off switch on shade

- white with white cord or black with red cord
- adjustable head and arm
- task lamp converts to clamp lamp or wall light (attachments included)
- black□ white







Model	Wattage	Colour Temp	Lamp Type	Replaceable	Lumens	Dimmable
A21511	7w	4000k	7w LED	no	510lm	no
A21521	7w	4000k	7w LED	no	510lm	no



REPUBLIC

A21211

switch: on/off touch with continuous touch dimmer, colour changing touch control

- white with white, gold or grey accents
- adjustable shade
- usb charging port in base (output max 5V, 1A)



Model	Wattage	Colour Temp	Lamp Type	Replaceable	Lumens	Dimmable
A21211	7w	3000K/4500K/6000K	7w LED	no	530lm	yes





LENNOX

A96311

switch: on/off touch with continuous touch dimmer

- matt black, matt white or champagne gold
- usb charging port in base (output max 5V, 1A) Note: this product is not

suitable for charging high powered devices such as tablets.

black

gold ☐ white









I 170 I

400



BRYCE

A21311

switch: 3 stage touch

- acrylic task lamp
- rubber finish
- adjustable arm
- black
- blue white







Model	Wattage	Colour Temp	Lamp Type	Replaceable	Lumens	Dimmable
A21311	6w	4000K	6w LED	no	440lm	yes - 3 stage

ODYSSEY

A96511

switch: rocker on head

- white with black highlights
- adjustable head
- lamp converts to clamp lamp with attachment included
- \square white





Model	Wattage	Colour Temp	Lamp Type	Replaceable	Lumens	Dimmable
A96511	9w	4000K	9w LED	no	570lm	no





EUGENE

A96611

switch: on/off touch with continuous touch dimmer, colour changing touch control

- black or white
- silver highlights
- adjustable head
- lamp converts to clamp lamp with attachment included
- black ☐ white











Model	Wattage	Colour Temp	Lamp Type	Replaceable	Lumens	Dimmable
A96611	9w	2800K/4000K/6000K	9w LED	no	max 470lm	yes



AVENUE

A19611

switch: on/off touch with continuous touch dimmer

- acrylic arm, base and shade
- rotatable head











Model	Wattage	Colour Temp	Lamp Type	Replaceable	Lumens	Dimmable
A19611	8w	4600K	8w LED	no	470lm	yes

DEXTER

A19811

switch: on/off touch with continuous touch dimmer. colour changing touch control

- acrylic task lamp
- brushed chrome base
- · adjustable shade

☐ white











Changeable colour temperature



Daylight, 6300K • Bright light



Cool White, 5000K • Reading light



Neutral White, 4300K





Warm White, 3300K

• Night time

Model	Wattage	Colour Temp	Lamp Type	Replaceable	Lumens	Dimmable
A19811	8w	3300K/4300K/5000K/6300K	8w LED	no	520lm	yes





HARRISON

A18811

switch: on/off touch with continuous touch dimmer.

- timber style arm
- concrete base
- brushed chrome touch switch
- oak/concrete









Model	Wattage	Colour Temp	Lamp Type	Replaceable	Lumens	Dimmable
A18811	5w	3000K	5w LED	no	400lm	yes


MATEO

A22311

switch: 3 stage touch

- black sand finish
- touch switch on base
- black





Model	Wattage	Colour Temp	Lamp Type	Replaceable	Lumens	Dimmable
A22311	7w	4000K	7w LED	no	450lm	yes - 3 stage

ASHTON

A39411

switch: cordline

- metal task lamp
- adjustable arm and shade
- black cord



TASK LAMPS

VOLTA

A21411

switch: cordline

• metal task lamp







TASK LAMPS





TASK LAMPS















MAST 3 LIGHT WITH 1M TRACK

A92093

- aluminium track
- 3 wire single circuit track
- leading and trailing edge dimmable
- track supplied with 3 track lights
- black
- ☐ white





Model	Wattage	Colour Temp	Lamp Type	Replaceable	Lumens per head	Dimmable	Height mm	Width mm
A92093	30w	4000K	3 x 10w LED	yes	750lm per head	yes	150	1000



MAST

A92091

- aluminium track light
- leading and trailing edge dimmable
- suitable for single circuit track
- black

☐ white



Model	Wattage	Colour Temp	Lamp Type	Replaceable	Lumens per head	Dimmable	Height mm	Width mm
A92091	10w	4000K	10w LED	yes	750lm	yes	115	105 x 30

JAMISON

A93091

- aluminium track light
- black or white with chrome highlights
- leading and trailing edge dimmable
- suitable for single circuit track
- black







Model	Wattage	Colour Temp	Lamp Type	Replaceable	Lumens per head	Dimmable	Height mm	Width mm
A93091	10w	4000K	10w LED	no	750lm	yes	105	102





ORION

A92191

- aluminium track light
- black or white finish
- leading and trailing edge dimmable
- suitable for single circuit track
- black
- ☐ white





Model	Wattage	Colour Temp	Lamp Type	Replaceable	Lumens per head	Dimmable	Height mm	Width mm
A92191	10w	4000K	10w LED	no	870lm	yes	130	100

ACCESSORIES



silver









G09209I I Shape Joiner

G09209SI I Shape Joiner Small

G09209L L-Shape Joiner



G092093

1m Single Circuit Track



2m Single Circuit Track



ALECIA

A192 series

- metal spotlight with chrome highlights
- 1Lt available with or without switch
- globes included
- beam angle 95°
- black \square white











4000K & 5000K globes available separately

Model	Wattage	Colour Temp	Lamp Type	Replaceable	Lumens per head	Dimmable	Height mm	Width mm
A19231	9w	3000K	9w GU10 LED (globes included)	yes	480lm	no	120	80
A19231SW	9w	3000K	9w GU10 LED (globes included)	yes	480lm	no	120	80
A19232	18w	3000K	2 x 9w GU10 LED (globes included)	yes	480lm per head	no	140	380
A19233	27w	3000K	3 x 9w GU10 LED (globes included)	yes	480lm per head	no	140	570
A19234	36w	3000K	4 x 9w GU10 LED (globes included)	yes	480lm per head	no	140	780
A19264	36w	3000K	4 x 9w GU10 LED (globes included)	yes	480lm per head	no	140	230 x 230



MEGHAN

A189 series

- metal spotlight with chrome highlights
- globes included
- beam angle 95°

☐ white



*4000K & 5000K globes available separately.

Model	Wattage	Colour Temp	Lamp Type	Replaceable	Lumens per head	Dimmable	Height mm	Width mm
A18931	9w	3000K	9w GU10 LED (globes included)	yes	480lm	no	135	126
A18932	18w	3000K	2 x 9w GU10 LED (globes included)	yes	480lm per head	no	156	320
A18933	27w	3000K	3 x 9w GU10 LED (globes included)	yes	480lm per head	no	156	500
A18934	36w	3000K	4 x 9w GU10 LED (globes included)	yes	480lm per head	no	156	700



VILLA

A151 series

- metal spotlight
- 1Lt available with or without switch
- globes included
- beam angle 95°

 \square white





A15131SW includes on/off rocker switch



*3000K & 5000K globes available separately.

Model	Wattage	Colour Temp	Lamp Type	Replaceable	Lumens per head	Dimmable	Height mm	Width mm
A15131	6w	4000K	6w GU10 LED (globes included)	yes	410lm	no	125	100
A15131SW	6w	4000K	6w GU10 LED (globes included)	yes	410lm	no	125	100
A15132	12w	4000K	2 x 6w GU10 LED (globes included)	yes	410lm per head	no	150	320
A15133	18w	4000K	3 x 6w GU10 LED (globes included)	yes	410lm per head	no	150	500
A15134	24w	4000K	4 x 6w GU10 LED (globes included)	yes	410lm per head	no	150	700
A15164	24w	4000K	4 x 6w GU10 LED (globes included)	yes	410lm per head	no	125	220 x 220



PRONTO LED

A150 series

- metal spotlight
- chrome highlights
- 1Lt available with or without globes
- all other models are supplied with globes
- brushed chrome





*3000K & 5000K globes available separately.

Also in this collection: See Ceiling Fans FLF15063

Model	Wattage	Colour Temp	Lamp Type	Replaceable	Lumens per head	Dimmable	Height mm	Width mm
A15031L	6w	4000K	6w GU10 LED	yes	410lm	no	120	70
A15032L	12w	4000K	2 x 6w GU10 LED (globes included)	yes	410lm per head	no	145	500
A15033L	18w	4000K	3 x 6w GU10 LED (globes included)	yes	410lm per head	no	145	600
A15034L	24w	4000K	4 x 6w GU10 LED (globes included)	yes	410lm per head	no	145	840
A15064L	24w	4000K	4 x 6w GU10 LED (globes included)	yes	410lm per head	no	120	250 x 250









OPTICA TRIO

MD490/SW wattage: 10w


colour temp: 3000K/4000K/5000K

- fixed LED downlight
- colour temperature changing switch on back of housing
- aluminium housing
- PMMA plastic diffuser
- leading and trailing edge dimmable
- cord and plug included
- polished aluminium
- ☐ white









BLACK COMING SOON!





CHOOSE FROM 3 LIGHT SETTINGS


With a flick of the switch you can choose the desired light setting in each room of your house.

	Choose between:	
WW - 3000K	NW - 4000K	CW - 5000K
Warm White	Neutral White	Cool White
Living Room	Hallway	Laundry
Bedroom	Kitchen	Bathroom

(50%): 90.7°



Luminous Intensity Distribution



Model	Wattage	Colour Temp	Lamp Type	Replaceable	Lumens	Dimmable	Beam Angle	CRI
MD490/SW	10w	3000K/4000K /5000K	10w LED	no	750lm/800lm 850lm	yes	90°	85

(50%): 90.8°

(50%): 90.6°





COOPER

MD5010 wattage: 10w

colour temp: 3000K or 4000K


- surface mounted downlight
- aluminium housing
- leading and trailing edge dimmable
- both frosted and clear glass diffusers included
- black ☐ white











Model	Wattage	Colour Temp	Lamp Type	Replaceable	Lumens	Dimmable	Beam Angle	CRI
MD5010/3	10w	3000K	10w LED	no	710lm	yes	60°	80
MD5010/4	10w	4000K	10w LED	no	750lm	yes	60°	80





ECHO


MD4611 wattage: 11w

colour temp: 3000K or 5000K

- gimble downlight
- aluminium housing
- PMMA plastic diffuser
- leading and trailing edge dimmable
- 120cm cord and plug included
- white trim with black baffle

☐ white





Model	Wattage	Colour Temp	Lamp Type	Replaceable	Lumens	Dimmable	Beam Angle	CRI
MD4611/3	11w	3000K	11w LED	no	800lm	yes	38°	80
MD4611/5	11w	5000K	11w LED	no	820lm	yes	38°	80





MEZZO

MD599

wattage: 12w

colour temp: 3000K or 5000K


- gimble COB LED downlight
- leading and trailing edge dimmable
- cord and plug included
- polished alluminium


















Model	Wattage	Colour Temp	Lamp Type	Replaceable	Lumens	Dimmable	Beam Angle	CRI	Tilt Angle
MD599/3	12w	3000K	12w LED	no	850lm	yes	60°	80+	30°
MD599/5	12w	5000K	12w LED	no	900lm	yes	60°	80+	30°





ELIAS

MD59 series wattage: 12w/16w colour temp: 3000K

- fixed COB LED downlight
- leading and trailing edge dimmable
- cord and plug included

☐ white
















Model	Wattage	Colour Temp	Lamp Type	Replaceable	Lumens	Dimmable	Beam Angle	CRI
MD590W/3	12w	3000K	12w LED	no	800lm	yes	60°	80+
MD595W/3	16w	3000K	16w LED	no	1100lm	yes	60°	80+





RETINA

MD496 wattage: 6w

colour temp: 3000K or 4000K or 6000K

- PMMA plastic housing
- integrated driver
- cord and plug included


☐ white











Model	Wattage	Colour Temp	Lamp Type	Replaceable	Lumens	Dimmable	Beam Angle	CRI
MD496/3	6w	3000K	6w LED	no	550lm	no	85°	80
MD496/4	6w	4000K	6w LED	no	575lm	no	85°	80
MD496/6	6w	6000K	6w LED	no	600lm	no	85°	80





RETINA

MD499

wattage: 10w

colour temp: 3000K or 4000K or 6000K

- PMMA plastic housing
- integrated driver
- leading and trailing edge
 - dimmable
- cord and plug included

 $\ \ \, \square \text{ white}$














Model	Wattage	Colour Temp	Lamp Type	Replaceable	Lumens	Dimmable	Beam Angle	CRI
MD499/3	10w	3000K	10w	no	700lm	yes	90°	80
MD499/4	10w	4000K	10w	no	750lm	yes	90°	80
MD499/6	10w	6000K	10w	no	800lm	yes	90°	80





GUSTO

MD55 series wattage: 22w/35w

colour temp: 3000K or 5000K

- fixed LED downlight
- leading and trailing edge dimmable
- · cord and plug included


☐ white
















Model	Wattage	Colour Temp	Lamp Type	Replaceable	Lumens	Dimmable	Beam Angle	CRI
MD550/3	22w	3000K	22w LED	no	1900lm	yes	95°	80+
MD550/5	22w	5000K	22w LED	no	2000lm	yes	95°	80+
MD555/3	35w	3000K	35w LED	no	2900lm	yes	95°	80+
MD555/5	35w	5000K	35w LED	no	3000lm	yes	95°	80+



EQUINOX 2

MD4711

wattage: 11w colour temp: 3000K or 5000K


- fixed LED downlight
- aluminium housing
- PMMA plastic diffuser
- leading and trailing edge
 - dimmable
- cord and plug included
- polished aluminium
- \square white











Model	Wattage	Colour Temp	Lamp Type	Replaceable	Lumens	Dimmable	Beam Angle	CRI
MD4711/3	11w	3000K	11w LED	yes	880lm	yes	96°	80
MD4711/5	11w	5000K	11w LED	yes	1000lm	yes	96°	80





EQUINOX 2

MD4516

wattage: 16w

colour temp: 3000K or 5000K


- fixed LED downlight
- aluminium housing
- PMMA plastic diffuser
- leading and trailing edge
 - dimmable
- cord and plug included
- polished aluminium
- \square white











Model	Wattage	Colour Temp	Lamp Type	Replaceable	Lumens	Dimmable	Beam Angle	CRI
MD4516/3	16w	3000K	16w LED	yes	1400lm	yes	96°	80
MD4516/5	16w	5000K	16w LED	yes	1600lm	yes	96°	80





EQUINOX 2 GIMBLE

MD4516G wattage: 16w

colour temp: 3000K or 5000K


- gimble LED downlight
- aluminium housing
- PMMA plastic diffuser
- leading and trailing edge dimmable
- cord and plug included
- polished aluminium ☐ white











Model	Wattage	Colour Temp	Lamp Type	Replaceable	Lumens	Dimmable	Beam Angle	Tilt Angle	CRI
MD4516G/3	16w	3000K	16w LED	yes	1100lm	yes	100°	18°	80
MD4516G/5	16w	5000K	16w LED	yes	1300lm	yes	100°	18°	80







TITAN

MI54 series

wattage: 150w/200w colour temp: 5000K

- metal LED high/low bay
- 200cm flex and plug included
- shade sold separately
- adjustable tilt angle
- surface mounted or suspension installation
- temperature rating -20°/+50°











290

I









Model	Wattage	Colour Temp	Lamp Type	Replaceable	Lumens	Dimmable	Beam Angle	CRI
MI54150	150w	5000K	150w LED	no	16,200lm	no	112°	80
MI54200	200w	5000K	200w LED	no	22,500lm	no	112°	80





ZIP

MD91 series


colour temp: 5000K

- ultra slim aluminium panel light
- 150cm flex and plug included
- easy T-Bar refit
- highly transparent diffuser for improved lumen output














Luminous Intensity Distribution







MD913030

- UNIT: CD C0/180,112.3°
- C30/210,112.4°
- C30/240,112.9°
- C90/270,113.0°

Average Beam Angle (50%): 112.6°

MD913012

- **UNIT: CD**
- C0/180,112.7°
- C30/210, 112.9 ° C60/240,113.6°
- C90/270,113.8°

Average Beam Angle (50%): 113.3°

MD916060

- UNIT: CD
- C0/180,113.1°
 - C30/210,113.2° C60/240,113.7°
 - C90/270,113.6°

Average Beam Angle (50%): 113.4°

Model	Wattage	Colour Temp	Lamp Type	Replaceable	Lumens	Dimmable	Beam Angle	CRI
MD913030/5	20w	5000K	20w LED	no	1500lm	no	110°	80
MD916060/5	40w	5000K	40w LED	no	3200lm	no	110°	80
MD913012/5	40w	5000K	40w LED	no	3200lm	no	110°	80
G091S	Suspension Kit	1.2m						





THEO


MD80 series

wattage: 9w/12w/18w colour temp: 3000K or 5000K


- recessed round panel
- leading and trailing edge dimmable
- 120cm flex and plug included

☐ white







cut out 160



cut out 200



Luminous Intensity Distribution






UNIT: CD C0/180,114.5°

C30/210,114.5° C30/240,114.5° C90/270,114.6°

> Average Beam Angle (50%): 114.5°




MD8012

UNIT: CD - C0/180,107.4° - C30/210,107.4°

- C60/240,113.6° C90/270,113.8°

> Average Beam Angle (50%): 107.4°



MD8018

UNIT: CD C0/180,107.4° C30/210,107.4°

> Average Beam Angle (50%): 107.4°

Model	Wattage	Colour Temp	Lamp Type	Replaceable	Lumens	Dimmable	Beam Angle	CRI
MD8009/3	9w	3000K	9w LED	no	720lm	yes	110°	80
MD8009/5	9w	5000K	9w LED	no	750lm	yes	110°	80
MD8012/3	12w	3000K	12w LED	no	1000lm	yes	110°	80
MD8012/5	12w	5000K	12w LED	no	1030lm	yes	110°	80
MD8018/3	18w	3000K	18w LED	no	1340lm	yes	110°	80
MD8018/5	18w	5000K	18w LED	no	1400lm	yes	110°	80





THEO

MD81 series wattage: 12w/18w

colour temp: 3000K or 5000K


- surface mounted round panel
- leading and trailing edge dimmable


☐ white











Model	Wattage	Colour Temp	Lamp Type	Replaceable	Lumens	Dimmable	Beam Angle	CRI
MD8112/3	12w	3000K	12w LED	no	1000lm	yes	110°	80
MD8112/5	12w	5000K	12w LED	no	1030lm	yes	110°	80
MD8118/3	18w	3000K	18w LED	no	1340lm	yes	110°	80
MD8118/5	18w	5000K	18w LED	no	1400lm	yes	110°	80





SWELL

MI8320 series wattage: 20w

colour temp: 5000K

- uv stabilised body and diffuser
- 304 stainless steel screws
- large knockout for looping
- electrician friendly design for easy installation

• temperature rating -20°/+80°

• available with or without microwave sensor

double insulated

grey














Microwave

sensor features

- detection angle 360°
- timing setting: 10secs 30mins
- light setting: 2 2000lux
- distance setting: 1-10m (radius)



Luminous Intensity Distribution



- C0/180,118.3° - C30/210,118.1° - C30/240,118.3°

> Average Beam Angle (50%): 118.2°


C90/270,118.3°

Model	Wattage	Colour Temp	Lamp Type	Replaceable	Lumens	Dimmable
MI8320	20w	5000K	20w LED	no	1600lm	no
MI8320SEN	20w	5000K	20w LED	no	1600lm	no





SWELL EMERGENCY



uv stabilised body and diffuser

• 304 stainless steel screws

• large knockout for looping

• electrician friendly design for easy installation

• temperature rating -20⁰/+80⁰

• double insulated

grey














EMERGENCY KIT INCLUDED

- intelligent automatic recharging function
- 3 hour emergency operation
- LED charge status display
- deep discharge protection
- test switch with self test function





Model	Wattage	Colour Temp	Lamp Type	Replaceable	Lumens	Dimmable
MI8320EMG	20w	5000K	20w LED	no	1600lm	no





CLOUD

MA40 series wattage: 22w/30w

colour temp: 3000K/4000K/6000K

- colour temperature changing switch
- steel pan with plastic diffuser
- leading and trailing edge dimmable
- beam angle 120°

 \square white







280 MA4022



MA4030

360





Model	Wattage	Colour Temp	Lamp Type	Replaceable	Lumens	Dimmable	CRI
MA4022	22w	3000K/4000K/6000K	22w LED	no	1400lm/1500lm/1600lm	yes	>80
MA4030	30w	3000K/4000K/6000K	30w LED	no	1900lm/2000lm/2100lm	yes	>80







CHOOSE FROM 3 LIGHT SETTINGS


With a flick of the switch you can choose the desired light setting in each room of your house.

	Choose between:	
WW - 3000K	NW - 4000K	CW - 6000K
Warm White	Neutral White	Cool White
Living Room	Hallway	Laundry
Bedroom	Kitchen	Bathroom

Luminous Intensity Distribution







MA4022/3 UNIT: CD C0/180,117.2°

C30/210,117.0° Average Beam Angle (50%): 117.1°

MA4022/4


UNIT: CD C0/180,117.2° C30/210,117.0°


> Average Beam Angle (50%): 117.1°


MA4022/6

UNIT: CD C0/180,117.2° C30/210,117.0°

> Average Beam Angle (50%): 117.1°







MA4030/3

UNIT: CD C0/180,116.6° C30/210,116.6°

> Average Beam Angle (50%): 116.6°

MA4030/4

UNIT: CD C0/180,116.6° C30/210,116.6°

> Average Beam Angle (50%): 116.6°

MA4030/6

UNIT: CD C0/180,116.6° C30/210,116.6°

Average Beam Angle (50%): 116.6°





ALEENA

MA37 series wattage: 20w/35w colour temp: 5000K

- metal pan
- acrylic diffuser
- adjustable microwave sensor
- · leading and trailing edge dimmable

☐ white












315



Microwave sensor features

- Detection Angle: 360°
- Timing Setting: 10sec 30mins
 Light Setting: 2 -2000lux
 Distance Setting: 1-10m (radius)



Model	Wattage	Colour Temp	Lamp Type	Replaceable	Lumens	Dimmable	CRI
MA3720	20w	5000K	20w LED	no	1450lm	yes	>80
MA3735	35w	5000K	35w LED	no	2750lm	yes	>80



FINN

MA3612 wattage: 12w

colour temp: 3000K or

5000K

- plastic backplate
- acrylic diffuser
- double insulated


 \square white







Luminous Intensity Distribution



MA3612

UNIT: CD C0/180,109.1°

- C30/210,115.4° - C90/270,129.3°

Average Beam Angle

(50%): 119.7°


Model	Wattage	Colour Temp	Lamp Type	Replaceable	Lumens	Dimmable	CRI
MA3612/3	12w	3000K	12w LED	no	900lm	no	>80
MA3612/5	12w	5000K	12w LED	no	1000lm	no	>80







Also in this collection: See DIY MA32722



Model	Wattage	Colour Temp	Lamp Type	Replaceable	Lumens	Lumens/watt	Dimmable	CRI
MA3222/3	22w	3000K	22w LED	no	1100lm	50	yes	80
MA3222/5	22w	5000k	22w LED	no	1200lm	55	yes	80
MA3230/3	30w	3000K	30w LED	no	1500lm	50	yes	80
MA3230/5	30w	5000K	30w LED	no	1600lm	53	yes	80
MA3230L/3	30w	3000K	30w LED	no	2000lm	67	yes	80
MA3230L/5	30w	5000K	30w LED	no	2200lm	73	yes	80



JAZZ

MA39 series wattage: 28w/38w colour temp: 3000K or 4000K or 6000K

- metal pan
- opal acrylic diffuser
- leading and trailing edge dimmable

silver ☐ white














Model	Wattage	Colour Temp	Lamp Type	Replaceable	Lumens	Lumens/watt	Dimmable	CRI
MA3928/3	28w	3000K	28w LED	no	1900lm	68	yes	80
MA3928/4	28w	4000K	28w LED	no	2000lm	71	yes	80
MA3928/6	28w	6000K	28w LED	no	2100lm	75	yes	80
MA3938/3	38w	3000K	38w LED	no	2400lm	63	yes	80
MA3938/4	38w	4000K	38w LED	no	2450lm	64	yes	80
MA3938/6	38w	6000K	38w LED	no	2550lm	67	yes	80





ANDRE

MA68 series

wattage: 15w/25w/35w colour temp: 3000K or 5000K

- white PC shade
- acrylic trim
- leading and trailing edge dimmable
- double insulated

_ white









200/300/400







Model	Wattage	Colour Temp	Lamp Type	Replaceable	Lumens	Dimmable	CRI
MA6815/3	15w	3000K	15w LED	no	1250lm	yes	80
MA6815/5	15w	5000K	15w LED	no	1350lm	yes	80
MA6825/3	25w	3000K	25w LED	no	2100lm	yes	80
MA6825/5	25w	5000K	25w LED	no	2250lm	yes	80
MA6835/3	35w	3000K	35w LED	no	3000lm	yes	80
MA6835/5	35w	5000K	35w LED	no	3150lm	yes	80














DAWN

MA29 series wattage: 22w/30w

colour temp: 3000K or 5000K

- aluminium rim and pan





Model	Wattage	Colour Temp	Lamp Type	Replaceable	Lumens	Lumens/w	Dimmable	CRI
MA2922/3	22w	3000K	22w LED	no	1100lm	50	yes	80
MA2922/5	22w	5000K	22w LED	no	1300lm	59	yes	80
MA2930/3	30w	3000K	30w LED	no	1500lm	50	yes	80
MA2930/5	30w	5000K	30w LED	no	1700lm	57	yes	80



QUINN

MA69 series wattage: 25w/35w

colour temp: 3000K or 5000K

- white PC shade
- acrylic trim
- leading and trailing edge dimmable
- double insulated

☐ white











300/400

C30/210,115.5°

C60/240,115.4°


C90/270,115.1°

(50%): 115.3°

Average Beam Angle



Luminous Intensity Distribution



Model	Wattage	Colour Temp	Lamp Type	Replaceable	Lumens	Dimmable	CRI
MA6925/3	25w	3000K	25w LED	no	2100lm	yes	80
MA6925/5	25w	5000K	25w LED	no	2250lm	yes	80
MA6935/3	35w	3000K	35w LED	no	3000lm	yes	80
MA6935/5	35w	5000K	35w LED	no	3150lm	ves	80

MA6925/5

C30/210,114.0°

C60/240,113.3°

C90/270,113.5°

(50%): 113.2°

Average Beam Angle

900

1200

1500

MA6935/5

-30





WAVE

MI82 series

wattage: 20w/40w colour temp: 5000K

- tri-proof batten
- uv stabilised body and diffuser
- 304 stainless steel tamper proof clips
- large knockout for looping
- electrician friendly design for easy installation
- temperature rating -20°/+50°




















Model	Wattage	Colour Temp	Lamp Type	Replaceable	Lumens	Dimmable
MI8220	20w	5000K	20w LED	no	1800lm	no
MI8240	40w	5000K	40w LED	no	3200lm	no



WAVE EMERGENCY

MI82 series

wattage: 20w/40w colour temp: 5000K

- tri-proof batten
- uv stabilised body and diffuser
- 304 stainless steel tamper proof clips
- · large knockout for looping
- · electrician friendly design for easy installation
- temperature rating -20°/+50°

grey










EMERGENCY KIT INCLUDED

- intelligent automatic recharging function
- 3 hour emergency operation
- LED charge status display
- deep discharge protection
- test switch with self test function





Model	Wattage	Colour Temp	Lamp Type	Replaceable	Lumens	Dimmable
MI8220EMG	20w	5000K	20w LED	no	1800lm	no
MI8240EMG	40w	5000K	40w LED	no	3200lm	no





METRO SLIM

MF36 series wattage: 20w/38w colour temp: 5000K

metal housing


• acrylic diffuser

☐ white









Model	Wattage	Colour Temp	Lamp Type	Replaceable	Lumens	Dimmable	CRI
MF3620	20w	5000K	20w LED	no	1900lm	no	>80
MF3638	38w	5000K	38w LED	no	3500lm	no	>80






METRO LED

MF3625

wattage: 25w/48w colour temp: 5000K


- high output LED ceiling batten
- metal housing
- opal acrylic diffuser
- compatible with trailing edge and universal dimmers

silver ☐ white









Model	Wattage	Colour Temp	Lamp Type	Replaceable	Lumens	Lumens/watt	Dimmable	CRI
MF3625W/5D	25w	5000K	25w LED	no	2200lm	81	yes	80
MF3648W/5D	48w	5000K	48w LED	no	4260lm	88	yes	80







NEO

ML100 series wattage: 28w/45w colour temp: 6000K

- · extruded aluminium housing
- opal acrylic diffuser

_ white





Model	Wattage	Colour Temp	Lamp Type	Replaceable	Lumens	Lumens/watt	Dimmable	CRI
ML10028/6	28w	6000K	28w LED	no	2500lm	89	no	75
ML10045/6	45w	6000K	45w LED	no	3970lm	88	no	75






CORVIS


MF353 series wattage: 25w/45w colour temp: 5000K

- high output LED ceiling batten
- metal housing
- · acrylic diffuser
- electrician friendly design for easy installation
- captive screws on diffuser





Luminous Intensity Distribution



Model	Wattage	Colour Temp	Lamp Type	Replaceable	Lumens	Lumens/watt	Dimmable	CRI
MF35325/5	25w	5000K	25w LED	no	1900lm	76	no	80
MF35345/5	45w	5000K	45w LED	no	3600lm	80	no	80





CALLAN

MW17 series wattage: 14w/20w colour temp: 4000K

- plastic housing
- acrylic diffuser
- rocker switch on side










Luminous Intensity Distribution



Model	Wattage	Colour Temp	Lamp Type	Replaceable	Lumens	Dimmable	CRI
MW1714	14w	4000K	14w LED	no	1400lm	no	>80
MW1720	20w	4000K	20w LED	no	1700lm	no	>80








ALPINE

MW65 series wattage: 9w/14w colour temp: 4000K

- chrome base
- clear acrylic diffuser
- chrome







Model	Wattage	Colour Temp	Lamp Type	Replaceable	Lumens	Dimmable
MW6509	9w	4000K	9w LED	no	690lm	no
MW6514	14w	4000K	14w LED	no	1130lm	no






RUBY

MW24 series wattage: 12w/17w colour temp: 4000K

- metal wall light
- white mesh and frosted glass diffuser
- chrome trimmings

 \square white







Model	Wattage	Colour Temp	Lamp Type	Replaceable	Lumens	Dimmable
MW2412	12w	4000K	12w LED	no	590lm	no
MW2417	17w	4000K	17w LED	no	710lm	no



KIRRA

MF38282

wattage: max 2x28w globe: T5 linear fluoro

- metal and plastic housing
- acrylic diffuser

☐ white



METRO

MF35281/ MF35282

wattage: 1x28w/2x28w globe: T5 linear fluoro

- metal and plastic housing
- acrylic diffuser
- supplied with opal and reeded diffusers

 \square white



ASTRO ASTRO MA2751/MA2752 MA2762T wattage: max 32w circ • metal pan globe: T8 circular fluoro • alabaster glass diffuser • metal pan antique brass • alabaster glass diffuser chrome satin nickel satin nickel ☐ white ECO-lite® E27 10W | E27 12W 300/400 E27 42W E27 60W



CLIPPER

CR8/CR10

- metal housing
- glass diffuser

 \square white







NOVA

MA6051/ MA6052

• metal pan with glass diffuser

■ brushed chrome

			P
1L E27 13W	E27 15W	E27 53W	E27 75W
2L E27 10W	E27 12W	E27 42W	E27 60W





NOOSA NOOSA 450 300 MA7051 MA7053 EXT 90 • metal pan • metal pan 80 • glass diffuser • glass diffuser ■ brushed chrome ■ brushed chrome E27 15W E27 10W E27 12W E27 13W E27 53W | E27 75W E27 42W E27 60W 1/21



MASON

MW4814CH/E

wattage: max 14w globe: T5 linear fluoro

- metal housing
- glass diffuser

☐ white

80



MASON

MW4811CH

- metal housing
- glass diffuser

☐ white




ATLANTIS







BRONTE MW7111 • metal wall light • black or white fabric cord black brass copper ☐ white E27 6W E27 9W E27 28W E27 40W



100

MANCHESTER

MG6211

- matt black metalware
- clear glass
- black






Also in this collection: See Pendants MG6221/MG6223, Outdoor MG6210IP/MG6211IP



HEPBURN

MC8011BRS

- aged brass metal
- white frosted glass shade












SHERIDAN

MG2171

- marble print batten cover
- clear glass shade
- marble print










BLASKO

MM5471

- metalware in copper,
- black
- copper ☐ white





HAYLEY

MA5471

- metal canopy
- clear and coloured glass shade
- smoke/gun metal

DIY 4W	DIY 6W
	P
DIY 18W	DIY 25W






Also in this collection: See Pendants MA5431



GWEN

MA9371

- metalware in black with antique brass screws or chrome with chrome screws



180



PHOEBE

MM5871

- aged brass metalware
- smoke glass
- aged brass







ANNA

MA1071

- matt frosted glass
- metal accent
- aged brass
- pewter
- matt black







HUXTA

MADIY9

- LED DIY suspension kit
- Leading and trailing edge dimmable
- Convert any DIY shade into an LED Pendant shade
- black
- brushed chrome
- ☐ white







Model	Wattage	Colour Temp	Lamp Type	Replaceable	Lumens	Dimmable
MADIY9	9w	4000K	9w LED	no	750lm	yes

HOLT

MADIY8

- DIY suspension kit
- convert any DIY shade into a pendant
- matt white with white fabric cord
- matt black with black fabric cord
- brushed chrome with clear cord
- black
- brushed chrome
- ☐ white





HAVANA

MA93

- black 300cm fabric cord
- metal lampholder
- plug and cord included
- optional matching metal canopy included*
- skirt for lampholder included for use with DIY shades
- black





*Canopy must be installed by a qualified electrician. Globe sold separately.

BIBA

MA94

- · metal batten cover
- antique brass
- brushed chrome
- copper
- matt black
- polished brass

DIY 10W	DIY 12W
DIY 42W	DIY 60W








NIK0

MG8371

- matt black metal
- copper lampholder and batten cover
- black/copper

DIY 10W	DIY 12W
	®
DIY 42W	DIY 60W





Also in this collection: See Pendants MG8331/ MG8333/MG8335

ZOE

MG2471

- matt black metalware
- brushed copper lampholder and batten cover
- black

DIY 6W	DIY 9W
	P
DIY 28W	DIY 40W





Also in this collection: See Pendants MG2431

DUFFY

MM5371

- matt black metal
- white or copper inner shade
- black/copper
- ✓ black/white







CHIA

MG2571

- matt black metalware
- black



ZURICH

MP7271

- metal DIY shade
- black





Also in this collection: See Pendants MG2531/MG2533

240


BONNIE

MP4071

- white paper yam shade
- white metalware

☐ white






Also in this collection: See Pendants MP4021

STIRLING

MG3771

- natural timber
- grey painted metalware
- natural







STAR

MA4571

- alabaster glass
- metal frame
- brushed chrome







SUZY

MD1671BC

- opal glass
- brushed chrome canopy
- brushed chrome



DUNA

MD1571

- opal glass
- brushed chrome canopy
- brushed chrome

DIY 10W	DIY 12W
	P
DIY 42W	DIY 60W





110

1 110 1

TRENT MA14 • alabaster glass • metal frame







TREND

MA15

- alabaster glass
- metal frame









CIRO

MD1471

- frost glass with clear rim
- metal frame
- brushed chrome

DIY 10W	DIY 12W
	P
DIY 42W	DIY 60W





PEYTON

- MA32722 series

 DIY LED ceiling light
- Metal panPMMA diffuser



Also in this collection: See Ceiling & Wall MA32 series

Model	Wattage	Colour Temp	Lamp Type	Replaceable	Lumens	Dimmable	
MA32722/3	22w	3000K	22w AC LED	no	1700lm	no	80
MA32722/5	22w	5000K	22w AC LED	no	1800lm	no	80

YALE

MA7971BC

- metal pan
- glass diffuser
- brushed chrome





Also in this collection: See Ceiling & Wall MA79 series

PENTA

MA7871BC

- metal pan
- glass diffuser
- brushed chrome

DIY 10W	DIY 12W
	P
DIY 42W	DIY 60W













HUNTER

CE8271

- metal backplate
- chrome plated
- clear acrylic drops
- chrome











CRUISE

CE8171

- metal backplate
- chrome plated
- clear acrylic drops
- chrome













PRIMROSE

- brushed chrome metal frame
- acrylic beads

pink


clear













TILBURY

MX4071

- cast aluminium
- glass diffuser
- black







Also in this collection: See Outdoor MX4011

Also in this collection:

See Outdoor MX4111



SIERRA MX4171 • cast aluminium frosted glass diffuser oil rubbed bronze 145 DIY 12W DIY 10W DIY 42W DIY 60W



MX4971

- cast aluminium
- glass diffuser
- black





Also in this collection: See Outdoor MX4911









SURFACE

MX106 series

wattage: 20w/30w/50w

- cast aluminium housing
- glass diffuser
- cord and plug included
- black \square white











MX10650

185

EXT 27

Model	Wattage	Colour Temp	Lamp Type	Replaceable	Lumens	Dimmable
MX10620	20w	5000K	20w LED	no	1800lm	no
MX10630	30w	5000K	30w LED	no	2700lm	no
MX10650	50w	5000K	50w LED	no	4100lm	no



LORNE

MX108 series

wattage: 15w/30w/50w

- cast aluminium housing
- glass diffuser
- cord and plug included
- blacksilver







With Sensor

Without Sensor



MX10815



MX10815/SEN



MX10830



180 **MX10830/SEN**



MX10850



Model	Wattage	Colour Temp	Lamp Type	Replaceable	Lumens	Dimmable
MX10815	15w	5500K	15w LED	yes	1200lm	no
MX10815/SEN	15w	5500K	15w LED	yes	1200lm	no
MX10830	30w	5500K	30w LED	yes	2300lm	no
MX10830/SEN	30w	5500K	30w LED	yes	2300lm	no
MX10850	50w	5500K	50w LED	yes	4200lm	no





0TT0

MXD67 series

wattage: 12w per head

- COB LED flood light
- Aluminium housing
- glass diffuser
- adjustable head
- black
- silver
- ☐ white






EXT 180 MXD6711



EXT 180 MXD6711/SEN





EXT 180 MXD6712/SEN







Model	Wattage	Colour Temp	Lamp Type	Replaceable	Lumens	Dimmable
MXD6711	12w	4000K	12w COB LED	no	1050lm	no
MXD6711/SEN	12w	4000K	12w COB LED	no	1050lm	no
MXD6712	24w	4000K	2x12w COB LED	no	2000lm	no
MXD6712/SEN	24w	4000K	2x12w COB LED	no	2000lm	no



ZONE 2

MX786 series

wattage: 11w per head

- COB LED flood light
- Aluminium housing
- glass diffuser
- adjutable head
- black
- brushed chrome





150

EXT 200 **MX7861**



170

EXT 200 **MX7861/SEN**





EXT 200 **MX7862/SEN**



Model	Wattage	Colour Temp	Lamp Type	Replaceable	Lumens	Dimmable
MX7861	11w	4000K	11w COB LED	no	850lm	no
MX7861/SEN	11w	4000K	11w COB LED	no	850lm	no
MX7862	22w	4000K	2x11w COB LED	no	1500lm	no
MX7862/SEN	22w	4000K	2x11w COB LED	no	1500lm	no





DARWIN

MXD6408

wattage: 8w

- aluminium with PC diffuser
- UV stabilised

black ☐ white







235

Model	Wattage	Colour Temp	Lamp Type	Replaceable	Lumens	Dimmable
MXD6408	8w	3000K	6w LED	no	400lm	no

CAYMAN

MXD6512

wattage: 12w

- aluminium with PC diffuser
- UV stabilised
- black
- ☐ white







Model	Wattage	Colour Temp	Lamp Type	Replaceable	Lumens	Dimmable
MXD6512	12w	3000K	12w LED	no	700lm	no



JUSTIN

M1111 series wattage: 2w/3w

- step light
- plastic body
- indoor or outdoor
- double insulated
- UV stabilised
- black ☐ white










120 MX1110











Model	Wattage	Colour Temp	Lamp Type	Replaceable	Lumens	Dimmable
MX1110 Round	2w	4000K	2w LED	no	110lm	no
MX1111 Rectangle	3w	4000K	3w LED	no	170lm	no





CIVITA

MX5111

wattage: 4.5w

- aluminium housing
- indoor or outdoor use
- black white







Model	Wattage	Colour Temp	Lamp Type	Replaceable	Lumens	Dimmable
MX5111	4.5w	3000K	4.5w LED	no	250lm	no

WELLS

MX95 series

wattage: 6w/12w

- die-cast aluminium
- opal PC diffuser
- indoor or outdoor use
- black ☐ white







Model	Wattage	Colour Temp	Lamp Type	Replaceable	Lumens	Dimmable
MX9506	6w	3000K	6w LED	no	270lm	no
MX9512	12w	3000K	12w LED	no	400lm	no



ARCH

MXD4012

wattage: 2x3w

- aluminium housing
- up/down wall light
- indoor and outdoor use
- black
- ☐ white







Model	Wattage	Colour Temp	Lamp Type	Replaceable	Lumens	Dimmable
MXD4012	6w	3000K	2 x 3w LED	no	380lm	no

SASHA

MX1712

wattage: 8w

- aluminium housing
- up/down wall light
- indoor and outdoor use
- black
- ☐ white







Model	Wattage	Colour Temp	Lamp Type	Replaceable	Lumens	Dimmable
MX1712	8w	3000K	2 x 4w LED	no	450lm	no





BRENTON

MXD4406


wattage: 12w

- cast aluminium housing
- glass diffusers
- up/down wall light
- black
- brushed chrome









Model	Wattage	Colour Temp	Lamp Type	Replaceable	Lumens	Dimmable
MXD4406S (square)	12w	4000K	2 x 6w LED	no	850lm	no
MXD4406R (round)	12w	4000K	2 x 6w LED	no	850lm	no



ETHAN

MX6712

wattage: 10w

- cast aluminium housing
- up/down wall light
- black







Model	Wattage	Colour Temp	Lamp Type	Replaceable	Lumens	Dimmable
MX6712BLK	10w	3000K	2 x 5w LED	no	440lm	no







MARVIN

MXD4612

wattage: 7w

- aluminium housing
- glass diffuser
- up/down wall light
- globes included
- graphite









Model	Wattage	Colour Temp	Lamp Type	Replaceable	Lumens	Dimmable
MXD4612	7w	4000K	2 x 3.5w GU10 LED (globes included)	yes	800lm	no
MXD4612/SEN	7w	4000K	2 x 3.5w GU10 LED (globes included)	yes	800lm	no

STURT

MXD60512

- cast aluminium housing
- glass diffuser
- up/down wall light
- black







Model	Wattage	Colour Temp	Lamp Type	Replaceable	Lumens	Dimmable
MXD60512	6w	4000K	2 x 3w LED	no	200lm	no



DEUCE

MX7412

wattage: 6w per head

- aluminium housing
- glass diffuser
- up/down wall light
- globes included





Model	Wattage	Colour Temp	Lamp Type	Replaceable	Lumens	Dimmable
MX7412	12w	3000K	2 x 6w GU10 LED (globes included)	yes	800lm	no





EMERSON

MXD4206

wattage: 6w

- 304 stainless steel housing
- glass diffusers
- up/down wall light
- stainless steel or painted finish
- stainless steel



Model	Wattage	Colour Temp	Lamp Type	Replaceable	Lumens	Dimmable
MXD4206	6w	4000K	2 x 3w LED	no	420lm	no



SOMERS

MX201 series

wattage: 6w

- 316 stainless steel housing
- opal acrylic diffuser
- stainless steel or painted finish
- double insulated
- 316 stainless steel
- black
- ☐ white (MX20121 only)







MX20111







Model	Wattage	Colour Temp	Lamp Type	Replaceable	Lumens	Dimmable
MX20111	6w	4000K	6w LED	no	320lm	no
MX20121	6w	4000K	6w LED	no	320lm	no





CARNAVON

MXD75012

wattage: 3w per head

- 316 stainless steel
- glass diffuser
- up/down wall light
- 316 stainless steel







Model	Wattage	Colour Temp	Lamp Type	Replaceable	Lumens	Dimmable
MXD75012SS	6w	4000K	2 x 3w LED	no	160lm	no

VENICE

MXD70511SS

wattage: 6w

- stainless steel housing
- PC diffuser
- light diffuses on 5 panels
- 316 stainless steel







Model	Wattage	Colour Temp	Lamp Type	Replaceable	Lumens	Dimmable
MXD70511SS	6w	4000K	6w LED	no	160lm	no



ARENA

MX37 series

wattage: 9w/18w

- small and large exterior light
- black or white with matching baffle or graphite with white baffle
- double insulated
- uv stabalised
- black
- graphite
- ☐ white









BLK



Model	Wattage	Colour Temp	Lamp Type	Replaceable	Lumens	Dimmable
MX3709	9w	3000K	9w AC LED	no	520lm	no
MX3718	18w	3000K	18w AC LED	no	1100lm	no





FELIX

MXD604 series wattage: 6w

- cast aluminium housing
- acrylic diffuser
- plain or grill design
- black silver







Model	Wattage	Colour Temp	Lamp Type	Fascia	Replaceable	Lumens	Dimmable
MXD6041	6w	4000K	6w LED	Oval Plain	no	300lm	no
MXD6042	6w	4000K	6w LED	Oval with grill	no	300lm	no

RORY

MX6711O/MX6711R

wattage: 10w

- PC housing and diffuser
- round or oval designs
- double insulated
- black ☐ white













Model	Wattage	Colour Temp	Lamp Type	Replaceable	Lumens per head	Dimmable
MX6711	10w	4000K	10w LED	no	900lm	no



ARAN

MX23011BLK2

wattage: 6w

- cast aluminium
- glass and acrylic diffuser
- black







Model	Wattage	Colour Temp	Lamp Type	Replaceable	Lumens	Dimmable
MX23011BLK2	6w	4100K	2 x 3w LED	no	206lm	no

PIPE

MXD4906

wattage: 6w

- aluminium housing
- glass diffuser
- globes included
- graphite
- brushed chrome







Model	Wattage	Colour Temp	Lamp Type	Replaceable	Lumens per head	Dimmable
MXD4906	6w	3000K	6w GU10 LED (alobe included)	yes	400lm	no





FISCHER

MX36 series

wattage: 9w per head

- 316 stainless steel
- glass diffuser
- globes included
- adjustable head (excluding up/down)
- 316 stainless steel







Model	Wattage	Colour Temp	Lamp Type	Replaceable	Lumens	Dimmable
MX3611	9w	3000K	9w GU10 LED (globes included)	yes	480lm/head	no
MX3612	18w	3000K	2 x 9w GU10 LED (globes included)	yes	480lm/head	no
MX3602	18w	3000K	2 x 9w GU10 LED (globes included)	yes	480lm/head	no
MX3603	27w	3000K	3 x 9w GU10 LED (globes included)	yes	480lm/head	no



ELIZA

MXD43 series

wattage: 6w per head

- 304 stainless steel housing
- up/down wall light or adjustable 1Lt designs
- glass diffuser
- globes included
- 304 stainless steel









Model	Wattage	Colour Temp	Lamp Type	Replaceable	Lumens per head	Dimmable
MXD4311SS	6w	4000K	6w GU10 LED (globe included)	yes	410lm	no
MXD4312SS	12w	4000K	2x6w GU10 LED (globe included)	yes	410lm	no

ALBANY

MX9412

wattage: 6w

- anodized aluminium housing
- glass diffuser
- black
- titanium







Model	Wattage	Colour Temp	Lamp Type	Replaceable	Lumens	Dimmable
MX9412	6w	4000K	2 x 3w LED	yes	470lm	no





HEDLAND

MX441 series

wattage: 3w per head

- 316 stainless steel
- acrylic diffuserup/down design (MX4412S only)
- 316 stainless steel













EXT 105 MX4412S

Model	Wattage	Colour Temp	Lamp Type	Replaceable	Lumens	Dimmable
MX4411S	3w	4000K	3w LED	yes	235lm	no
MX4412S	2 x 3w	4000K	2 x 3w LED	yes	470lm	no





KARRATHA

MX441 series

wattage: 3w per head

- 316 stainless steel
- acrylic diffuser
- up/down design (MX4412R only)
- 316 stainless steel











MX4411R

MX4412R

Model	Wattage	Colour Temp	Lamp Type	Replaceable	Lumens	Dimmable
MX4411R	Зw	4000K	3w LED	yes	235lm	no
MX4412R	2 x 3w	4000K	2 x 3w LED	yes	470lm	no





GRACE

MXD9911

wattage: 5w

- 304 stainless steel housing
- acrylic diffuser
- available with sensor
- 304 stainless steel











Model	Wattage	Colour Temp	Lamp Type	Replaceable	Lumens	Dimmable
MXD9911	5w	4000K	5w LED	no	210lm	no
MXD9911/SEN	5w	4000K	5w LED	no	210lm	no

AUSTIN

MXD57511

wattage: 7w

- cast aluminium
- etched seeded glass panels
- oil rubbed bronze









Model	Wattage	Colour Temp	Lamp Type	Replaceable	Lumens	Dimmable
MXD57511S	7w	3000K	7w AC LED	no	240lm	no
MXD57511M	7w	3000K	7w AC LED	no	240lm	no



RICHIE

MXD4911

wattage: 10w

- 316 stainless steel housing
- acrylic diffuser
- available with sensor
- 316 stainless steel







120



120







Model	Wattage	Colour Temp	Lamp Type	Replaceable	Lumens	Dimmable
MXD4911	10w	4000K	10w AC LED	no	290lm	no
MXD4911SEN	10w	4000K	10w AC LED	no	400lm	no

EVE

MX1611

- steel body with opal shallow glass
- rust proof brass screws on shade
- graphite
- ☐ white





MANCHESTER

MG6210IP/MG6211IP

- matt black metalware
- clear glass panels
- up or down designs
- black















EXT 150





Also in this collection: See pendants MG6221, MG6223 and Ceiling and Wall MG6211



ALIX

MX50111S/MX50111L

- · cast aluminium housing
- frost glass diffuser
- oil rubbed bronze









TILBURY

MX4011/MX4071

- cast aluminium housing
- clear glass diffuser
- beige (MX4011 only)
- black
- ☐ white (MX4011 only)

















TILBURY

MX4011/SEN

- cast aluminium housing
- clear glass diffuser
- beige
- black
- white















YARRA

MX7311

• cast aluminium housing

• clear glass diffuser

■ black









YARRA

MX7391P

- cast aluminium
- clear glass diffuser
- black

E27 18W	E27 20W		
	P		
E27 70W	E27 100W		





YARRA

MX7391

• cast aluminium housing

clear glass diffuser

black

E27 13W	E27 15W	
	P	
E27 53W	E27 75W	









DAKOTA

MX4911

- cast aluminium housing
- clear glass diffuser
- black









HUGO

- moulded plastic housing
- glass diffuser
- black
- bronze











DAKOTA

MX4971

- cast aluminium housing
- clear glass diffuser
- black











NEPEAN

- cast aluminium
- clear glass diffuser
- beige
- black









PAGODA

MXB1

- cast aluminium
- glass diffuser
- post top light
- black
- green















DOMAIN

- cast aluminium
- glass diffuser
- black

















BARTON

MXD60632

- cast aluminium housing
- glass diffuser
- up/down wall light
- black









CLUNY

MX6611

wattage: max 1x26w globe: PL lamp

- cast aluminium
- glass diffuser
- black
- silver









MX6611

DERINDA

MXD4811SS MXD4811SS/SEN


- 316 Stainless Steel housing
- PC diffuser
- available with sensor
- for use with CFL + LED globes only
- 316 stainless steel





E27 10W









KIAMA

MX50011SS/MX50011SS/SEN

- 316 stainless steel housing
- PC diffuser
- available with sensor
- for use with CFL + LED globes only
- stainless steel







E27 13W E27 18W













HASTINGS

MX4511/ MX4512 wattage: max 2x35w

globe: GU10

- stainless steel
- PC glass diffuser
- up/down wall light
- stainless steel





LED HALOGEN
1L 9W GU10 35W GU10 2L 9W GU10 35W GU10











MX4512 MX4511





HUME

MXI50021SS

- 304 Stainless Steel housing
- PC diffuser
- double insulated
- for use with CFL + LED globes only
- 304 stainless steel





E27 13W E27 15W










ALBINI

MX3412/MX3421/MX3422

- stainless steel
- PC diffuser
- for use with CFL + LED globes only
- stainless steel





ELLY

- galvanized metal
- glass diffuser
- galvanised metal black
- galvanised metal natural















FIORE





SHORE

MX8406L

- 316 stainless steel
- glass diffuser
- 316 stainless steel

E27 13W	E27 15W	
	®	
E27 53W	E27 75W	







FORTE

MX8606S/MX8606L

- 316 stainless steel
- glass diffuser
- 316 stainless steel

E27 10W	E27 12W	
	P	
E27 42W	E27 60W	



FORTE

MX8706S/MX8706L

- 316 stainless steel
- glass diffuser
- 316 stainless steel

E27 10W	E27 12W	
	P	
E27 42W	E27 60W	







SHORE

MX8405L

- stainless steel
- glass diffuser
- 304 stainless steel





190/258

EXT 95/100

SHORE

MX8505S/MX8505L

- stainless steel
- glass diffuser
- 304 stainless steel









FORTE

MX8605S/MX8605L

- stainless steel
- glass diffuser
- 304 stainless steel

E27 10W E27 12W



FORTE

MX8705S/MX8705L

- stainless steel
- glass diffuser
- 304 stainless steel

P	
E27 10W	E27 12W
	1
E27 42W	E27 60W













SPHERE 95 LED DIMMABLE

9E27LED14D wattage: 4w-240v colour temp: 2700K

globe: E27 lumens: 480lm





SPHERE 125 LED DIMMABLE

9E27LED15D wattage: 4w-240v colour temp: 2700K

globe: E27 lumens: 480lm





PEAR LED DIMMABLE

9E27LED16D wattage: 4w-240v colour temp: 2700K

globe: E27 lumens: 480lm





64


LED: ∰ GLOBES & DIMMERS



GLOBES & DIMMERS


PEAR LED

9E27LED16/9B22LED16 wattage: 4w-240v colour temp: 2700K **globe:** E27/B22 lumens: 480lm




FANCY CANDLE LED

9E14LED12/9B15LED12 wattage: 2w-240v colour temp: 2700K **globe:** E14/B15 lumens: 230lm



CLASSIC LED


9E27LED17/9B22LED17 wattage: 4w-240v colour temp: 2700K **globe:** E27/B22 lumens: 480lm



LED : GLOBES & DIMMERS


SPHERE 95 LED

9E27LED14/9B22LED14 wattage: 4w-240v colour temp: 2700K **globe:** E27/B22 lumens: 480lm




SPHERE 125 LED

9E27LED15/9B22LED15 wattage: 4w-240v colour temp: 2700K **globe:** E27/B22 lumens: 480lm



SPHERE 150 LED

9B22LED18/9E27LED18 wattage: 4w-240v colour temp: 2700K **globe:** B22/E27 lumens: 480lm



9W GU10 LED

9GU10LED9/3 9GU10LED9/4 9GU10LED9/5 wattage: 9w

colour temp: 3000K/4000K/5000K

globe: GU10 lumens:

480lm/520lm/550lm



9W GU10 LED DIMMABLE

9GU10LED9/3 9GU10LED9/4 9GU10LED9/5 wattage: 9w colour temp: 3000K/4000K/5000K

globe: GU10 lumens:

480lm/520lm/550lm





6W GU10 LED

9GU10LED6/3 9GU10LED6/4 9GU10LED6/5 wattage: 6w colour temp: 3000K/4000K/5000K globe: GU10

lumens:


400lm/410lm/420lm



GLOBES AND ACCESSORIES


PEAR

9E2716/9B2216 **wattage:** 25w-240v **globe:** E27/B22




MINI-BANANA

9E2713/9B2213 **wattage:** 25w-240v **globe:** E27/B22



FANCY CANDLE


9E1412/9B1512 **wattage:** 25w-240v **globe:** E14/B15



GLOBES AND ACCESSORIES

BANANA

9E2711/9B2211 **wattage:** 20w-240v **globe:** E27/B22




SPHERE95

9E2714/9B2214 **wattage:** 25w-240v **globe:** E27/B22



SPHERE125

9E2715/9B2215 **wattage:** 25w-240v **globe:** E27/B22



CARBON FILAMENT GLOBES

TOUCH DIMMER

X350TLDIM

wattage: max 350w load

- trailing edge touch dimmer
- built in on/off or continuous touch control/soft start
- no neutal required
- protection against over heating over current and short circuits
- suitable for 1-way operation only
- 2 button shapes to suit Clipsal and HPM plates
- suitable for all dimmable Mercator products









COMMERCIAL



TITAN

MI54 series

wattage: 150w/200w colour temp: 5000K

- metal LED high/low bay
- 200cm flex and plug included
- shade sold separately
- adjustable tilt angle
- surface mounted or suspension installation
- temperature rating -20°/+50°

silver















Model	Wattage	Colour Temp	Lamp Type	Replaceable	Lumens	Dimmable	Beam Angle	CRI
MI54150	150w	5000K	150w LED	no	16,200lm	no	112°	80
MI54200	200w	5000K	200w LED	no	22,500lm	no	112°	80



ZIP

MD91 series


colour temp: 5000K

- ultra slim aluminium panel light
- 150cm flex and plug included
- easy T-Bar refit
- highly transparent diffuser for improved lumen output














Luminous Intensity Distribution







UNIT: CD

- C0/180,112.3° C30/210,112.4°
- C30/240,112.9° C90/270,113.0°

Average Beam Angle (50%): 112.6°

MD913012

UNIT: CD C0/180,112.7°

C30/210, 112.9 °

C60/240,113.6° C90/270,113.8°

Average Beam Angle (50%): 113.3°

MD916060

UNIT: CD C0/180,113.1° C30/210,113.2°

C60/240,113.7° C90/270,113.6°

> Average Beam Angle (50%): 113.4°

Model	Wattage	Colour Temp	Lamp Type	Replaceable	Lumens	Dimmable	Beam Angle	CRI
MD913030/5	20w	5000K	20w LED	no	1500lm	no	110°	80
MD916060/5	40w	5000K	40w LED	no	3200lm	no	110°	80
MD913012/5	40w	5000K	40w LED	no	3200lm	no	110°	80
G091S	Suspension Kit	1.2m						

COMMERCIAL



SWELL

MI8320 series wattage: 20w colour temp: 5000K

- uv stabilised body and diffuser
- 304 stainless steel screws
- large knockout for looping
- electrician friendly design for easy installation

• temperature rating -20°/+80°

• available with or without microwave sensor

• double insulated
















Microwave

sensor features

- detection angle 360°
- timing setting: 10secs 30mins
- light setting: 2 2000lux
- distance setting: 1-10m (radius)



Luminous Intensity Distribution



C0/180,118.3°
C30/210,118.1°
C30/240,118.3°
C90/270,118.3°

Average Beam Angle (50%): 118.2°

Model	Wattage	Colour Temp	Lamp Type	Replaceable	Lumens	Dimmable
MI8320	20w	5000K	20w LED	no	1600lm	no
MI8320SEN	20w	5000K	20w LED	no	1600lm	no





SWELL EMERGENCY

MI8320EMG wattage: 20w colour temp: 5000K

• uv stabilised body and diffuser

• 304 stainless steel screws • large knockout for looping

• electrician friendly design for easy installation

• temperature rating -20°/+80°

• double insulated

grey















EMERGENCY KIT INCLUDED

- intelligent automatic recharging function
- 3 hour emergency operation
- LED charge status display
- deep discharge protection
- test switch with self test function





Model	Wattage	Colour Temp	Lamp Type	Replaceable	Lumens	Dimmable
MI8320EMG	20w	5000K	20w LED	no	1600lm	no

COMMERCIAL



WAVE

MI82 series

wattage: 20w/40w colour temp: 5000K

- tri-proof batten
- uv stabilised body and diffuser
- 304 stainless steel tamper proof clips
- large knockout for looping
- electrician friendly design for easy installation
- temperature rating -20°/+50°

grey


















Model	Wattage	Colour Temp	Lamp Type	Replaceable	Lumens	Dimmable
MI8220	20w	5000K	20w LED	no	1800lm	no
MI8240	40w	5000K	40w LED	no	3200lm	no



WAVE EMERGENCY

MI82 series

wattage: 20w/40w colour temp: 5000K

- tri-proof batten
- uv stabilised body and diffuser
- 304 stainless steel tamper proof clips
- large knockout for looping
- electrician friendly design for easy installation
- temperature rating -20°/+50°

grey










EMERGENCY KIT INCLUDED

- intelligent automatic recharging function
- 3 hour emergency operation
- LED charge status display
- deep discharge protection
- test switch with self test function





Model	Wattage	Colour Temp	Lamp Type	Replaceable	Lumens	Dimmable
MI8220EMG	20w	5000K	20w LED	no	1800lm	no
MI8240EMG	40w	5000K	40w LED	no	3200lm	no

COMMERCIAL

GUSTO

MD55 series

wattage: 22w/35w

colour temp: 3000K or 5000K

- fixed LED downlight
- leading and trailing edge dimmable
- cord and plug included


☐ white



















Model	Wattage	Colour Temp	Lamp Type	Replaceable	Lumens	Dimmable	Beam Angle	CRI
MD550/3	22w	3000K	22w LED	no	1900lm	yes	95°	+08
MD550/5	22w	5000K	22w LED	no	2000lm	yes	95°	80+
MD555/3	35w	3000K	35w LED	no	2900lm	yes	95°	80+
MD555/5	35w	5000K	35w LED	no	3000lm	yes	95°	80+

COMMERCIAL

SURFACE

MX106 series

wattage: 20w/30w/50w

- cast aluminium housing
- glass diffuser
- cord and plug included
- black \square white











185

EXT 27

Model	Wattage	Colour Temp	Lamp Type	Replaceable	Lumens	Dimmable
MX10620	20w	5000K	20w LED	no	1800lm	no
MX10630	30w	5000K	30w LED	no	2700lm	no
MX10650	50w	5000K	50w LED	no	4100lm	no





CHOOSING THE RIGHT FAN SIZE

To choose the right fan size, measure the floor area of the room where the ceiling fan will be installed and look up the suggested fan size from the guidelines below. Consider installing more than one fan for larger air movement coverage.

Room Dimensions (m²)	Suggested Fan Size (mm)
Up to 7	700 - 900
7 - 13	900 - 1000
13 - 20	1000 - 1120
20 - 27	1120 - 1370
27 - 34	1370 - 1520

REGULATION REQUIREMENT

The Australian/New Zealand Standard requires that a fan should be installed so the blades are more than 2.1 metres from the floor. If ceiling is higher than 3 metres, consider using an extension rod.

Fan should be installed by a Licensed Electrician.

ENCLOSED OUTDOOR INSTALLATION

If the fan is to be installed in a covered outdoor area, the fan should be placed at least 1.5 metres from the edge of the roof or eaves of the enclosure. This will keep the fan away from direct rain, water and sunlight, as well as indirect water splashing which may cause damage to or expedite deterioration of the fan motor and exteriors.

THE FUTURE OF CEILING FANS IS HERE!



A major breakthrough in ceiling fan technology, the Mercator range of DC ceiling fans combines the latest in energy efficient motor technology with high performance and stylish designs.

Direct Current (DC) motors convert an incoming power supply from AC (Alternating Current) to DC (Direct Current), which is significantly lower power than AC.

This results in the fan operates at a lower wattage, achieving a number of benefits for the consumer.

DC Motors provide:

- High airflow
- Reduced energy consumption, lower operating costs
- Whisper quiet operation
- Up to 6 speed settings
- Reversing function on remote
- Slimmer design

Sea Breeze Technology

Allows the fan to adjust its settings automatically over different speeds, increasing and decreasing the speed of the fan to provide a calming sea breeze effect.

*Note: All energy saving test data produced by accredited test labs. In home results may vary.



GRANGE DC

HIGH PERFORMANCE UP TO 79% ENERGY SAVING

- Energy efficient 40w DC motor
- Available with 16w LED lamp 5000K 1000lm
- Plywood blades
- Summer/winter setting on remote control
- Tropically rated
- 11,402m³/hr maximum air movement

REMOTE CONTROL INCLUDED

- 6 adjustable speed control to suit your comfort
- · Reversing function for all year use
- Easy to read LCD screen
- Learning function for easy code setting






DETAILS & PRODUCT OPTIONS

Model #	Size	Lamp	Colours
FC038134	1300	16w LED	BS, WH
FC039134	1300	-	BS, WH

SPEED SETTING	1	2	3	4	5	6
AIRFLOW (m³/hr)	4,400	6,217	7,928	8,662	10,130	11,402



Accessories: 600mm/900mm Downrods (FD130600/FD130900 Series)



WH - White without light




BS - Brushed Steel without light



WH - White with light



BS - Brushed Steel with



SORRENTO

HIGH PERFORMANCE UP TO 79% ENERGY SAVING

- Energy efficient 35w DC motor
- 1300mm (52") ABS blades
- Easy control Summer/Winter settings
- Tropically rated
- 11,997m³/hr maximum air movement

REMOTE CONTROL INCLUDED


- Fan OFF/ON
- 6 adjustable speed control to suit your comfort
- Reversing function for all year use
- Easy setup pairing between remote and receiver
- 65K possible code combinations for independent fan control





DETAILS & PRODUCT OPTIONS

Model #	Size	Lamp	Colours
FC500133	1300	-	BC, WW



Accessories: 600mm/900mm Downrods (FD360600/FD231134 Series)



WW - White/White blades



BC - Brushed Chrome/Timber-look blades



TRINIDAD II

HIGH PERFORMANCE UP TO 66% ENERGY SAVING


- Energy efficient 30w DC Motor
- Quick and easy installation
- Easy control Summer/Winter Settings
- Tropically Rated
- Available with 13.5W LED Lamp 4000K 1000 lumens
- 1300mm (52") 3 x ABS Blades
- 9,693m³/hr maximum air movement


REMOTE CONTROL INCLUDED

- Light OFF/ON & Fan OFF/ON
- 6 adjustable speed control to suit your comfort
- Reversing function for all year use
- Easy setup pairing between remote & receiver



DETAILS & PRODUCT OPTIONS						
Model #	Size	Lamp	Colours			
FC520133	1300	-	BLK, WH, BLK/ TMB, WH/TMB			
FC528133	1300	13.5w LED	BLK, WH, BLK/ TMB, WH/TMB			







BB - Black with light



BK - Black/Timber without light



BK - Black/Timber with light





WW - White with light



WH - White/Timber with



MONTEREY

HIGH PERFORMANCE **UP TO 68% ENERGY SAVING**

- Energy efficient 35w DC Motor
- Quick and easy installation
- Easy control Summer/Winter Settings
- Tropically Rated
- 18W LED Lamp 4000K 1000 lumens
- 1300mm (52") 3 x ABS Blades
- 11,056m³/hr maximum air movement

REMOTE CONTROL INCLUDED


- Light OFF/ON & Fan OFF/ON
- 6 adjustable speed control to suit your comfort
- Reversing function for all year use
- Easy setup pairing between remote & receiver



DETAILS & FRODUCT OF HONS						
Model #	Size	Lamp	Colours			
FC458133	1300	18w LED	BC, BK, WH			



SPEED SETTING	1	2	3	4	5	6
AIRFLOW (m³/hr)	3,705	5,071	6,516	7,822	9,234	11,056



Accessories: 900mm Downrods (FD458900 Series)



WH - White with light



BK - Black/Dark Cherry blades with light



BC - Brushed Chrome/ Walnut blades with light



CAPRICE DC

HIGH PERFORMANCE UP TO 78% ENERGY SAVING

- Energy efficient 35w DC motor
- Quick and easy fan installation
- Easy control Summer/Winter setting
- Tropically rated
- Available with B22 or LED lamp
- LED model features Dual Colour Temperature Replaceable LED lamp. Select 3000K or 5000K. 1000 lumens
- 1300mm (52") plywood blades
- 12° Blade pitch
- 11,038m³/hr maximum air movement

REMOTE CONTROL INCLUDED


- Light OFF/ON & Fan OFF/ON
- 6 adjustable speed control to suit your comfort
- Reversing function for all year use
- Easy setup pairing between remote & receiver
- 65K possible code combinations for independent fan control



DETAILS & PRODUCT OPTIONS

_							
Model #	Size		Lamp)	Colo	urs	
FC260134	1300		-		BS, \	ΝH	
FC262134	1300		22 Max 2 CFL* or 2: GLS		BS, WH		
FC263134	1300		16w LE	D	BS, WH		
(*globes not included)							
SPEED SETTING 1		2	3	4	5	6	

AIRFLOW (m3/hr)	2,580	4,314	5,844	7,434	9,323	11,038



Accessories: 600mm/900mm Downrods (FD250600/FD250900 Series)

'Sea Breeze' TECHNOLOGY



WH - White without light



BS - Brushed Steel without light



WH - White with light



BS - Brushed Steel with light



EAGLE

HIGH PERFORMANCE UP TO 70% ENERGY SAVING

- Energy efficient 35w DC motor
- Quick and easy fan installation
- Easy control Summer/Winter setting
- Tropically rated
- Available with 12w Dimmable LED Lamp 4000K 900 lumens
- Uniquely shaped design for stronger airflow
- 1400mm (56") ABS blades
- 23° Blade pitch
- 12,176m³/hr maximum air movement

REMOTE CONTROL INCLUDED

- Light OFF/ON & Fan OFF/ON
- 6 adjustable speed control to suit your comfort
- Reversing function for all year use
- Easy setup pairing between remote & receiver
- 65K possible code combinations for independent fan control




DETAILS & PRODUCT OPTIONS

Model #	Size	Lamp	Colours
FC360143	1400	-	BB, BC, WH
FC368143	1400	12w LED	BB, BC, WH

SPEED SETTING	1	2	3	4	5	6
AIRFLOW (m³/hr)	4,463	6,376	8,191	9,660	10,810	12,176





Accessories: 600mm/900mm Downrods (FD360600/FD360900 Series, FD231134/FD240134 Series)

COLOUR OPTIONS



WH - White without light

BC - Brushed Chrome without light

BB - Black without light

WH - White with light

BC - Brushed Chrome with light

BB - Black with light



MANLY

HIGH PERFORMANCE UP TO 80% ENERGY SAVING

- Energy efficient 35w DC motor
- Quick and easy fan installation
- Uniquely shaped design for stronger airflow
- Easy control Summer/Winter setting
- Tropically rated
- Available with 12w Dimmable LED Lamp 4000K 900 lumens
- 1300mm (52") ABS blades
- · Various blade pitches
- 10,128m³/hr maximum air movement

REMOTE CONTROL INCLUDED


- Light OFF/ON & Fan OFF/ON
- 6 adjustable speed control to suit your comfort
- Reversing function for all year use
- Easy setup pairing between remote & receiver
- 65K possible code combinations for independent fan control



DETAILS & PRODUCT OPTIONS

Model #	Size	Lamp	Colours
FC370133	1300	-	BC, WH
FC378133	1300	12w LED	BC, WH

SPEED SETTING	1	2	3	4	5	6
AIRFLOW (m³/hr)	2,307	3,692	5,759	7,206	8,664	10,128



Accessories: 600mm/900mm Downrods (FD360600/FD360900 Series, FD231134/FD240134 Series)

'Sea Breeze' TECHNOLOGY



WH - White without light



BC - Brushed Chrome without light



WH - White with light



BC - Brushed Chrome with light



CITY

HIGH PERFORMANCE UP TO 80% ENERGY SAVING

- Energy efficient 35w DC motor
- Quick and easy fan installation
- Uniquely shaped design for stronger airflow
- Easy control Summer/Winter setting
- Tropically rated
- Available with 12w Dimmable LED Lamp 4000K 900 lumens
- 1300mm (52") ABS blades
- Various blade pitches
- 11,590m³/hr maximum air movement

REMOTE CONTROL INCLUDED


- Light OFF/ON & Fan OFF/ON
- 6 adjustable speed control to suit your comfort
- Reversing function for all year use
- Easy setup pairing between remote & receiver
- 65K possible code combinations for independent fan control



DETAIL	S & PRODUC	CT OPTIONS
--------	------------	------------

Model #	Size	Lamp	Colours
FC380133	1300	-	BC, WH
FC388133	1300	12w LED	BC, WH

SPEED SETTING	1	2	3	4	5	6
AIRFLOW (m³/hr)	2.262	3.872	5.316	8.561	10.107	11.590







WH - White without light






WH - White with light



BC - Brushed Chrome with light



LILY

HIGH PERFORMANCE UP TO 80% ENERGY SAVING

- Energy efficient 35w DC motor
- Quick and easy installation
- Easy control Summer/Winter setting
- Tropically rated
- 1300mm (52") PC blades
- 15° blade pitch
- 11,193m³/hr maximum air movement

REMOTE CONTROL INCLUDED

- Fan OFF/ON
- 6 adjustable speed control to suit your comfort
- Reversing function for all year use
- Easy setup pairing between remote & receiver
- 65K possible code combinations for independent fan control






DETAILS & PRODUCT OPTIONS

Model #	Size	Lamp	Colours
FC410133	1300	-	BC, WH

SPEED SETTING	1	2	3	4	5	6
AIRFLOW (m³/hr)	2,379	4,206	6,251	7,998	9,664	11,193





WH - White

BC - Brushed Chrome



RI0

HIGH PERFORMANCE UP TO 81% ENERGY SAVING

- Energy efficient 35w DC motor
- Quick and easy installation
- Easy control Summer/Winter setting
- Tropically rated
- 1300mm (52") Plywood blades
- 14° blade pitch
- 10,191m³/hr maximum air movement

REMOTE CONTROL INCLUDED

- Fan OFF/ON
- 6 adjustable speed control to suit your comfort
- Reversing function for all year use
- Easy setup pairing between remote & receiver
- 65K possible code combinations for independent fan control






DETAILS & PRODUCT OPTIONS

Model #	Size	Lamp	Colours
FC440133	1300	-	BC, WH


SPEED SETTING	1	2	3	4	5	6
AIRFLOW (m³/hr)	2,424	3,944	5,735	7,146	8,962	10,191



Accessories: 600mm/900mm Downrods (FD360600/FD231134/FD240134 Series)



WH - White BC - Brushed Chrome



LIMA

HIGH PERFORMANCE UP TO 79% ENERGY SAVING

- Energy efficient 35w DC motor
- Quick and easy installation
- Easy control Summer/Winter setting
- Tropically rated
- 1300mm (52") plywood blades
- 14° blade pitch
- 10,078m³/hr maximum air movement

REMOTE CONTROL INCLUDED

- Fan OFF/ON
- 6 adjustable speed control to suit your comfort
- Reversing function for all year use
- Easy setup pairing between remote & receiver
- 65K possible code combinations for independent fan control






DETAILS & PRODUCT OPTIONS

Model #	Size	Lamp	Colours
FC460133	1300	-	BC, WH

SPEED SETTING	1	2	3	4	5	6
AIRFLOW (m³/hr)	2,404	3,935	5,700	7,136	8,949	10,078





WH - White

BC - Brushed Chrome



RHINO

HIGH PERFORMANCE = ENERGY SAVING

- Energy efficient 35w DC motor
- 2.0m OR 2.4m Aluminium Blades (sold separately)
- Blades available in Black with Black or Yellow caps, or White with White and Yellow caps
- Quick and easy installation
- Easy control Summer/Winter setting
- Tropically rated
- 11° blade pitch


REMOTE CONTROL INCLUDED

- Fan OFF/ON
- 6 adjustable speed control to suit your comfort
- Reversing function for all year use
- Easy setup pairing between remote & receiver
- 65K possible code combinations for independent fan control




DETAILS & PRODUCT OPTIONS

Model #	Size	Lamp	Colours
FC479009	Motor only	-	BC, WH
FC47920L	Blades only 2.0m		BK-BK/YL WH-WH/YL
FC47924L	Blades only 2.4m		BK-BK/YL WH-WH/YL



Accessories: 150mm/300mm/460mm/600mm/900mm/1800mm/2400 mm Downrods (FD479150/FD479300/FD479460/FD4791800/FD4792400 FD479600/FD479900 Series)



WH - White

BC - Brushed Chrome





LUNA

- High performance 60w motor
- 1300mm (52") plywood blades
- Summer/winter energy saving setting
- Tropically rated
- 3 speed wall controller with light switch included
- 9,100m³/hr maximum air movement
- Remote control adaptable
- 12° Blade pitch

DETAILS & PRODUCT OPTIONS

	Model #	Size	Lamp	Colours
	FC550134	1300	_	BS, BK, WH



Accessories: 600mm/900mm Downrods (FD250600/FD250900 Series)




BS - Brushed Steel without light



BK - Black without light



WH - White without light




FLINDERS

- High performance 75w motor
- Excellent high velocity airflow
- 14° Blade pitch
- 1400mm (56") ABS blades
- Summer/Winter energy saving settings
- Tropically Rated
- Wall controller with light switch included
- Remote control adaptable
- 13,764m³/hr maximum air movement

Accessories: 600mm/900mm Downrods (FD360600/FD231134/FD170114)

DETAILS & PRODUCT OPTIONS						
Model # Size Lamp Colours						
FC510143 1400 - BC, ORB, WH						





ORB - Oil rubbed bronze without light



WH - White without light



BC - Brushed chrome without light





GRANGE

- 60w motor
- Available with or without fitted 16w LED light 5000K 1000lm
- Remote control adaptable
- Plywood blades
- 3 Speed wall controller with light switch included
- Summer/winter energy saving setting
- · Tropically rated
- 8.400 m³/hr maximum air movement


*Globes not included

Remote Controls: FRM87, FRM97, FRM98

Accessories: 600mm/900mm Downrods (FD130600/FD130900 Series)

DETAILS & PRODUCT OPTIONS

Model #	Size	Lamp	Colours
FC030134	1300	_	BS or WH
FC032134	1300	B22 2 x Max 20w*	BS or WH
FC037134	1300	16w LED (replaceable by electrician)	BS or WH





WH - White without light



BS - Brushed Steel without light



WH - White with light



BS - Brushed Steel with light



CAPRICE

WARRANTY

- 6 Year motor warranty
- 3 Year in home warranty

GREATER AIRFLOW AND EFFICIENCY

- Greater air flow at a lower input power
- 8,999 m³/hr maximum air movement
- 60w motor improves efficiency and reduces energy costs
- 12 degree blade pitch plywood blades (available with reversible blades)
- Available with a range of light sources including energy efficient LED
- Summer/winter energy saving setting
- 3 Speed wall controller with light switch included
- Fully compatible remote control available FRM97 RF remote controller with LCD display is fully compatible with the Caprice series ensuring optimised, high airflow performance

QUICK AND EASY INSTALLATION

- Quick-secure canopy with side screw access
- Improved blade assembly underneath housing for quick installation electrician friendly!

ENERGY EFFICIENT LED MODEL

- Replaceable 16w LED Lamp. Lumens ≤1000lm. CRI ≤70
- Includes dual colour temperature LED lamp. Change between warm white 3000K & cool white 5000K with just the flick of a switch.



COOL WHITE 5000K



WARM WHITE 3000K

COLOUR OPTIONS



WH - White without light



WH - White with light



BS - Brushed Steel without light



BS - Brushed Steel with light




BK - Black without light



BK - Black with light

DETAILS & PRODUCT OPTIONS

Model #	Size	Lamp	Colours
FC250128	1200	_	BS, WH
FC252128	1200	B22 2x Max 15w*	BS, WH
FC250134	1300	_	BS, WH, BK
FC252134	1300	B22 2x Max 20w*	BS, WH, BK
FC257134	1300	Dual Colour 16w LED	BS, WH



*Globes not included Remote Controls: FRM97

Accessories: 600mm/900mm Downrods (FD250600/FD250900 Series)



SWIFT 316


- Full marine grade 316 stainless steel
- 5 Year in home warranty
- Adaptable to 3 or 4 blade fan
- Light and remote control adaptable
- Summer/winter energy saving setting
- Tropically rated
- 14,467 m³/hr maximum air movement (FC010144SS)

Fan Lights: Mantra 316SS (FLF022SS) Remote Controls: FRM87, FRM97, FRM98

Accessories: 900mm 316 Stainless Steel Downrod (FD010124SS)

DETAILS & PRODUCT OPTIONS

Model #	Size
FC010124SS	1219
FC010134SS	1320
FC010144SS	1420





Four blade fan

Three blade fan



SWIFT TIMBER

- 70w motor (900mm)
- 80w motor (1200-1300mm)
- Reversible plywood blades
- Light and remote control adaptable
- 3 Speed wall controller with light switch included
- Summer/winter energy saving setting
- Tropically rated
- 9,635 m³/hr maximum air movement (FC010138)

Fan Lights: Milano (FLF20422), Mantra (FLF022), Caddy (FLF3122),

Amarok (FLF4021)


Remote Controls: FRM87, FRM97, FRM98

Accessories: 600mm/900mm Downrods (FD110600/FD110900 Series)



AB - Antique Brass with Walnut/Oak blades

Model #	Size	Colours
FC010098	900	WH
FC010128	1200	AB, BC
FC010138	1300	AB, BC, WH





WH -White with White blades



BC -Brushed Chrome with Silver/Ash blades



AB - Antique Brass

SWIFT METAL

- 70w motor (900mm)
- 80w motor (1200-1400mm)
- Metal blades for stronger air-circulation
- Light and remote control adaptable
- 3 Speed wall controller with light switch included
- Summer/winter energy saving setting
- Tropically rated
- 13,551 m³/hr maximum air movement (FC010144)

Fan Lights: Milano (FLF20422), Mantra (FLF022), Caddy (FLF3122),

Amarok (FLF4021)

Remote Controls: FRM87, FRM97, FRM98


Accessories: 600mm/900mm Downrods (FD110600/FD110900 Series)




TT - Brushed Chrome with Titanium blades



BC - Brushed Chrome with Stainless Steel blades











WH - White

BK - Black



GLENDALE

- 55w motor
- Available with or without fitted light and remote control
- Improved mounting system for greater stability
- Plywood Blades
- Remote control adaptable
- Summer/winter energy saving setting
- Tropically rated
- 7,479 m³/hr maximum air movement


*15w CFL globes not included.

Remote Controls: FRM87GL.

Accessories: 900mm Downrod (FD180124 Series)

DETAILS & PRODUCT	OPTIONS	

Model #	Size	Lamp	Colours
FC180124	1200	_	BC or WH
FC182124	1200	B22 2 x Max 15w CFL*	BC or WH
FC182124R (with remote)	1200	B22 2 x 15w CFL*	BC or WH





BC - Brushed Chrome without light



BC - Brushed Chrome with light



BC - Brushed Chrome with light and remote control





KIMBERLEY II

- 55w motor
- Available with or without remote control
- · Available with or without fitted light
- 1 x E27 max 20w CFL globe (globe not included)
- Plywood blades
- 3 Speed wall controller with light switch included
- Summer/winter energy saving setting
- Tropically rated
- 8,410 m³/hr maximum air movement


*Globes not included

Remote Controls: FRM87GL (supplied) FRM87, FRM97, FRM98 (optional)

Accessories: 600mm/900mm Downrods (FD110600/FD110900 Series)

DETAILS & PRODUCT OPTIONS

Model #	Size	Lamp	Colours
FC130124	1200	_	BC, WH
FC132124	1200	E27, 1x20w CFL*	BC, WH
FC132124R	1200	E27, 1x20w CFL*	BC, WH





WH - White without light



BC - Brushed Chrome with light



WH - White with light



BC - Brushed Chrome with light and remote control



WH - White with light and remote control




COOYA

- IP44 rated for outdoor use provided fan is fully undercover
- Suitable for patios and verandahs
- 1300mm (52") ABS Blades
- Summer/Winter energy saving settings
- Tropically Rated
- 3 speed wall controller included
- Remote control adaptable
- 7,522m³/hr maximum air movement

Remote Controls: FRM87, FRM97, FRM98 Accessories: 900mm downrods (FD190900 Series)

DETAILS & PRODUCT OPTIONS					
Model # Size Lamp Colours					
FC190135	1300	-	BR, WH		





BR -Brown with Brown blades



WH - White with White blades




KEWARRA


- 60w motor
- ABS blades
- Light and remote control adaptable
- 3 Speed wall controller with light switch included
- Summer/winter energy saving setting
- Tropically rated
- 8,034m3/hr maximum air movement

Remote Controls: FRM87, FRM97, FRM98

Accessories: 600mm/900mm Downrods (FD110600/FD110900/

FD170114 Series)











RB - Oil Rubbed Bronze



FC231134

- 80w motor
- 2 x B22 max 12w CFL (globes not included)
- Remote control adaptable
- Plywood blades
- 3 Speed wall controller with light switch included
- Summer/winter energy saving setting
- · Tropically rated
- 11,234m³/hr maximum air movement

*Globes not included

Remote Controls: FRM87, FRM87GL, FRM97, FRM98 Accessories: 900mm downrods (FD231134/FD240134 Series)



BC - Brushed Chrome with Walnut blades



B22, 2 x Max


12w CFL*

BC, WH



1320

WH - White with White blades




HEALEY

- High performance 65w Motor
- Reversible blade colours (AB & RB models)
- 1300mm (52") Plywood Blades
- Summer/Winter energy saving settings
- Tropically Rated
- 3 speed wall controller included
- Remote control adaptable
- 7,735m³/hr maximum air movement

Remote Controls: FRM87, FRM97, FRM98 **Accessories:** 600mm/900mm Downrods (FD110600/FD110900/FD360600/FD170114)

DETAILS & PRODUCT OPTIONS					
Model #	Size	Lamp	Colours		
FC490135	1300	-	AB, RB, WH		





AB - Antique brass with walnut/cherry reversible blades

RB - Oil rubbed bronze with oak wengue/dark wood reversible blades

WH - White with white blades




- Light and remote control adaptable
- 3 Speed pull chain switch
- Summer/winter energy saving setting
- Tropically rated
- 8,021m3/hr maximum air movement

Fan Lights: Macedon (FLF0563), Krypton (FLF12533), Pronto (FLF15033), Auro (FLF1423)

Remote Controls: FRM87, FRM97, FRM98

Accessories: 600mm/900mm Downrods (FD110600/FD110900 Series)





CH - Chrome with Walnut/ Woodgrain Black blades



BC - Brushed Chrome with Black/Ash blades




WH - White with White blades



AB - Antique Brass with Oak/Walnut blades



PB - Polished Brass with Cherry/ Rosewood blades



HAMILTON

- 60w motor
- Reversible plywood blades
- Light and remote control adaptable
- 3 Speed wall controller with light switch included
- Summer/winter energy saving setting
- · Tropically rated

Fan Lights: Krypton (FLF12533), Pronto (FLF15033), Auro (FLF1423)


Remote Controls: FRM87, FRM97, FRM98

Accessories: 600mm/900mm Downrods (FD110600/FD110900 Series)





WH - White with White blades



FAN LIGHTS



PRONTO LED FAN LIGHT

3 light fan light, comes complete with 3 x 6w GU10 LED globes

Available in White

12 month warranty



KRYPTON FAN LIGHT

3 light fan light, comes complete with 3 x 50w GU10 halogen globes $\,$

Available in Brushed Chrome

12 month warranty



AURO FAN LIGHT

FLF1423

3 light fan light

Suits 3 x 60w E27 lamps (globes not included)

Comes complete with Alabaster shades available in Antique Brass, Brushed Chrome, White or Polished Brass.

12 month warranty

FAN LIGHTS



MANTRA FAN LIGHT

2 light fan light, comes complete with frosted glass shade Suits 2 x 15w E27 CFL (globes not included) Available in Antique Brass, Brushed Chrome, Chrome, White or 316SS.

12 month warranty



MILANO FAN LIGHT

22w T5 fluorescent fan light with opal acrylic diffuser. Comes complete with lamp

Available in White

12 month warranty



CADDY FAN LIGHT

2 light fan light with glass diffuser. Suits 2 x 15w B22 CFL (globes not included)

Available in Brushed Chrome or White

12 month warranty

CEILING FAN & FAN LIGHT COMPATIBILITY

AURO ✓	CADDY	KRYPTON	MANTRA	MILANO	PRONTO LED
√					
		✓			✓
✓		✓			✓
		✓			✓
	✓		✓	✓	
	✓		✓	✓	
	√	✓ ✓ ✓	✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓		



FRM87

- RF-Radio frequency 433.9MHz
- Suitable for use with incandescent globes and energy saving compact fluorescent
- 12 months warranty
- Transmitter functions: Light ON Light OFF, Fan OFF Fan ON, LOW/MED/HIGH
- Fan motor: max 120w
- Lamps: max 300w (incandescent) / max 100w (energy saving CFL)
- 16 possible code combinations



FRM97

- RF-Radio frequency 433.9MHz
- Suitable for use with incandescent globes and energy saving compact fluorescent lamps
- 12 months warranty
- Transmitter functions: Fan OFF, Fan ON LOW/MED/HIGH, Light ON Light OFF, Timer (1H, 2H, 3H, 4H, 5H, 6H, 7H, 8H)
- Fan motor: max 100w
- Lamps: max 600w
- 16 possible code combinations



FRM98

- RF-Radio frequency 433.9MHz
- Suitable for use with incandescent globes, energy saving compact fluorescent lamps and LED lamps
- 12 months warranty
- Transforms 3 speed fan into 7 speeds
- Transmitter functions: Fan OFF, Fan ON 7 Speeds, Light ON - Light OFF, Dimmer and three minute light off delay
- Normal / Sleep / Sea Breeze modes
- A million possible code combinations
- Fan motor: max loading 130w
- Lamps: max loading 180w
- Suitable for use with most brands of ceiling fans with AC Motor

DOWN RODS

150mm DOWNRODS

FD479150

Suits Mercator Rhino DC Series ceiling fans. Available Colours: BC - Brushed Chrome

☐ WH - White

460mm DOWNRODS

FD479460

Suits Mercator Rhino DC Series ceiling fans. Available Colours: BC - Brushed Chrome

☐ WH - White

600mm DOWNRODS

Suits Mercator Swift, Kimberley, Healey, Hayman, Hamilton & Kewarra series ceiling fans.

Available Colours: AB - Antique Brass

■ BC - Brushed Chrome □ BG - Beige

■ CH - Chrome ■ PB - Polished Brass

■ SB - Satin Brass □ WH - White

FD130600/FD250600

Suits Mercator Grange & Caprice Series ceiling fans.

Available Colours: ■ BK - Black ■ BS - Brushed Steel □ WH - White

FD360600

Suits Mercator Eagle, City, Manly, Rio & Flinders Series ceiling fans.

Available Colours: BC - Brushed Chrome

☐ WH - White ■ BK - Black

Suits Mercator Rhino DC Series ceiling fans.

Available Colours: BC - Brushed Chrome WH - White

Suits Mercator Trinidad II Series ceiling fans. Available Colours: WH - White BK - Black

FD428600

Suits Mercator Trinidad II LED Series ceiling fans. Available Colours:

WH - White

BK - Black

900mm DOWNRODS

FD110900

Suits Mercator Swift, Kimberley, Hayman,

Hamilton & Kewarra series ceiling fans.

Available Colours: AB - Antique Brass

■ BC - Brushed Chrome ■ BG - Beige

■ CH - Chrome ■ PB - Polished Brass

■ SB - Satin Brass □ WH - White

FD130900/FD250900

Suits Mercator Grange & Caprice series ceiling fans.

Available Colours: ■ BK - Black

 \blacksquare BS - Brushed Steel $\ \square$ WH - White

FD155138/FD170114

Suits Mercator Kewarra & Flinders series ceiling fans.

Available Colours: BN - Brushed Nickel

■ RB - Oil Rubbed Bronze □ WH - White

FD231134/FD240134

Suits Mercator Rosebery, Eagle, City, Manly, Rio & Flinders series

ceiling fans.

Available Colours: BC - Brushed Chrome WH - White

Suits Mercator Glendale series ceiling fans.

Available Colours: ■ BC - Brushed Chrome □ WH - White

FD010124SS

Suits Mercator Swift 316 series ceiling fans. Available Colours: SS - 316 Stainless Steel

FD190900

Suits Mercator Cooya ceiling fans series.

Available Colours: ☐ WH - White ■ BR - Brown

Suits Mercator Eagle, City, Manly & Flinders series ceiling fans.

Available Colours: WH - White BK - Black

FD420900

Suits Mercator Trinidad II series ceiling fans.

Available Colours: ■ BK - Black □ WH - White

FD428900

Suits Mercator Trinidad II LED series ceiling fans.

Available Colours: ■ BK - Black □ WH - White

FD479900

Suits Mercator Rhino DC series ceiling fans.

Available Colours: ■ BC - Brushed Chrome □ WH - White

1800mm DOWNRODS

FD4791800 1800mm

Suits Mercator Rhino DC series ceiling fans.

Available Colours: ■ BC - Brushed Chrome □ WH - White

2400mm DOWNRODS

FD4792400 2400mm

Suits Mercator Rhino DC series ceiling fans.

Available Colours: ■ BC - Brushed Chrome □ WH - White

CEILING FAN & REMOTE CONTROL COMPATIBILITY

	FRM87	FRM87GL	FRM97	FRM98
Caprice				
FC250128			✓	
FC252128			<i>-</i>	
FC250134			<i>-</i> ✓	
FG252134			<i>-</i>	
FC256134			<i>-</i>	
FG257134			→	
Grange			·	
FC030134	√		√	√
FC032134	→		→	·
FC037134	√		√	→
	V		V	V
Swift 316				4
FC010124SS	√		√	√
FC010134SS	✓		√	✓
FC010144SS	✓		✓	✓
Swift Metal				
FC010094	✓		√	√
FC010124	√		✓	✓
FC010134	✓		✓	✓
FC010144	✓		✓	✓
Swift Timber				
FC010098	✓		✓	✓
FC010128	✓		✓	✓
FC010138	✓		✓	✓
Kimberley II				
FC130124	✓	✓	✓	✓
FC132124	✓	✓	✓	✓
FC132124R		INC		
Glendale				
FC180124		✓		
FC182124		✓		
FC182124R		INC		
Rosebery				
FC231134	✓	✓	✓	✓
Kewarra				
FC190139	✓		✓	✓
Hayman				
FC050135	✓		✓	✓
Hamilton				
FC050096	✓		✓	✓
Ciesta				
FC155138	✓		✓	✓
Seville				
FC165128	✓		✓	✓
Cooya				
FC190135	✓		✓	✓
Healey				
FC490135	✓		✓	✓
Flinders				
FC510143	✓		✓	
Luna				
FC550134	✓		✓	



WALL FANS



ATHENA II WALL FAN

Available with remote control or pull cord control, 3 speed settings, LED settings indicator, wide range oscillation, adjustable tilt angle and quiet operation.







Model #	Size	Control	Blades	Colours
FF42316	16in	Remote Control	3 x transparent ABS	WH
FF43316	16in	Pull cord	3 x transparent ABS	WH

WALL FANS



ATLAS WALL FAN

High airflow remote control wall fan, Quality chrome / white finish, tropically rated, manual remote dual control options, sleep timer function, wide range oscillation and adjustable tilt angle

DETAILS & PRODUCT OPTIONS



Model #	Size	Control	Blades	Colours
FF22316	16in	Remote Control	3 x transparent ABS	CH, WH





HOW TO KEEP A BATHROOM WELL VENTILATED?

important factors determine how well an exhaust fan removes steam produced by showers / baths:

- Extraction rate
- Adequate cross ventilation
- Replenishment of exhaust air

Extraction Rate

Selecting the right extraction rate of an exhaust fan involves 3 simple steps:

1. Calculate the room size.

Example: Volume of a 2.5m x 2.0m x 2.4m room = 12 m^3

2. For reasonably good ventilation an exhaust fan must be capable of replacing the air in a room about 15 times per hour (15 ACH). However prolonged hot shower in a cold day may warrant more frequent air changes per hour to help get rid of excessive moisture in the air. If required choose a larger ACH value (>20).

Example: Required ACH = $15 \times 12 = 180 \text{ m}^3/\text{h}$

Choose an exhaust fan with extraction rate more than the required ACH.

Example: Required extraction rate (>180m³/h) = 200 m³/h

Adequate Cross Ventilation

Getting a decent exhaust fan with sufficient air extraction rate alone does not guarantee that a room can be well ventilated. A little planning before fan installation is carried out goes a long way. To ensure that steam is effectively removed from bathroom, exhaust fan should be located, as far as practicable, opposite air intake openings so that cross breeze traverse through the room.

Replenishment Of Exhaust Air

Air discharged must be adequately replenished by fresh air from the outside. Typical sources of air intake include opening under door, grille on door or window. If a room has insufficient avenues for air intake, an exhaust fan can be noticeably noisier and will barely extract air. Prolonged use of exhaust fan inside an air tight bathroom may shorten useful life of the motor.

The reasons above mentioned account for most complaints relating to performance of a good exhaust fan. Other common factors affecting air extraction performance include wrinkled duct and restricted movement of self-closing draft stopper.



UNIGLOW LED

Ideal for bathrooms

2 x 275w durable IR lamps for instant heating included

Very high airflow extraction up to 220m³/hr

Ultra quiet and powerful 40W ball bearing motor

Draft Stopper and 1.5m, Ø100mm flexible aluminium duct included for energy efficient operation

Wall controller with 3 switches included for separate 2-level heat, light and fan control


80°C thermal cut out feature for safety Removable grille for easy cleaning Cut out template included


Recommended Accessories:

Heat Lamp: LR275E7GDR Duct kit: DA10030D Lamp: L6WLEDR80











WH - WHITE

SL - SILVER

Model	Exhaust Fan	Heater	Light	Lumens	Air Extraction	Fascia Size (mm)	Cut Out Size (mm)	Available Colours
BS022LSW	40W	E27, 2 x 275w	6w R80 LED (3000K)	650lm	220m³/hr	430 x 230	355 x 185	SL, WH

^{*} All power outlets must be installed by a qualified electrician



MAGNUS QUATTRO

Ideal for bathrooms

4 x 275w durable IR lamps for instant heating included 4 x 9w GU10 LED lamps included (3000K - 4 x 500lm)

Very high airflow extraction up to 500m³/hr

Ultra quiet and powerful 66w ball bearing motor

Draft Stopper and 1.5m, Ø150mm flexible aluminium

duct included for energy efficient operation Wall controller with 4 switches included for separate

heat, light and fan control

80°C thermal cut out feature for safety


Removable grille for easy cleaning


Cut out template included

Recommended Accessories:

Heat Lamp: LR275E7GDR Lamp: 9GU10LED9/3 Duct Kit: DA15015D Duct Kit: DA15030D











WH - WHITE

SL - SILVER

Model	Exhaust Fan	Heater	Light	Air Extraction	Fascia Size (mm)	Cut Out Size (mm)	Available Colours
BH144ESW	66W	E27, 4 x 275w	4 x 9w GU10 LED (3000K)	500m ³ /hr	500 x 338	441 x 300	SL, WH



MAGNUS DUO

Ideal for bathrooms

2 x 275w durable IR lamps for instant heating included 3 x 9w GU10 LED lamps included (3000K - 3 x 500lm)

Very high airflow extraction up to 500m³/hr

Ultra quiet and powerful 66w ball bearing motor

Draft Stopper and 1.5m, Ø150mm flexible aluminium

duct included for energy efficient operation

Wall controller with 3 switches included for separate heat,

light and fan control

80°C thermal cut out feature for safety


Removable grille for easy cleaning


Cut out template included

Recommended Accessories:

Heat Lamp: LR275E7GDR Lamp: 9GU10LED9/3 Duct Kit: DA15015D Duct Kit: DA15030D











WH - WHITE

SL - SILVER

Model	Exhaust Fan	Heater	Light	Air Extraction	Fascia Size (mm)	Cut Out Size (mm)	Available Colours
BH142ESW	66W	E27, 2 x 275w	3 x 9w GU10 LED (3000K)	500m ³ /hr	500 x 300	441 x 250	SL, WH



ARDENE QUATTRO

Ideal for bathrooms

4 x 275w heat lamps

1 x 42w R63 halogen lamp included

Airflow extraction up to 220m³/hr

30w ball bearing motor

1.5m, Ø100mm flexible duct and duct grille included

Wall controller with 4 switches included for separate heat, light and fan

control


Mounting kit included


Cut out template included

Recommended Accessories:

Heat Lamp: LR275E7GDR Duct Kit: DA10015D Duct Kit: DA10030D











WH - WHITE

SL - SILVER

Model	Exhaust Fan	Heater	Light	Air Extraction	Fascia Size (mm)	Cut Out Size (mm)	Available Colours
BS124CSW	30W	E27, 4 x 275w	1 x 42w R63 halogen	220m³/hr	364 x 364	290 x 290	SL, WH



ARDENE DUO

Ideal for bathrooms

2 x 275w heat lamps

1 x 42w R63 halogen lamp included

Airflow extraction up to 220m³/hr

30w ball bearing motor

1.5m, Ø100mm flexible duct and duct grille included

Wall controller with 3 switches included for separate heat, light and fan

control


Mounting kit included


Cut out template included

Recommended Accessories:

Heat Lamp: LR275E7GDR Duct Kit: DA10015D Duct Kit: DA10030D











WH - WHITE

SL - SILVER

Model	Exhaust Fan	Heater	Light	Air Extraction	Fascia Size (mm)	Cut Out Size (mm)	Available Colours
BS122CSW	30W	E27, 2 x 275w	1 x 42w R63 halogen	220m³/hr	400 x 226	345 x 190	SL, WH



COSMO QUATTRO

Ideal for bathrooms

4 x 275w durable IR lamps for instant heating included

12w LED - 5000K 1000lm

Very high airflow extraction up to 550m³/hr

Ultra quiet and powerful 40w ball bearing motor Draft Stopper and 3m, Ø150mm flexible aluminium

duct included for energy efficient operation

Wall controller with 4 switches included for

separate 2-level heat, light and fan control


80°C thermal cut out feature for safety


Removable grille for easy cleaning

Cut out template included

Recommended Accessories:

Heat Lamp: LR275E7GDR Duct Kit: DA15015D Duct Kit: DA15030D











WH - WHITE

SL - SILVER

Model	Exhaust Fan	Heater	Light	Air Extraction	Fascia Size (mm)	Cut Out Size (mm)	Available Colours
BH014ESW	40W	E27, 4 x 275w	12 x LED	550m³/hr	452 x 452	375 x 375	SL, WH



COSMO DUO

Ideal for bathrooms

2 x 275w durable IR lamps for instant heating included

12w LED - 5000K 1000lm

Very high airflow extraction up to 500m³/hr

Ultra quiet and powerful 40w ball bearing motor

Draft Stopper and 3m, Ø150mm flexible aluminium duct included for

energy efficient operation


Wall controller with 3 switches included for separate heat, light and fan control 80°C thermal cut out feature for safety


Removable grille for easy cleaning

Cut out template included

Recommended Accessories:

Heat Lamp: LR275E7GDR Duct Kit: DA15015D Duct Kit: DA15030D











WH - WHITE

SL - SILVER

Model	Exhaust Fan	Heater	Light	Air Extraction	Fascia Size (mm)	Cut Out Size (mm)	Available Colours
BH012ESW	40W	E27, 2 x 275w	12w LED	500m³/hr	524 x 305	470 x 245	SL, WH



LAVA QUATTRO LED

Ideal for bathrooms

4 x 275w durable IR lamps for instant heating included

1 x 6w R80 LED included (3000K - 650lm)

High airflow extraction up to 240m³/hr

Ultra quiet and powerful 40w ball bearing motor

Draft stopper and 1.5m, Ø100mm flexible duct

included for energy efficient operation

Wall controller with 4 switches included for

separate 2-level heat, light and fan control

80°C thermal cut out feature for safety Removable grille for easy cleaning

Cut out template included

Recommended Accessories:


Heat Lamp: LR275E7GDR Duct Kit: DA10015D Duct Kit: DA10030D Lamp: LF6WLEDR80








PRODUCT DETAILS









WH - WHITE

SL - SILVER

Model	Exhaust Fan	Heater	Light	Air Extraction	Fascia Size (mm)	Cut Out Size (mm)	Available Colours
BS024LSW	40W	E27, 4 x 275w	1 x 6w R80 LED (3000K)	240m³/hr	385 x 385	295 x 295	SL, WH



LAVA DUO

Ideal for bathrooms

2 x 275w durable IR lamps for instant heating included

2 x 11w energy saving CFLs included

High airflow extraction up to 220m³/hr

Ultra quiet and powerful 40w ball bearing motor

Draft stopper and 1.5m, Ø100mm flexible duct included for energy

efficient operation

Wall controller with 3 switches included for separate heat, light and fan control 80°C thermal cut out feature for safety Removable grille for easy cleaning Cut out template included

Recommended Accessories:

Heat Lamp: LR275E7GDR Lamp: LF11WE7DCR Duct Kit: DA10015D Duct Kit: DA10030D











PRODUCT DETAILS









WH - WHITE

SL - SILVER

Model	Exhaust Fan	Heater	Light	Air Extraction	Fascia Size (mm)	Cut Out Size (mm)	Available Colours
BS022CSW	40W	E27, 2 x 275w	2 x 11w R63 CFL	220m³/hr	425 x 230	355 x 185	SL, WH




ULTRALINE


Ideal for bathrooms, toilets or kitchens 12w 5000K LED lamp included - 1000lm High airflow extraction up to 480m³/hr Silent and powerful 40w motor Side duct and draft stopper included for energy efficient operation Easy to install - DIY to existing power outlet* Separate power cords for fan and light included Cut out template included

Recommended Accessories:

Duct Kit: DA12515D Duct Kit: DA12530D









WH - WHITE

^{*} All power outlets must be installed by a qualified electrician


Model	Exhaust Fan	Light	Air Extraction	Fascia Size (mm)	Cut Out Size (mm)	Available Colours
BE150ESPWH	40w	12w LED	480m³/hr	Ø330	Ø295	WH




HELIX

Ideal for bathrooms, toilets or kitchens Very high airflow extraction up to 750m³/hr Silent and powerful 35w ball bearing motor Easy to install - DIY to existing power outlet $\!\!\!\!^\star$ Power cord included Cut out template included Back draft shutter for improved energy efficiency









WH - WHITE

^{*} All power outlets must be installed by a qualified electrician

Model	Exhaust Fan	Light	Air Extraction	Fascia Size (mm)	Cut Out Size (mm)	Available Colours
BE3100TPWH	35w	-	750m³/hr	Ø330	Ø290	WH




SKYLINE LED

Ideal for bathrooms, toilets or kitchens 15w LED lamp included (4500K - 1000M) Silent and powerful motor Side duct and draft stopper included for energy efficient operation UV stabilised material Easy to install - DIY to existing power outlet* Separate power cords for fan and light included Cut out template included

Recommended Accessories:

Lamp: XBE1301, XBE1401 Duct Kit: DA10015D Duct Kit: DA10030D





WH - WHITE

^{*} All power outlets must be installed by a qualified electrician

Model	Exhaust Fan	Light	Air Extraction	Fascia Size (mm)	Cut Out Size (mm)	Available Colours
BE230ESP (square)	30w	15w LED	250m³/hr	275 x 275	245 x 245	WH
BE240ESP (round)	30w	16w LED	250m³/hr	Ø292	Ø250	WH



SKYLINE

Ideal for bathrooms, toilets or kitchens 22w T5 4200K energy saving lamp (included) Silent and powerful motor Side duct and draft stopper included for energy efficient operation UV stabilised material Easy to install - DIY to existing power outlet* Separate power cords for fan and light included

Recommended Accessories:

Cut out template included

Lamp: LC22WT5EB Duct Kit: DA10015D Duct Kit: DA10030D







BE220FSP (round)

Circular Fluoro Included

PRODUCT DETAILS







22w T5 Circular

30w



250m3/hr

Ø292



Ø250

WH, SL



EMELINE

Ideal for bathrooms, toilets or kitchens 10w LED included (4000K - 750lm)

Silent and powerful motor

Side duct and draft stopper included for energy efficient operation

Easy to install - DIY to existing power outlet*

Power cord included

Cut out template included

Recommended Accessories:

Duct Kit: DA10015D Duct Kit: DA10030D





WH - WHITE ROUND


WH - WHITE SQUARE


270mm CIRCLE SMALL

SQUARE


SMALL


SQUARE LARGE





258mm





1000000	183mm
	,

7 in power outside most be metallical by a qualified disortional.								
Model	Exhaust Fan	Air Extraction	Light	Fascia Size (mm)	Cut Out Size	Available Colours		
BE040ESPWH (Square)	36w	200m³/hr	10w LED	258 x 258	Ø245	WH		
BE050ESPWH (Square)	56w	250m³/hr	10w LED	302 x 302	Ø290	WH		
BE110ESPWH (Round)	36w	200m³/hr	10w LED	Ø270	Ø245	WH		
BE120ESPWH (Round)	56w	250m³/hr	10w LED	Ø320	Ø290	WH		

^{*} All power outlets must be installed by a qualified electrician




NOVALINE

Ideal for bathrooms, toilets or kitchens Silent and powerful motor Side duct and draft stopper included for energy efficient operation Easy to install - DIY to existing power outlet* Power cord included Cut out template included

Recommended Accessories:

Duct Kit: DA10015D Duct Kit: DA10030D







WH - WHITE





SL - SILVER

^{*} All power outlets must be installed by a qualified electrician

Model	Exhaust Fan	Air Extraction	Fascia Size (mm)	Cut Out Size	Available Colours
BE0400SP (Square)	35w	200m³/hr	258 x 258	Ø245	SL, WH
BE0500SP (Square)	50w	250m³/hr	302 x 302	Ø290	SL, WH
BE1100SP (Round)	35w	200m³/hr	Ø270	Ø245	SL, WH
BE1200SP (Round)	50w	250m³/hr	Ø320	Ø290	WH

SHUTTER

Ideal for small bathrooms, toilets or laundries Wall/window mounted 12w ball bearing motor Pullchain shutters Fits Ø100mm duct size Mounting kit included

Recommended Accessories:

Duct Kit: DA10015D Duct Kit: DA10030D





WH - WHITE





PRODUCT DETAILS





Model	Exhaust Fan	Air Extraction	Fascia Size (mm)	Cut Out Size (mm)	Available Colours
BWE231WH	12w	130m³/hr	175x165mm	105	WH

RIPPLE

Ideal for small bathrooms, toilets or laundries Wall/window mounted 12w ball bearing motor Silent operation Built-in insect proof net Fits Ø100mm duct size Mounting kit included Backdraft shutter included

Recommended Accessories:

Duct Kit: DA10015D Duct Kit: DA10030D






PRODUCT DETAILS

Cut-out size 105mm

60mm

____21mm



WH - WHITE		157mm	

Model	Exhaust Fan	Air Extraction	Fascia Size (mm)	Cut Out Size (mm)	Available Colours
BWE251WH	12w	130m³/hr	157x157mm	105	WH

FRESNO

Ideal for small bathrooms, toilets or laundries

Wall/window mounted

12w or 18w ball bearing motor

Built in auto shutters

Fits Ø100mm or Ø150mm duct size

Mounting kit included

Recommended Accessories:

Duct Kit: DA10015D Duct Kit: DA10030D Duct Kit: DA15015D Duct Kit: DA15030D





WH - WHITE






PRODUCT DETAILS







FRESNO 100

FRESNO 150

Model	Exhaust Fan	Air Extraction	Fascia Size (mm)	Cut Out Size (mm)	Available Colours
BWE211WH	12w	130m³/hr	157x157	105mm	WH
BWE213WH	18w	320m³/hr	200x200	155mm	WH

ARCHER

Ideal for small bathrooms, toilets or laundries Wall/window mounted 12w ball bearing motor Fits Ø100mm duct size Mounting kit included Backdraft shutter included

Recommended Accessories:

Duct Kit: DA10015D Duct Kit: DA10030D







WH - WHITE

Cut-out size Ø105mm	I.

PRODUCT DETAILS

157mm



Model	Exhaust Fan	Air Extraction	Fascia Size (mm)	Cut Out Size (mm)	Available Colours
BWE241WH	12w	130m³/hr	Ø157	105	WH

BAIRSTOW

Ideal for small bathrooms, toilets or laundries

Wall/window mounted

12w or 18w ball bearing motor

Available with or without sensor (100mm only)

Built-in insect proof net

Fits Ø100mm or Ø150m duct size

Mounting kit included

Backdraft shutter included

Recommended Accessories:

Duct Kit: DA10015D Duct Kit: DA10030D Duct Kit: DA15015D Duct Kit: DA15030D




WH - WHITE





PRODUCT DETAILS



STOW 100	BAIRST
131011100	

Model	Exhaust Fan	Air Extraction	Fascia Size (mm)	Cut Out Size (mm)	Available Colours
BWE221	12w	130m³/hr	157x157	105	WH
BWE221S (sensor)	12w	130m³/hr	157x157	105	WH
BWE223	18w	320m³/hr	200x200	155	WH

OMEGA

Inline pipe/duct booster Up to 320 m³/hr air extraction 12w or 18w ball bearing motor

Suitable for Ø100mm or Ø150mm duct size

Recommended Accessories:

Duct Kit: DA10015D Duct Kit: DA10030D Duct Kit: DA15015D Duct Kit: DA15030D





WH - WHITE

Model	Exhaust Fan	Air Extraction	Duct Size (mm)	Available Colours
BWE261WH	12w	130m³/hr	100	WH
BWE263WH	18w	320m³/hr	150	WH

VENTCAPS



FEATURES

Suitable for exterior walls (made out of 304 Stainless Steel) Flyscreen that prevents insects from entering Weather resistant design to prevent water/rain from entering Inverted spring hooks to secure device onto walls/ducts (no screws required)

Recommended Accessories:

Duct Kit: DA10015D - Aluminium, Ø100mm, L1.5m, with draft stopper Duct Kit: DA10030D - Aluminium, Ø100mm, L3.0m, with draft stopper Duct Kit: DA15015D - Aluminium, Ø150mm, L1.5m, with external grille Duct Kit: DA15030D - Aluminium, Ø150mm, L3.0m, with external grille



304SS Ø100mm



304SS Ø150mm

Model	Fascia Size (mm)	Cut Out Size (mm)	Available Colours
BWE301	Ø140	Ø100	304SS
BWE303	Ø190	Ø150	304SS

RECOMMENDED ACCESSORIES

HEAT LAMP

LR275E27GDR

IR Heat Lamp: 275W, E27 base, 2450K, Ø125mm x H183mm

LAMPS

LF6WLEDR80

LED Reflector Lamp: 6W, R80 base, 3000K

9GU10LED9/3

LED Lamp: 9W, GU10 base, 3000K

LP18WQ2AC

PL Lamp: 18W, G24Q-2 base, 4100K

LP26WQBC

PL Lamp: 26W, G24Q-3 base, 4100K

LF11WE27DCR

CFL Reflector Lamp: 11W, E27 base, 4100K

LC22WT5EB

Circular Fluorescent Lamp: 22W, T5 base, Ø180mm

XBE1301

16W LED Lamp, Square

XBE1401

16W LED Lamp, Round

DUCT KITS

DA10015D

Aluminium, Ø100mm, L1.5m, with external grille/draft stopper

Aluminium, Ø100mm, L3.0m, with external grille/draft stopper

DA15015D

Aluminium, Ø150mm, L1.5m, with external grille

Aluminium, Ø150mm, L3.0m, with external grille

DA12515D

Aluminium, Ø125mm, L1.5m

DA12530D

Aluminium, Ø125mm, L3.0m



IP RATING CHART

The IP Code (or Ingress Protection Rating, sometimes also interpreted as International Protection Rating) consists of the letters IP followed by two digits.

First Numeral

Protection against the ingress of solid particles



ΙP

Requirements

Second Numeral

Protection from water

Protection against the harmful ingress of water

Example

IP	Requirements	Example	Protection of persons against access to hazardous parts with:
0	No protection	\$	Non-protected
1	Full penetration of 50mm diameter sphere not allowed. Contact with hazardous parts not permitted.	50 4	Back of hand
2	Full penetration of 12.5 mm diameter sphere not allowed. The jointed test finger shall have adequate clearance from hazardous parts.	125	Finger
3	The access probe of 2.5 mm diameter shall not penetrate.	I	Tool
4	The access probe of 1.0 mm diameter shall not penetrate.	= []	Wire
5	Limited ingress of dust permitted (no harmful deposit).	1	Wire
6	Totally protected against the ingress of dust.	E P	Wire

0 No protection Non-protected Vertically dripping Protected against vertically falling drops of water. Limited ingress permitted. Protected against Dripping up to 15° vertically falling from the vertical drops of water with the enclosure tilted 15° from the vertical. Limited ingress permitted. Protected against Limited spraying sprays to 60° from the vertical. Limited ingress permitted. Splashing from all Protected against water splashed from directions all directions. Limited $ingress\ permitted.$ Protected against Hosing jets from iets of water. Limited all directions ingress permitted. Protected against Strong hosing jets strong jets of water. from all directions Limited ingress permitted. Protected against the Temporary immersion effects of immersion between 15cm and 1m. Protected against long Continuous immersion periods of immersion

This Chart is intended to be read in conjunction with AS60529. Degrees of protection provided by enclosures for electrical equipment (IP Code). The symbols shown on this chart are for explanatory purposes only. They are not part of the IP Code and must not be used instead of the Code.



under pressure.

IK RATING

IK Rating classifies the level of protection electrical appliances provide against mechanical impacts from outside. It is defined by the standard IEC 62262. The degree of mechanical protection is identified by a code that consists of the letters IK followed by two digits:

Code	Impact energy (Joules)	Test
00	Non-protected	
01	0.15	Resistant against an impact from an object of 200 grams thrown from a distance of 7.5 cm
02	0.2	Resistant against an impact from an object of 200 grams thrown from a distance of 10 cm
03	0.35	Resistant against an impact from an object of 200 grams thrown from a distance of 17.5 cm
04	0.5	Resistant against an impact from an object of 200 grams thrown from a distance of 25 cm
05	0.7	Resistant against an impact from an object of 200 grams thrown from a distance of 35 cm
06	1.0	Resistant against an impact from an object of 500 grams thrown from a distance of 20 cm
07	2.0	Resistant against an impact from an object of 500 grams thrown from a distance of 40 cm
08	5.0	Resistant against an impact from an object of 1.7 kg thrown from a distance of 29.5 cm
09	10.0	Resistant against an impact from an object of 5 kg thrown from a distance of 20 cm
10	20.0	Resistant against an impact from an object of 5 kg thrown from a distance of 40 cm

EXPLANATION OF IC AND CA RATING

New		
Zealand		
Only		
Rating	Description	Symbol
IC-F	Type IC-F recessed luminaire where fixed, building insulating material that can be safely exposed continuously to temperatures up to 90 degrees Celsius may abut and cover the luminaire. The symbol shall be permanently marked on the back of the fitting, be clearly visible, at least 20mm high and clearly legible. Resistant to ingress of external matter.	ABUTTED & COVERED
IC	Type IC recessed luminaire where fixed, building insulating material that can be safely exposed continuously to temperatures up to 90 degrees Celsius may abut and cover the luminaire. The symbol shall be permanently marked on the back of the fitting, be clearly visible, at least 20mm high and clearly legible	ABUTTED & COVERED
CA80	Type CA 80 (90), closed abutted, recessed luminaire where fixed, building insulating material that can be safely exposed continuously to temperatures up to 90 degrees Celsius must not cover but may closely abut the sides of the luminaire. The symbol shall be permanently marked on the back of the fitting, be clearly visible, at least 20mm high and clearly legible	80°C ABUTTED ONLY
CA135	Type CA 135, closed abutted, recessed luminaire where fixed, building insulating material that can be safely exposed continuously to temperatures up to 150 degrees Celsius must not cover but may closely abut the sides of the luminaire. The symbol shall be permanently marked on the back of the fitting, be clearly visible, at least 20mm high and clearly legible	CA 135°C ABUTTED ONLY
NON-IC	Not allowed to have any insulation within 100mm and cannot be installed in residential buildings	CLEARANCE NON LICENTANDATORY

EXPLANATION OF IC AND CA RATING

New Zealand Only Rating	Australian Equivalent	Australian 2016 Update	IEC/EN Equivalent
IC-F	No Symbol Required - installation refers to AS/NZS 3000	C-4 00000000000000000000000000000000000	No Symbol Required - installation refers to local wiring rules
IC	No Symbol Required - installation refers to AS/NZS 3000	(5) (1) (1) (1) (1) (1) (1) (1) (1) (1) (1	No Symbol Required - installation refers to local wiring rules
CA80		90 	(8) (8) (8) (9) (9) (9) (9) (9) (9) (9) (9) (9) (9
CA135		135 28222231 (3) 28222222	8 [8] [8]
NON-IC		8 18 18 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	

Note: The lighting standard AS/NZS 60598.2.2 which relates to recessed luminaires (includes down lights) has been updated in 2016 and the CA/IC ratings and markings have been updated.

The current IC/CA markings have now been replaced with 2016 alternatives. The previous versions are still able to be used until 2018. All new products

TERMS AND CONDITIONS

MERCATOR – LIMITED WARRANTY – LIGHTING PRODUCTS TERMS AND CONDITIONS

MERCATOR PTY LTD ABN: 23 005 946 958 88-100 Kyabram Street, Coolaroo VIC 3048

Telephone: 1300 552 255

Email: warranty@mercator.com.au

1. LIMITED REPAIR / REPLACEMENT WARRANTY

MERCATOR offers a repair or replacement warranty on MERCATOR products in cases where the product fails due to defective materials or workmanship. Please refer to the LIMITED WARRANTY PERIOD TABLE which sets out the relevant warranty and warranty period which MERCATOR grants to the purchaser of the MERCATOR product. The warranty period begins from the date of purchase. Also, please refer to WHAT IS NOT COVERED BY THE LIMITED REPAIR / REPLACEMENT WARRANTY.

You must have proof of purchase (such as the original dated purchase receipt) from an authorised MERCATOR retailer to make a warranty claim. In addition, a certificate of compliance for the installation as required by law from the installing electrician is required for products requiring installation by licensed electricians. Please refer to the Instruction leaflet for the MERCATOR product purchased, which will state if the product is required to be installed by a licensed electrician. Warranty claims without this documentation will NOT be accepted.

REPAIRS / REPLACEMENTS

MERCATOR Products presented for repair may be replaced by refurbished goods of the same type rather than being repaired. Refurbished parts may be used to repair the goods.

BALANCE OF WARRANTY

To the maximum extent permitted by law, any replaced or repaired products by MERCATOR are covered only by the balance of the warranty period remaining from the date of purchase of the original MERCATOR product.

2. IN-HOME REPAIR / REPLACEMENT WARRANTY

In addition to the limited warranty terms set out under section (1) above, the in-home warranty applies to all lighting products which are hard wired to the electricity supply at residential premises and are required to be installed by a licensed electrician.

Where a consumer asserts that a product installed in-home is faulty, and a MERCATOR service agent has attended at the property, A SERVICE CALL FEE WILL BE CHARGED TO THE CONSUMER IF:

The product is deemed to be a non-MERCATOR product;

- 1) There is nothing wrong with the MERCATOR product or to the extent that the failure is not a failure of the product to perform in accordance with its published features and specifications as reasonably determined by MERCATOR;
- 2) The original installation of the MERCATOR product was not carried out by a licensed electrician:
- 3) The installation is not performed in accordance with the relevant MERCATOR product installation instructions;
- 4) The defects have been caused by incorrect application or abuse or misuse by the consumer of the MERCATOR product.

MERCATOR - LIMITED WARRANTY - LIGHTING PRODUCTS **TERMS AND CONDITIONS**

In cases of in-home repair/replacements in areas outside the coverage of MERCATOR service agents, MERCATOR will reimburse customers a standard fee of \$82.50 (inc. GST) for using their own electrician. Any service request must be arranged with the MERCATOR warranty department and obtained an Approval Reference Number (ARN) before calling your own electrician. Reimbursements will not be made for call-out fees or other costs without prior approval in writing of the MERCATOR warranty department.

In the circumstances where an emergency has arisen out of normal business hours and the MERCATOR warranty department cannot be contacted to dispatch a service agent to the premises, MERCATOR will reimburse customers their reasonable costs (as determined by MERCATOR) for using their own electrician.

3. WARRANTY TRANSFER

If the ownership changes on the dwelling where the MERCATOR product is installed, the balance of the warranty period passes to the new owner provided the proof of purchase (such as the original dated purchase receipt) from an authorised MERCATOR retailer is retained by the new owner. In addition, a certificate of compliance for the installation as required by law from the installing electrician is required for products requiring installation by licensed electricians.

4. AUSTRALIAN CONSUMER LAW

The benefits given to you in this warranty document are in addition to your other rights and remedies under a law in relation to the products to which this warranty document relates.

"YOUR CONSUMER RIGHTS"

"Our goods come with guarantees that cannot be excluded under the Australian Consumer Law. You are entitled to a replacement or refund for a major failure and compensation for any other reasonably foreseeable loss or damage. You are also entitled to have the goods repaired or replaced if the goods fail to be of acceptable quality and the failure does not amount to a major failure."

Subject to "Your Consumer Rights" outlined above, but otherwise to the maximum extent permitted by law, MERCATOR will not be liable for any consequential or indirect loss or damage suffered or incurred by you in relation to a MERCATOR product, including but not limited to loss of use, loss or damage for business interruption, or profits.

5. WHAT IS NOT COVERED BY THE LIMITED REPAIR / REPLACEMENT WARRANTY OR THE IN-HOME REPAIR/REPLACEMENT WARRANTY

Subject to "Your Consumer Rights", but otherwise to the maximum extent permitted by law, the MERCATOR warranties provided in this document will not cover the following:

- 1) MERCATOR products that are not purchased from an authorised retailer and installed in Australia.
- 2) Where installation was not carried out by a licensed electrician as required.
- 3) MERCATOR products not installed in accordance with the product's installation instructions or specifications.
- 4) MERCATOR products not used in accordance with the instructions for use or specifications.
- 5) Defect, damage or failure to a MERCATOR product resulting from misuse, accident, neglect, abuse, tampering, modifications or unauthorised repairs of any kind by any
- 6) Damages not caused by a fault in the MERCATOR product materials or workmanship.

TERMS AND CONDITIONS

MERCATOR - LIMITED WARRANTY - LIGHTING PRODUCTS TERMS AND CONDITIONS

- 7) Defect, damage or failure to a MERCATOR product resulting from any acts of God, including damages from lightning, power grid fluctuations, or power surges.
- 8) Replacement of light sources (globes, fluorescent tubes, etc) unless specified.
- 9) Replacement of batteries supplied with certain products.
- 10) Power supply "noise", intermittent "humming" or other influences from mains power delivery infrastructure. Signals sent through the power grid by the electricity provider for the control of off peak hot water, street lights and other devices may cause an intermittent humming noise in your MERCATOR product. Filters for blocking/reducing such signals are available in Australia at the customer's expense. These noises do not indicate the MERCATOR product is faulty.
- 11) Damage caused by alternative power systems (for example: solar inverters, etc.).
- 12) Water damage of any kind caused by inappropriate placement of fittings not IP rated for that location.
- 13) The cost of renting, obtaining and using special access equipment (i.e. scaffoldings, scissor lifts, etc.) for accessing products installed at a height of greater than 3.0 meters.
- 14) Travelling costs incurred by MERCATOR personnel or service agents traveling greater than 25 Km from a MERCATOR authorised service agent. The purchaser must meet these traveling costs.
- 15) Non-structural corrosion damage of non-316 stainless steel components such as surface rust or minor rust.

6. COMMERCIAL USE

Mercator products which specifically designed for commercial use are designated as Commercial Use Products on the product packaging. The warranty period for products designated as Commercial is specified in the Limited Warranty Period Table.

All other Mercator products are designed for domestic use.

products Where designed for domestic use are used in a commercial environment/commercial premises one third of the domestic warranty as defined in the Limited Warranty Table applies.

THIS WARRANTY IS VALID IN AUSTRALIA ONLY

HOW TO MAKE A WARRANTY CLAIM

- A. Limited repair/replacement warranty: Please return the faulty MERCATOR product together with a copy of the proof of purchase, and if required, a certificate of compliance for the installation of the product by the licensed electrician who installed the product, to the authorised MERCATOR retailer where the product was purchased. To the maximum extent permitted by law, the customer must bear the costs and expenses of claiming under this warranty, including but not limited to the cost incurred in freight, postage, handling, travel, dismantling or reinstalling the product.
- B. In-home repair/replacement warranty: Where an in-home warranty applies, please phone the MERCATOR customer care hotline 1300 55 22 55 (select option 2.) Australia for all in-home warranty enquiries and do not phone or return the product to the retailer. Do not uninstall or return a hard-wired product to the retailer unless advised to do so by a MERCATOR customer service representative.

MERCATOR - LIMITED WARRANTY - LIGHTING PRODUCTS TERMS AND CONDITIONS

IN THE CASE OF MISSING ACCESSORIES OR PARTS, PLEASE CONTACT MERCATOR CUSTOMER SERVICE BEFORE INSTALLATION OF THE PRODUCT. IF YOUR PRODUCT IS DEFECTIVE OR EXCESSIVELY NOISY, PLEASE CONTACT MERCATOR CUSTOMER SERVICE BEFORE THE ELECTRICIAN LEAVES THE RESIDENCE WHERE THE INSTALLATION IS TAKING PLACE.

In order for you to assist us with your claim, please complete the enclosed warranty form in full.

LIMITED WARRANTY PERIOD TABLE

The following warranty periods apply unless otherwise specified by alternate warranty documentation included with the product at time of purchase:

Product Type	Light Source	Domestic Replacement Warranty	Domestic In-home Warranty
Ceiling/Wall excluding Down Lights – Standard Globe *	B22/E27/E14/GU10	1 Year	1 Year
Ceiling/Wall excluding Down Lights	LED Module	3 Years	3 Years
Products Designated as Commercial – Down Lights, Panels, High Bay etc.	LED Module	5 Years	5 Years
Decorative Table/Floor -Standard Globe *	B22/E27/E14/GU10	1 Year	None
Decorative Table/Floor	LED Module	3 Years	None
DIY	Any	1 Year	None
Down Lights - Supplied with Plug & Cord (DIY)	LED Module	3 Years	None
Down Lights - Electrician installed (hard wired)	LED Module	3 Years	3 Years
Globes	LED B22/E27/E14/GU10	1 Year	None
Outdoor	B22/E27/E14/GU10	1 Year	1 Year
Outdoor	LED Module	3 Years	3 Years
Pendants – Standard Globe *	B22/E27/E14/GU10	1 Year	1 Year
Pendants	LED Module	3 Years	3 Years
Spotlights – Standard Globe *	B22/E27/E14/GU10	1 Year	1 Year
Spotlights	LED Module	3 Years	3 Years
Task Lamps – Standard Globe *	B22/E27/E14/GU10	1 Year	None
Task Lamps	LED	3 Years	None

^{*} Standard Globe means any Incandescent, Halogen, CFL or LED B22/E14/E27/Gu10 etc.

WARRANTY CLAIM FORM

ABN: 23 005 946 958

ADDRESS: 88 - 100 KYABRAM STREET COOLAROO **VICTORIA, 3048 AUSTRALIA** PH: 1300 552 255 (select option 2.)

POSTAL ADDRESS: P.O. BOX 66 DALLAS VICTORIA. 3047, AUSTRALIA FAX: 1300 552 256

NUMBER OF FAULTY UNITS:

Date:

Dear Valued Customer,

PRODUCT CODE:

In order to make a claim, we require the following documentation to be supplied

- □ Copy of proof of purchase.
- Copy of the electrician's certificate of compliance for the installation of the MERCATOR product (if required).
- Below form completed in full and with as much detail as you can provide to support your warranty claim with us. Please ensure claim form is signed before submitting.

You can return a copy of this form along with your documentation to the above postal address or fax You can also forward your documentation to our warranty email address: warranty@mercator.com.au alternatively, you may log onto our website www.mercator.com.au and make a claim online.

PRODUCT NAME:		
PRODUCT DESCRIPTION / COLOUR:		
REASON FOR CLAIM:		
WHEN DID THE PROBLEM START:		
DO YOU HAVE SOLAR POWER? YES / NO		
DO YOU HAVE DIMMERS FITTED? YES / NO		
CUSTOMER NAME:		
DAY TIME PHONE NO:	MOBILE:	
EMAIL ADDRESS:		
ADDRESS WHERE PRODUCT IS INSTALLED:		
ADDRESS WHERE PRODUCT IS INSTALLED:		
ADDRESS WHERE PRODUCT IS INSTALLED: SUBURB	STATE:	POSTCODE:
	STATE: DATE PURCHA	
SUBURB		SED:

Purchaser's signature:





	NAME	PAGE		NAME	PAGE		NAME	PAGE
	6W GU10 LED	218		APEX	82	11	AURO	262
	9W GU10 LED	218		ARAN	191		AUSTIN	196
	9W GU10 LED DIMMABLE	218		ARCH	181		AVENUE	89
	ADELE	60		ARCHER	289		AVRIL	25
1	ALBANY	193	19:6	ARDENE DUO	277		AXEL	84
	ALBERT	37		ARDENE QUATTRO	276	5.2	BAIRSTOW	290
	ALBINI	208		ARENA	189		BANANA	220
	ALECIA	102		ARIES	53		BARRO	61
	ALEENA	130		ASHTON	91		BARTON	205
	ALIX	199		ASTRO	148, 168		BECKY	69
	ALPINE	145	•	ASTRON	148		BELMONT	45
	ANDRE	134		ATHENA-II	268		BEN	93
7	ANGELA	56		ATLANTIS	151		BENJAMIN	66
	ANNA	158		ATLAS	269		BIBA	160

	NAME	PAGE		NAME	PAGE		NAME	PAGE
	BLASKO	156		CAPRICE DC	240		CLUNY	183,205
(1) (1) (1) (1) (1) (1) (1) (1) (1) (1)	BONNIE	42, 163	1	CARNAVON	188		COOPER	110
	BRADY	73		CASCADE	30	Ye	COOYA	258
	BRENTON	182		CAYMAN	178		COPENHAGEN	42
	BRIDGET	29		CEILING FAN DOWNRODS	265		CORBY	32
	BROADWAY	28		CEILING FAN REMOTES	264	4	CORDET	51
	BRONTE	152		CHIA	30, 162		CORONA	77
	BRYCE	87		CIRO	165	\	CORVIS	143
	BUCKLEY	79	》 .	CITY	243	0 0	COSMO DUO LED	279
	BUTTERFLY	75		CIVITA	180	(a) (a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	COSMO QUATTRO LED	278
	CADDY	263	9	CLASSIC LED	216		CRUISE	170
\	CALLAN	144		CLAUDIA	22, 58		CUBA	70
	CAMPBELL	75		CLIPPER	149		CUBE	77
> <u>'</u> <	CAPRICE	252		CLOUD	128		DAKOTA	171, 202, 203

	NAME	PAGE		NAME	PAGE		NAME	PAGE
	DANSKA	38		DYLAN	83	(<u>8)</u> 1	FANCY CANDLE	219
	DARCY	71	<u>,</u>	EAGLE	241	Ŷ	FANCY CANDLE LED	216
	DARWIN	178	0	ЕСНО	111		FELIX	190
	DAVINCI	25		ELIAS	113		FIGARO	20, 66
	DAWN	136		ELIZA	193		FINN	131
	DEBBIE	40		ELLIOT	68		FIORE	209
	DERINDA	206		ELLY	208		FISCHER	192
	DEUCE	185		EMELINE	286		FLINDERS	250
	DEXTER	89		EMERSON	186		FLORENCE	60
•	DIAMOND LED	215		EQUINOX 2	117, 118, 119		FORTE	210, 211
	DIAZ	19		ETHAN	183	•	FRESNO	289
	DOMAIN	204	<u></u>	EUGENE	88		GEMMA	59
	DUFFY	162		EVE	198		GINA	23
	DUNA	164		EXHAUST FAN ACCESSORIES	292		GLADIATOR	33

	NAME	PAGE		NAME	PAGE		NAME	PAGE
×	GLENDALE	256		HAYMAN	261		JADE	44
	GRACE	196		HEALEY	260		JAMISON	100
	GRANGE	251		HEDLAND	194		JASPER	35, 69
×	GRANGE DC	236		HELIX	283		JAZZ	133
	GUSTO	116, 230		HEPBURN	19, 153		JEREMY	67
	GWEN	157		HOLT	159		JOSIE	40
$\mathcal{O}_{\mathbb{A}}$	GYPSY	53		HUGO	202	/_\	JUSTIN	179
X	HAMILTON	261		HUME	207		KARRATHA	195
	HAMPTON	48	*	HUNTER	170		KENDALL	63
	HARRIET	59	•	HUXTA	159		KEWARRA	259
	HARRISON	90		IDA	69		KIAMA	206
	HASTINGS	207		INDUSTRY	34		KIMBERLEY-II	257
	HAVANA	160		INGRID	65		KIRRA	147
	HAYLEY	44, 156		IRIS	65		KRISTOV	46

	NAME	PAGE		NAME	PAGE	N	IAME	PAGE
	KRYPTON	262		MAGDA	62		MEREDITH	31
0.0	LAVA DUO	281	0 0	MAGNUS DUO	275		METRO	147
0.0	LAVA QUATTRO LED	280	0 6	MAGNUS QUATTRO	274		METRO DIMMABLE	141
	LAYA	43		MANCHESTER	49, 153, 198		METRO SLIM	140
P	LENI	64	<u></u>	MANLY	242		MEZZO	112
	LENNOX	86		MANTRA	263		MILANO	263
0	LEONA	152		MARIO	72		MINI-BANANA	219
人	LILY	244		MARVIN	184		МОВУ	38, 62
	LIMA	246		MASON	151		MOLLY	76
*	LOGAN	78	5	MAST	99, 100		MONTEREY	239
	LORNE	175		MATEO	90		MURANO	169
	LUNA	249		MAXIM	151		NAOMI	40
	MADELINE	39, 74		MEGHAN	103		NEO	142
	MADRID	47		MELISSA	74		NEPEAN	203

	NAME	PAGE		NAME	PAGE		NAME	PAGE
	NIKO	27, 161		PARO	77		PRIMROSE	170
	NOOSA	150		PEAR	219		PRONTO LED	105, 262
	NOVA	149		PEAR DIMMABLE	214		QUINN	137
	NOVALINE	287		PEAR LED	216	A # #	RAFAEL	31
	ODYSSEY	87		PEETA	41, 72		REPUBLIC	85
	OMEGA	290		PENTA	150, 167		RETINA	114, 115
	OPAL BALL	169		PETRA	29		RHINO	247
	OPTICA TRIO	108		PEYTON	132, 166		RICHIE	197
	ORION	101		PHOEBE	158)	RIO	245
	ORLANDO	63		PHOENIX	37	0	RIPPLE	288
	OSCAR	68	<u>\</u>	PICASSO	61		ROBBIE	157
	отто	176		PIPE	191		RORY	190
	OWEN	76		PIPER	71		ROSEANNE	52
蠡	PAGODA	204		POLLY	39		ROSEBERY	259

N	AME	PAGE		NAME	PAGE		NAME	PAGE
	ROYCE	32		SKYLINE	285		SURFACE	174, 231
	RUBY	146		SKYLINE LED	284		SUZY	164
	SAFIA	18		SOMERS	187		SWELL	126, 127, 226, 227
	SAIGON	35		SORRENTO	237		SWIFT 316	254
	SAPPHIRE	58		SPHERE125	220	>4<	SWIFT METAL	255
	SARA	94, 95	(4)	SPHERE125 DIMMABLE	214		SWIFT TIMBER	255
	SASHA	181	(4)	SPHERE125 LED	217		TARIFA	70
	SHERIDAN	47, 156	(4)	SPHERE150 LED	217		TARYN	57
	SHORE	210, 211		SPHERE95	220		THEO	124, 125
	SHUTTER	288	(11)	SPHERE95 DIMMABLE	214		THERESA	21
	SIA	37, 61	(n)	SPHERE95 LED	217		TILBURY	171, 200
	SICILY	50	*	STAR	164	6	TITAN	122, 224
	SIENNA	46		STIRLING	163		ТОВУ	24
	SIERRA	171, 199		STURT	184		TOLEDO	48

	NAME	PAGE		NAME	PAGE	NAME	PAGE
	ТОММҮ	23		VILLA	104	ZURICH	162
	TONIC	33		VOLTA	92		
	TOUCH DIMMER	221		WALLACE	67		
	TRACK ACCESSORIES	101	\	WAVE	138, 139, 228, 229		
	TREASURE	41		WELLS	180		
	TREND	165		WENDY	24		
	TRENT	165		YALE	150, 167		
-K	TRINIDAD II	238		YARRA	201		
	ULTRALINE	282		ZANZA	18		
AR	UNIGLOW LED	273		ZAPPA	26		
	VANESSA	20, 58		ZIP	123, 225		
	VENICE	188		ZOE	26, 161		
	VENTCAP	291		ZONE 2	177		
	VERONA	36		ZOYA	57		

MODEL	NAME	CATEGORY	PAGE	MODEL	NAME	CATEGORY	PAGE
32310	BEN	Task Lamps	93	A15164	VILLA	Spots & Tracklights	104
9B1512	FANCY CANDLE	Globes & Dimmers	219	A18811	HARRISON	Task Lamps	90
9B15LED12	FANCY CANDLE LED	Globes & Dimmers	216	A18931	MEGHAN	Spots & Tracklights	103
9B2211	BANANA	Globes & Dimmers	220	A18932	MEGHAN	Spots & Tracklights	103
9B2213	MINI-BANANA	Globes & Dimmers	219	A18933	MEGHAN	Spots & Tracklights	103
9B2214	SPHERE95	Globes & Dimmers	220	A18934	MEGHAN	Spots & Tracklights	103
9B2215	SPHERE125	Globes & Dimmers	220	A19231	ALECIA	Spots & Tracklights	102
9B2216	PEAR	Globes & Dimmers	219	A19231/SW	ALECIA	Spots & Tracklights	102
9B22LED14	SPHERE95 LED	Globes & Dimmers	217	A19232	ALECIA	Spots & Tracklights	102
9B22LED15	SPHERE125 LED	Globes & Dimmers	217	A19233	ALECIA	Spots & Tracklights	102
9B22LED16	PEAR LED	Globes & Dimmers	216	A19234	ALECIA	Spots & Tracklights	102
9B22LED17	CLASSIC LED	Globes & Dimmers	216	A19264	ALECIA	Spots & Tracklights	102
9B22LED18	SPHERE150 LED	Globes & Dimmers	217	A19311	APEX	Task Lamps	82
9E1412	FANCY CANDLE	Globes & Dimmers	219	A19321	APEX	Task Lamps	82
9E14LED12	FANCY CANDLE LED	Globes & Dimmers	216	A19411	DYLAN	Task Lamps	83
9E2711	BANANA	Globes & Dimmers	220	A19421	DYLAN	Task Lamps	83
9E2713	MINI-BANANA	Globes & Dimmers	219	A19611	AVENUE	Task Lamps	89
9E2714	SPHERE95	Globes & Dimmers	220	A19811	DEXTER	Task Lamps	89
9E2715	SPHERE125	Globes & Dimmers	220	A21211	REPUBLIC	Task Lamps	85
9E2716	PEAR	Globes & Dimmers	219	A21311	BRYCE	Task Lamps	87
9E27LED14	SPHERE95 LED	Globes & Dimmers	217	A21411	VOLTA	Task Lamps	92
9E27LED14D	SPHERE95 LED DIMMABLE	Globes & Dimmers	214	A21511	AXEL	Task Lamps	84
9E27LED15	SPHERE125 LED	Globes & Dimmers	217	A21521	AXEL	Task Lamps	84
9E27LED15D	SPHERE125 LED DIMMABLE	Globes & Dimmers	214	A22311	MATEO	Task Lamps	90
9E27LED16	PEAR LED	Globes & Dimmers	216	A28711	CAMPBELL	Decorative Lamps	75
9E27LED16D	PEAR LED DIMMABLE	Globes & Dimmers	214	A28711S	CAMPBELL	Decorative Lamps	75
9E27LED17	CLASSIC LED	Globes & Dimmers	216	A29811	FLORENCE	Decorative Lamps	60
9E27LED18	SPHERE150 LED	Globes & Dimmers	217	A29911	LENI	Decorative Lamps	64
9E27LED19	DIAMOND LED	Globes & Dimmers	215	A29921	LENI	Decorative Lamps	64
9GU10LED6	6W GU10 LED	Globes & Dimmers	218	A31711	KENDALL	Decorative Lamps	63
9GU10LED9	9W GU10 LED	Globes & Dimmers	218	A31721	KENDALL	Decorative Lamps	63
9GU10LED9D	9W GU10 LED DIMMABLE	Globes & Dimmers	218	A32411	IDA	Decorative Lamps	69
A13011	SARA	Task Lamps	95	A33311	INGRID	Decorative Lamps	65
A13021	SARA	Task Lamps	94	A33321	INGRID	Decorative Lamps	65
A13022	SARA	Task Lamps	95	A33911	PIPER	Decorative Lamps	71
A13041	SARA	Task Lamps	94	A34311	DARCY	Decorative Lamps	71
A15031L	PRONTO LED	Spots & Tracklights	105	A34611	MARIO	Decorative Lamps	72
A15031NL	PRONTO LED	Spots & Tracklights	105	A34921	TARIFA	Decorative Lamps	70
A15032L	PRONTO LED	Spots & Tracklights	105	A35211	BRADY	Decorative Lamps	73
A15033L	PRONTO LED	Spots & Tracklights	105	A35711	BARRO	Decorative Lamps	61
A15034L	PRONTO LED	Spots & Tracklights	105	A38011	PAR0	Decorative Lamps	77
A15064L	PRONTO LED	Spots & Tracklights	105	A38411	ORLANDO	Decorative Lamps	63
A15131	VILLA	Spots & Tracklights	104	A38611	CUBA	Decorative Lamps	70
A15131SW	VILLA	Spots & Tracklights	104	A38622	CUBA	Decorative Lamps	70
A15132	VILLA	Spots & Tracklights	104	A38711	OSCAR	Decorative Lamps	68
A15133	VILLA	Spots & Tracklights	104	A38811	FIGARO	Decorative Lamps	66
A15134	VILLA	Spots & Tracklights	104	A38821	FIGARO	Decorative Lamps	66
						'	

MODEL	NAME	CATEGORY	PAGE
A38831	FIGARO	Pendants	20
A39211	IRIS	Decorative Lamps	65
A39221	IRIS	Decorative Lamps	65
A39311	HARRIET	Decorative Lamps	59
A39411	ASHTON	Task Lamps	91
A39511	MAGDA	Decorative Lamps	62
A39711	PICASSO	Decorative Lamps	61
A41411	TARYN	Decorative Lamps	57
A41911	JASPER	Decorative Lamps	69
A41931	JASPER	Pendants	35
A42011	CORONA	Decorative Lamps	77
A42722	BUCKLEY	Decorative Lamps	79
A43431	VERONA	Pendants	36
A43433	VERONA	Pendants	36
A43921	WALLACE	Decorative Lamps	67
A44011T	CUBE	Decorative Lamps	77
A45010	BUTTERFLY	Decorative Lamps	75
A46111	ELLIOT	Decorative Lamps	68
A46321	LOGAN	Decorative Lamps	78
A47111	MELISSA	Decorative Lamps	74
A47811	BECKY	Decorative Lamps	69
A48211	OWEN	Decorative Lamps	76
A48611	MOLLY	Decorative Lamps	76
A49823	JEREMY	Decorative Lamps	67
A56311	SAPPHIRE	Decorative Lamps	58
A56412	ANGELA	Decorative Lamps	56
A56511	ZOYA	Decorative Lamps	57
A56611	ADELE	Decorative Lamps	60
A56711	GEMMA	Decorative Lamps	59
A62911	MADELINE	Decorative Lamps	74
A62931	MADELINE	Pendants	39
A87111	BENJAMIN	Decorative Lamps	66
A87121	BENJAMIN	Decorative Lamps	66
A92091	MAST	Spots & Tracklights	100
A92093	MAST	Spots & Tracklights	99
A92191	ORION	Spots & Tracklights	101
A93091	JAMISON	Spots & Tracklights	100
A96311	LENNOX	Task Lamps	86
A96511	ODYSSEY	Task Lamps	87
A96611	EUGENE	Task Lamps	88
BE0400SP	NOVALINE	Exhaust Fans & Heaters	287
BE040ESP	EMELINE	Exhaust Fans & Heaters	286
BE0500SP	NOVALINE	Exhaust Fans & Heaters	287
BE050ESP	EMELINE	Exhaust Fans & Heaters Exhaust Fans &	286
BE1100SP	NOVALINE	Heaters	287

MODEL	NAME	CATEGORY	PAGE
BE110ESP	EMELINE	Exhaust Fans & Heaters	286
BE1200SP	NOVALINE	Exhaust Fans & Heaters	287
BE120ESP	EMELINE	Exhaust Fans & Heaters	286
BE150ESP	ULTRALINE	Exhaust Fans & Heaters	282
BE210FSP	SKYLINE	Exhaust Fans & Heaters	285
BE220FSP	SKYLINE	Exhaust Fans & Heaters	285
BE230ESP	SKYLINE LED	Exhaust Fans & Heaters	284
BE240ESP	SKYLINE LED	Exhaust Fans & Heaters	284
BE3100TP	HELIX	Exhaust Fans & Heaters	283
BH012ESW	COSMO DUO	Exhaust Fans & Heaters	279
BH014ESW	COSMO QUATTRO	Exhaust Fans & Heaters	278
BH142ESW	MAGNUS DUO	Exhaust Fans & Heaters	275
BH144ESW	MAGNUS QUATTRO	Exhaust Fans & Heaters	274
BS022CSW	LAVA DUO	Exhaust Fans & Heaters	281
BS022LSW	UNIGLOW LED	Exhaust Fans & Heaters	273
BS024LSW	LAVA QUATTRO	Exhaust Fans & Heaters	280
BS122CSW	ARDENE DUO	Exhaust Fans & Heaters	277
BS124CSW	ARDENE QUATTRO	Exhaust Fans & Heaters	276
BWE211	FRESNO	Exhaust Fans & Heaters	289
BWE213	FRESNO	Exhaust Fans & Heaters	289
BWE221	BAIRSTOW	Exhaust Fans & Heaters	290
BWE221S	BAIRSTOW	Exhaust Fans & Heaters	290
BWE223	BAIRSTOW	Exhaust Fans & Heaters	290
BWE231	SHUTTER	Exhaust Fans & Heaters	288
BWE241	ARCHER	Exhaust Fans & Heaters	289
BWE251	RIPPLE	Exhaust Fans & Heaters	288
BWE261	OMEGA	Exhaust Fans & Heaters	290
BWE263	OMEGA	Exhaust Fans & Heaters	290
BWE301SS	VENTCAP	Exhaust Fans & Heaters	291
BWE303SS	VENTCAP	Exhaust Fans & Heaters	291
CE8171	CRUISE	DIY	170
CE8271	HUNTER	DIY	170
CE9571	PRIMROSE	DIY	170
CR10	CLIPPER	Ceiling & Wall	149
CR8	CLIPPER	Ceiling & Wall	149

MODEL	NAME	CATEGORY	PAGE
DA10015D	DUCT KIT	Exhaust Fans & Heaters	292
DA10030D	DUCT KIT	Exhaust Fans & Heaters	292
DA12515D	DUCT KIT	Exhaust Fans & Heaters	292
DA12530D	DUCT KIT	Exhaust Fans & Heaters	292
DA15015D	DUCT KIT	Exhaust Fans & Heaters	292
DA15030D	DUCT KIT	Exhaust Fans & Heaters	292
FC010094	SWIFT METAL	Ceiling Fans	255
FC010098	SWIFT TIMBER	Ceiling Fans	255
FC010124	SWIFT METAL	Ceiling Fans	255
FC010124SS	SWIFT 316	Ceiling Fans	254
FC010128	SWIFT TIMBER	Ceiling Fans	255
FC010134	SWIFT METAL	Ceiling Fans	255
FC010134SS	SWIFT 316	Ceiling Fans	254
FC010138	SWIFT TIMBER	Ceiling Fans	255
FC010144	SWIFT METAL	Ceiling Fans	255
FC010144SS	SWIFT 316	Ceiling Fans	254
FC030134	GRANGE	Ceiling Fans	251
FC032134	GRANGE	Ceiling Fans	251
FC037134	GRANGE	Ceiling Fans	251
FC038134	GRANGE DC	Ceiling Fans	236
FC039134	GRANGE DC	Ceiling Fans	236
FC050096	HAMILTON	Ceiling Fans	261
FC050135	HAYMAN	Ceiling Fans	261
FC130124	KIMBERLEY-II	Ceiling Fans	257
FC132124	KIMBERLEY-II	Ceiling Fans	257
FC132124R	KIMBERLEY-II	Ceiling Fans	257
FC180124	GLENDALE	Ceiling Fans	256
FC182124	GLENDALE	Ceiling Fans	256
FC182124R	GLENDALE	Ceiling Fans	256
FC190135	COOYA	Ceiling Fans	258
FC190139	KEWARRA	Ceiling Fans	259
FC231134	ROSEBERY	Ceiling Fans	259
FC250128	CAPRICE	Ceiling Fans	252
FC250134	CAPRICE	Ceiling Fans	252
FC252128	CAPRICE	Ceiling Fans	252
FC252134	CAPRICE	Ceiling Fans	252
FC257134	CAPRICE	Ceiling Fans	252
FC260134	CAPRICE DC	Ceiling Fans	240
FC262134	CAPRICE DC	Ceiling Fans	240
FC263134	CAPRICE DC	Ceiling Fans	240
FC360143	EAGLE	Ceiling Fans	241
FC368143	EAGLE	Ceiling Fans	241
	MANLY	Ceiling Fans	242
FC370133			
FC378133	MANLY	Ceiling Fans	242

MODEL	NAME	CATEGORY	PAGE
FC388133	CITY	Ceiling Fans	243
FC410133	LILY	Ceiling Fans	244
FC440133	RIO	Ceiling Fans	245
FC458133	MONTEREY	Ceiling Fans	239
FC460133	LIMA	Ceiling Fans	246
FC479009	RHINO	Ceiling Fans	247
FC47920L	RHINO	Ceiling Fans	247
FC47924L	RHINO	Ceiling Fans	247
FC490135	HEALEY	Ceiling Fans	260
FC500133	SORRENTO	Ceiling Fans	237
FC510143	FLINDERS	Ceiling Fans	250
FC520133	TRINIDAD II	Ceiling Fans	238
FC528133	TRINIDAD II	Ceiling Fans	238
FC550134	LUNA	Ceiling Fans	249
FD010124	CEILING FAN DOWNROD	Ceiling Fans	265
FD110600	CEILING FAN DOWNROD	Ceiling Fans	265
FD110900	CEILING FAN DOWNROD	Ceiling Fans	265
FD130600	CEILING FAN DOWNROD	Ceiling Fans	265
FD130900	CEILING FAN DOWNROD	Ceiling Fans	265
FD155138	CEILING FAN DOWNROD	Ceiling Fans	265
FD170114	CEILING FAN DOWNROD	Ceiling Fans	265
FD180124	CEILING FAN DOWNROD	Ceiling Fans	265
FD231134	CEILING FAN DOWNROD	Ceiling Fans	265
FD240134	CEILING FAN DOWNROD	Ceiling Fans	265
FD250600	CEILING FAN DOWNROD	Ceiling Fans	265
FD250900	CEILING FAN DOWNROD	Ceiling Fans	265
FD360600	CEILING FAN DOWNROD	Ceiling Fans	265
FD360900	CEILING FAN DOWNROD	Ceiling Fans	265
FD420900	CEILING FAN DOWNROD	Ceiling Fans	265
FD479150	CEILING FAN DOWNROD	Ceiling Fans	265
FD4791800	CEILING FAN DOWNROD	Ceiling Fans	265
FD4792400	CEILING FAN DOWNROD	Ceiling Fans	265
FD479460	CEILING FAN DOWNROD	Ceiling Fans	265
FD479600	CEILING FAN DOWNROD	Ceiling Fans	265
FD479900	CEILING FAN DOWNROD ATLAS	Ceiling Fans	265
FF22316		Ceiling Fans	269
FF42316 FF43316	ATHENA-II	Ceiling Fans Ceiling Fans	268 268
FLF022	MANTRA	Ceiling Fans	263
FLF12533	KRYPTON	Ceiling Fans	262
FLF1423	AURO	Ceiling Fans	262
FLF15063	PRONTO LED	Ceiling Fans	262
FLF20422/E	MILANO	Ceiling Fans	263
FLF3122	CADDY	Ceiling Fans	263
FRM87	REMOTE	Ceiling Fans	264
FRM97	REMOTE	Ceiling Fans	264
FRM98	REMOTE	Ceiling Fans	264
		coming rand	204

MODEL	NAME	CATEGORY	PAGE	MODEL	NAME	CATEGORY	PAGE
G09112030	ZIP FRAME	Ceiling & Wall	123	MA6935	QUINN	Ceiling & Wall	137
G09112030	ZIP FRAME	Commercial	225	MA7051	NOOSA	Ceiling & Wall	150
G0913030	ZIP FRAME	Ceiling & Wall	123	MA7053	NOOSA	Ceiling & Wall	150
G0913030	ZIP FRAME	Commercial	225	MA7111	MAXIM	Ceiling & Wall	151
G0916060	ZIP FRAME	Ceiling & Wall	123	MA7851	PENTA	Ceiling & Wall	150
G0916060	ZIP FRAME	Commercial	225	MA7852	PENTA	Ceiling & Wall	150
G091S	ZIP SUSPENSION KIT	Ceiling & Wall	123	MA7871	PENTA	DIY	167
G091S	ZIP SUSPENSION KIT	Commercial	225	MA7951	YALE	Ceiling & Wall	150
G092093	1M TRACK ACCESSORY	Spots & Tracklights	101	MA7952	YALE	Ceiling & Wall	150
G092093/2	2M TRACK ACCESSORY	Spots & Tracklights	101	MA7971	YALE	DIY	167
G09209I	I SHAPE CONNECTOR	Spots & Tracklights	101	MA8371	ROBBIE	DIY	157
G09209L	L SHAPE CONNECTOR	Spots & Tracklights	101	MA906W	MURANO	DIY	169
G09209SI	SML I SHAPE CONNECTOR	Spots & Tracklights	101	MA908W	MURANO	DIY	169
MA1071	ANNA	DIY	158	MA93	HAVANA	DIY	160
MA14/W	TRENT	DIY	165	MA9371	GWEN	DIY	157
MA15/W	TREND	DIY	165	MA94	BIBA	DIY	160
MA1806	OPAL BALL	DIY	169	MA97	GYPSY	Pendants	53
MA1808	OPAL BALL	DIY	169	MADIY8	HOLT	DIY	159
MA2751	ASTR0	Ceiling & Wall	148	MADIY9	HUXTA	DIY	159
MA2752	ASTR0	Ceiling & Wall	148	MC7521	ARIES	Pendants	53
MA2762T	ASTR0	Ceiling & Wall	148	MC7531	ARIES	Pendants	53
MA2771	ASTR0	DIY	168	MC8011	HEPBURN	Ceiling & Wall	153
MA2772	ASTR0	DIY	168	MC8033	HEPBURN	Pendants	19
MA2922	DAWN	Ceiling & Wall	136	MC8035	HEPBURN	Pendants	19
MA2930	DAWN	Ceiling & Wall	136	MD1471	CIRO	DIY	165
MA3222	PEYTON	Ceiling & Wall	132	MD1571	DUNA	DIY	164
MA3230	PEYTON	Ceiling & Wall	132	MD1671	SUZY	DIY	164
MA3230L	PEYTON	Ceiling & Wall	132	MD4516	EQUINOX 2	Downlights	118
MA32722	PEYTON	DIY	166	MD4516G	EQUINOX 2	Downlights	119
MA3612	FINN	Ceiling & Wall	131	MD4611	ECH0	Downlights	111
MA3720	ALEENA	Ceiling & Wall	130	MD4711	EQUINOX 2	Downlights	117
MA3735	ALEENA	Ceiling & Wall	130	MD490/SW	OPTICA TRIO	Downlights	108
MA3928	JAZZ	Ceiling & Wall	133	MD496	RETINA	Downlights	114
MA3938	JAZZ	Ceiling & Wall	133	MD499	RETINA	Downlights	115
MA4022	CLOUD	Ceiling & Wall	128	MD5010	COOPER	Downlights	110
MA4030	CLOUD	Ceiling & Wall	128	MD550	GUST0	Downlights	116
MA4571	STAR	DIY	164	MD550	GUST0	Commercial	230
MA5431	HAYLEY	Pendants	44	MD555	GUSTO	Downlights	116
MA5471	HAYLEY	DIY	156	MD555	GUSTO	Commercial	230
MA6051	NOVA	Ceiling & Wall	149	MD590	ELIAS	Downlights	113
MA6052	NOVA	Ceiling & Wall	149	MD595	ELIAS	Downlights	113
MA6551	ATLANTIS	Ceiling & Wall	151	MD599	MEZZ0	Downlights	112
MA6552	ATLANTIS	Ceiling & Wall	151	MD8009	THEO	Ceiling & Wall	124
MA6815	ANDRE	Ceiling & Wall	134	MD8012	THE0	Ceiling & Wall	124
MA6825	ANDRE	Ceiling & Wall	134	MD8018	THEO	Ceiling & Wall	124
MA6835	ANDRE	Ceiling & Wall	134	MD8112	THE0	Ceiling & Wall	125
MA6925	QUINN	Ceiling & Wall	137	MD8118	THE0	Ceiling & Wall	125

MODEL	NAME	CATEGORY	PAGE	MODEL	NAME	CATEGORY	PAGE
MD913012/5	ZIP	Ceiling & Wall	123	MG4921S	COPENHAGEN	Pendants	42
MD913012/5	ZIP	Commercial	225	MG5131	TOBY	Pendants	24
MD913030/5	ZIP	Ceiling & Wall	123	MG5231	WENDY	Pendants	24
MD913030/5	ZIP	Commercial	225	MG5331	JADE	Pendants	44
MD916060/5	ZIP	Ceiling & Wall	123	MG6210IP	MANCHESTER	Outdoor	198
MD916060/5	ZIP	Commercial	225	MG6211	MANCHESTER	Ceiling & Wall	153
MF2022T/01	ASTRON	Ceiling & Wall	148	MG6211IP	MANCHESTER	Outdoor	198
MF2032T/01	ASTRON	Ceiling & Wall	148	MG6221	MANCHESTER	Pendants	49
MF35281	METRO	Ceiling & Wall	147	MG6223	MANCHESTER	Pendants	49
MF35282	METRO	Ceiling & Wall	147	MG6331	DANSKA	Pendants	38
MF35325	CORVIS	Ceiling & Wall	143	MG6531	LAYA	Pendants	43
MF35345	CORVIS	Ceiling & Wall	143	MG6631	DEBBIE	Pendants	40
MF3620	METRO SLIM	Ceiling & Wall	140	MG7136	ZAPPA	Pendants	26
MF3625/5D	METRO DIMMABLE	Ceiling & Wall	141	MG8021	AVRIL	Pendants	25
MF3638	METRO SLIM	Ceiling & Wall	140	MG8331	NIKO	Pendants	27
MF3648/5D	METRO DIMMABLE	Ceiling & Wall	141	MG8333	NIKO	Pendants	27
MF38282	KIRRA	Ceiling & Wall	147	MG8335	NIKO	Pendants	27
MG1136	DIAZ	Pendants	19	MG8371	NIKO	DIY	161
MG1331	POLLY	Pendants	39	MG8431	SIENNA	Pendants	46
MG1421	SIA	Pendants	37	MG8731S	HAMPTON	Pendants	48
MG1461	SIA	Decorative Lamps	61	MG8733L	HAMPTON	Pendants	48
MG1532	MEREDITH	Pendants	31	MG8831L	BRIDGET	Pendants	29
MG1533	MEREDITH	Pendants	31	MG9031	TONIC	Pendants	33
MG1631	MADRID	Pendants	47	MG9221	TOMMY	Pendants	23
MG1923	CLAUDIA	Pendants	22	MG9233	RAFAEL	Pendants	31
MG1931	CLAUDIA	Pendants	22	MG9321	GINA	Pendants	23
MG1933	CLAUDIA	Pendants	22	MG9331	CASCADE	Pendants	30
MG1961	CLAUDIA	Decorative Lamps	58	MG9531	CORBY	Pendants	32
MG2131	SHERIDAN	Pendants	47	MG9731	ROYCE	Pendants	32
MG2171	SHERIDAN	DIY	156	MG9831	THERESA	Pendants	21
MG2331	BELMONT	Pendants	45	MG9835	THERESA	Pendants	21
MG2431	ZOE	Pendants	26	MI54150	TITAN	Ceiling & Wall	122
MG2471	ZOE	DIY	161	MI54150	TITAN	Commercial	224
MG2531	CHIA	Pendants	30	MI54200	TITAN	Ceiling & Wall	122
MG2533	CHIA	Pendants	30	MI54200	TITAN	Commercial	224
MG2571	CHIA	DIY	162	MI54SHADE	TITAN	Ceiling & Wall	122
MG2731	SAFIA	Pendants	18	MI54SHADE	TITAN	Commercial	224
MG3321S	ALBERT	Pendants	37	MI8220	WAVE	Ceiling & Wall	138
MG3771	STIRLING	DIY	163	MI8220	WAVE	Commercial	228
MG4031	MOBY	Pendants	38	MI8220EMG	WAVE	Ceiling & Wall	139
MG4061	MOBY	Decorative Lamps	62	MI8220EMG	WAVE	Commercial	229
MG4131	KRISTOV	Pendants	46	MI8240	WAVE	Ceiling & Wall	138
MG4231	PEETA	Pendants	41	MI8240	WAVE	Commercial	228
MG4261	PEETA	Decorative Lamps	72	MI8240EMG	WAVE	Ceiling & Wall	139
MG4431	NAOMI	Pendants	40	MI8240EMG	WAVE	Commercial	229
MG4531	PETRA	Pendants	29	MI8320	SWELL	Ceiling & Wall	126
MG4631	JOSIE	Pendants	40	MI8320	SWELL	Commercial	226

MODEL	NAME	CATEGORY	PAGE	MODEL	NAME	CATEGORY	PAGE
MI8320EMG	SWELL	Ceiling & Wall	127	MX10650	SURFACE	Commercial	231
MI8320EMG	SWELL	Commercial	227	MX10815	LORNE	Outdoor	175
MI8320SEN	SWELL	Ceiling & Wall	126	MX10815/SEN	LORNE	Outdoor	175
MI8320SEN	SWELL	Commercial	226	MX10830	LORNE	Outdoor	175
ML10028	NEO	Ceiling & Wall	142	MX10830/SEN	LORNE	Outdoor	175
ML10045	NEO	Ceiling & Wall	142	MX10850	LORNE	Outdoor	175
ML7031	PHOENIX	Pendants	37	MX1110	JUSTIN	Outdoor	179
ML71340	BROADWAY	Pendants	28	MX1111	JUSTIN	Outdoor	179
MM5371	DUFFY	DIY	162	MX1611	EVE	Outdoor	198
MM5471	BLASKO	DIY	156	MX1712	SASHA	Outdoor	181
MM5871	PHOEBE	DIY	158	MX19611	ELLY	Outdoor	208
MP1131	CORDET	Pendants	51	MX20111	SOMERS	Outdoor	187
MP1133	CORDET	Pendants	51	MX20121	SOMERS	Outdoor	187
MP1135	CORDET	Pendants	51	MX23011BLK2	ARAN	Outdoor	191
MP1631	TOLEDO	Pendants	48	MX3412	ALBINI	Outdoor	208
MP1731	ROSEANNE	Pendants	52	MX3421	ALBINI	Outdoor	208
MP3131	SAIGON	Pendants	35	MX3422	ALBINI	Outdoor	208
MP3631	TREASURE	Pendants	41	MX3511	HUG0	Outdoor	202
MP4021	BONNIE	Pendants	42	MX3602	FISCHER	Outdoor	192
MP4071	BONNIE	DIY	163	MX3603	FISCHER	Outdoor	192
MP4721	DAVINCI	Pendants	25	MX3611	FISCHER	Outdoor	192
MP4821	ZANZA	Pendants	18	MX3612	FISCHER	Outdoor	192
MP4823	ZANZA	Pendants	18	MX3709	ARENA	Outdoor	189
MP7271	ZURICH	DIY	162	MX3718	ARENA	Outdoor	189
MP8021	VANESSA	Pendants	20	MX4011	TILBURY	Outdoor	200
MP8023	VANESSA	Pendants	20	MX4011/SEN	TILBURY	Outdoor	200
MP8061	VANESSA	Decorative Lamps	58	MX4071	TILBURY	DIY	171
MP8321	SICILY	Pendants	50	MX4071	TILBURY	Outdoor	200
MP8323	SICILY	Pendants	50	MX4111	SIERRA	Outdoor	199
MP8325	SICILY	Pendants	50	MX4171	SIERRA	DIY	171
MP9031	INDUSTRY	Pendants	34	MX4171	SIERRA	Outdoor	199
MP9131	GLADIATOR	Pendants	33	MX4205	FIORE	Outdoor	209
MW1714	CALLAN	Ceiling & Wall	144	MX4225	FIORE	Outdoor	209
MW1720	CALLAN	Ceiling & Wall	144	MX4411R	KARRATHA	Outdoor	195
MW2412	RUBY	Ceiling & Wall	146	MX4411S	HEDLAND	Outdoor	194
MW2417	RUBY	Ceiling & Wall	146	MX4412R	KARRATHA	Outdoor	195
MW4811CH	MASON	Ceiling & Wall	151	MX4412S	HEDLAND	Outdoor	194
MW4814CH/E	MASON	Ceiling & Wall	151	MX4511	HASTINGS	Outdoor	207
MW5611	LEONA	Ceiling & Wall	152	MX4512	HASTINGS	Outdoor	207
MW6509	ALPINE	Ceiling & Wall	145	MX4911	DAKOTA	Outdoor	202
MW6514	ALPINE	Ceiling & Wall	145	MX4971	DAKOTA	DIY	171
MW7111	BRONTE	Ceiling & Wall	152	MX4971	DAKOTA	Outdoor	203
MX10620	SURFACE	Outdoor	174	MX50011	KIAMA	Outdoor	206
MX10620	SURFACE	Commercial	231	MX50011/SEN	KIAMA	Outdoor	206
MX10630	SURFACE	Outdoor	174	MX50111	ALIX	Outdoor	199
MX10630	SURFACE	Commercial	231	MX5111	CIVITA	Outdoor	180
MX10650	SURFACE	Outdoor	174	MX5211	NEPEAN	Outdoor	203

		0.TT00DV	2105
MODEL	NAME	CATEGORY	PAGE
MX5311	DOMAIN	Outdoor	204
MX6611	CLUNY	Outdoor	205
MX6612	CLUNY LED	Outdoor	183
MX67110	RORY	Outdoor	190
MX6711R	RORY	Outdoor	190
MX6712	ETHAN	Outdoor	183
MX7311	YARRA	Outdoor	201
MX7391	YARRA	Outdoor	201
MX7391P	YARRA	Outdoor	201
MX7412	DEUCE	Outdoor	185
MX7861	ZONE 2	Outdoor	177
MX7861/SEN	ZONE 2	Outdoor	177
MX7862	ZONE 2	Outdoor	177
MX7862/SEN	ZONE 2	Outdoor	177
MX8405L	SHORE	Outdoor	211
MX8406L	SHORE	Outdoor	210
MX8505L	SHORE	Outdoor	211
MX8505S	SHORE	Outdoor	211
MX8605L	FORTE	Outdoor	211
MX8605S	FORTE	Outdoor	211
MX8606L	FORTE	Outdoor	210
MX8606S	FORTE	Outdoor	210
MX8705L	FORTE	Outdoor	211
MX8705S	FORTE	Outdoor	211
MX8706L	FORTE	Outdoor	210
MX8706S	FORTE	Outdoor	210
MX9412	ALBANY	Outdoor	193
MX9506	WELLS	Outdoor	180
MX9512	WELLS	Outdoor	180
MXB1	PAGODA	Outdoor	204
MXD4012	ARCH	Outdoor	181
MXD4206	EMERSON	Outdoor	186
MXD4311	ELIZA	Outdoor	193
MXD4312	ELIZA	Outdoor	193
MXD4406R	BRENTON	Outdoor	182
MXD4406S	BRENTON	Outdoor	182
MXD4612	MARVIN	Outdoor	184
MXD4612/SEN	MARVIN	Outdoor	184
MXD4811	DERINDA	Outdoor	206
MXD4811/SEN	DERINDA	Outdoor	206
MXD4906	PIPE	Outdoor	191
MXD4911	RICHIE	Outdoor	197
MXD4911SEN	RICHIE	Outdoor	197
MXD57511	AUSTIN	Outdoor	196
MXD6041	FELIX	Outdoor	190
MXD6041	FELIX	Outdoor	190
MXD60512	STURT	Outdoor	184
141VD0001Z	010111	Outdoor	104

MODEL	NAME	CATEGORY	PAGE
MXD60632	BARTON	Outdoor	205
MXD6408	DARWIN	Outdoor	178
MXD6512	CAYMAN	Outdoor	178
MXD6711	ОТТО	Outdoor	176
MXD6711/SEN	OTTO	Outdoor	176
MXD6712	ОТТО	Outdoor	176
MXD6712/SEN	OTTO	Outdoor	176
MXD70511	VENICE	Outdoor	188
MXD75012	CARNAVON	Outdoor	188
MXD9911	GRACE	Outdoor	196
MXD9911SEN	GRACE	Outdoor	196
MXI50021SS	HUME	Outdoor	207
X350TLDIM	TOUCH DIMMER	Globes & Dimmers	221

