



Elite  
**Hotbox**  
gas system

Elite Fireplace Collection



## Choose your style

Whether renovating an existing fireplace or creating a new one, the Hot Box ceramic fibre design is convenient, economical & safe. With designs ranging from heritage to contemporary there is a style to suit all individual tastes and applications. All Elite gas fires are fitted with the latest in safety technology, including flame failure devices and oxygen depletion systems to ensure your families safety. \*Most timber mantles are available in authentic cognac, French white & gloss white finishes and come fully assembled or in kit form.



Elite **HOT BOX** fitted with Lux fascia, ash pan cover, authentic cognac Evandale mantle & granite hearth.



Elite **HOT BOX** fitted with Malvern fascia, ash pan cover, authentic cognac Classic Edwardian mantle & granite hearth.




Elite **HOT BOX** fitted with Chelsea fascia, ash pan cover, authentic cognac arched Georgette mantle and granite hearth.



Elite **HOT BOX** fitted with Tempo fascia, ash pan cover, authentic cognac Parliament mantle & granite hearth.

## Existing Fireplace

To transform your existing fireplace into a gas operated 'Hot Box' system, check your fireplace is clear and drawing, then simply position the Hot Box into the existing masonry opening, ensuring the unit is positioned behind the lintel bar to avoid spillage. Fit your chosen fascia and mantelpiece to complete the installation. A 225mm gas cowl must be fitted to the chimney top.



# Elite Hotbox gas system



Elite HOT BOX fitted with Austral fascia, ash pan cover, authentic cognac York mantle & granite hearth.



Elite HOT BOX fitted with Buckingham fascia, ash pan cover, gloss white Regency Bullseye mantle & granite hearth.



Elite HOT BOX fitted with Quatro fascia, ash pan cover, gloss white Bolton mantle & granite hearth.



Elite HOT BOX fitted with large G&K fascia, ash pan cover, authentic French white square Georgette mantle & granite hearth.

## Features & Requirements

- Ideal for new fireplace construction and installation into an existing fireplace recess
- Flame failure device & oxygen depletion system
- Designed in Australia for Australian conditions
- Ceramic backed firebox
- Flexible configuration of coals or pebbles
- Available for natural gas or LPG
- 26mj/h gas input
- 20 square-metre heating capacity
- AGA approval 6094
- The room in which your Elite 'Hot Box' is installed must have permanent ventilation (other than a chimney), with a minimum free area of no less than the equivalent cross sectional area of the flue cowl
- A 225mm gas cowl must be fitted to your chimney top when installing your Hot Box into an existing fireplace




# Specifications & Construction

Create your new fireplace with Elite's zero clearance ceramic fibre 'Hot Box' system. This system is designed to make it easy and safe for builders and renovators to install on any wall of your home. Construct frame and finish with plasterboard as per instructions below. Fit fireplace, flue and finish with fascia, mantle & hearth.

## 4 easy steps to install your Hotbox



1 Following the frameout instructions, create the timber frame in your chosen position.





2 Centrally position 'Hot Box', complete with gather and attach twin skin flueing and cowl as per instructions. A qualified gas fitter will connect gas to the appliance.




3 Complete your fireplace with plaster board sheeting.



4 Fit your chosen fascia to the 'Hot Box'. Note: Tile the hearth before fitting fascia.



Hot Box overall dimensions for existing fireplace installation.



Hot Box overall dimensions of zero clearance installation for new fireplace construction.

Elite  
**Hotbox**  
gas system

### Warranty

Your Elite 'Hot Box' gas fire is guaranteed for 12 months from date of purchase. All claims under this guarantee must carry a proof of purchase date and retail supplier.



**SCHOTS**  
HOME EMPORIUM  
*'unearth the uncommon'*